For KCC Use:	11-10-00
Effective Date:	4-10-04
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002
Form must be Typed
Form must be Signed

	77700	t be approved by NOO live	e (5) days prior to commencing well	
Expected Spud Date	4	7 2006	Spot	✓ East
xpecied Spud Date	month d	lay year	NW - SE - NW Sec. 16 Twp. 16	
322	294 🗸		1650 feet from V N /	
PERATOR: License# 322 ame: OSBORN ENERGY, L	LC		1650 feet from E /	✓ W Line of Section
24850 FARLEY			Is SECTION Regular Irregular?	
ity/State/Zip:	KS 66013		(Note: Locate well on the Section Plat on	ravarca cidal
ontact Person: JEFF TAYL	OR		County: MIAMI	reverse side)
none: 913-533-9900			Lease Name: MAZZA	Well #: 3-16
	/		Field Name: SPRING HILL	VVIII #
ONTRACTOR: License#	5885 ✓		Is this a Prorated / Spaced Field?	No.
_{lme:} R.S. GLAZE DRILLI	NG		Target Formation(s): MARMATON AND CHEROKEE	
144. H B H - 4 E	W-# Ol	T 5 /	Nearest Lease or unit boundary: 650'	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 1000'	feet MSL
Oil Enh Re	=	Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
✓ Gas ✓ Storage		✓ Air Rotary ✓	Public water supply well within one mile:	Yes ✓ No
OWWO Disposa		Cable	Depth to bottom of fresh water: 200+/-	
Seismic;# of I	Holes Other		Depth to bottom of usable water: 300+/-	
Other			Surface Pipe by Alternate: ☐ 1 🗸 2	
OWWO: old well informa	tion as follows:		Length of Surface Pipe Planned to be set: 20'	
			Length of Conductor Pipe required: NONE	
			Projected Total Depth: 900'	
		nal Total Depth:	Formation at Total Depth: CHEROKEE	
Ongman Completion Da			Water Source for Drilling Operations:	
rectional, Deviated or Ho		Yes ✓ No	Well Farm Pond Other X	
Yes, true vertical depth:_			DWR Permit #:	
ottom Hole Location:			(Note: Apply for Permit with DWF	₹ 🔲)
CC DKT #:			Will Cores be taken?	Yes ✓ No
			If Yes, proposed zone:	
		AFF	FIDAVIT	RECEIVED
	_	, completion and eventual p	plugging of this well will comply with K.S.A. 55 et. seq	ADD a 2 2000
	_	, completion and eventual p	plugging of this well will comply with K.S.A. 55 et. seq	APR 0 3 2006
is agreed that the follow 1. Notify the appropria	ing minimum requiren te district office prior	, completion and eventual prents will be met: to spudding of well;		APR 0 3 2006
is agreed that the follow 1. Notify the appropria 2. A copy of the appro	ing minimum requirent te district office prior ved notice of intent to	, completion and eventual prents will be met: to spudding of well; odrill shall be posted on ea	ach drilling rig;	APR 0 3 2006
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ing minimum requirent te district office prior ved notice of intent to ant of surface pipe as	, completion and eventual prents will be met: to spudding of well; odrill shall be posted on easpecified below shall be s	ach drilling rig; set by circulating cement to the top; in all cases surfa	APR 0 3 2006
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as lidated materials plus	, completion and eventual prents will be met: to spudding of well; odrill shall be posted on easpecified below shall be so a minimum of 20 feet into	ach drilling rig; set by circulating cement to the top; in all cases surfa	APR 0 3 2006 KCC WICHI7
 Notify the appropria A copy of the appro The minimum amou through all unconso If the well is dry hol The appropriate dist 	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as lidated materials plus le, an agreement betwent office will be notif	, completion and eventual prents will be met: to spudding of well; of drill shall be posted on ear specified below shall be a minimum of 20 feet into ween the operator and the fied before well is either plu	ach drilling rig; set by circulating cement to the top; in all cases surfa- the underlying formation. district office on plug length and placement is necess ugged or production casing is cemented in;	APR () 3 2006 KCC WICHIT ce pipe shall be set sary prior to plugging;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II	ing minimum requirent te district office prior ved notice of intent to the first of surface pipe as lidated materials plus le, an agreement betweet office will be notiful COMPLETION, process	, completion and eventual prents will be met: to spudding of well; of drill shall be posted on ear specified below shall be a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer	ach drilling rig; set by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; nted from below any usable water to surface within 12	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as lidated materials plus le, an agreement betward office will be notiful COMPLETION, procendix "B" - Eastern K	nents will be met: to spudding of well; dirill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer ansas surface casing orde	ach drilling rig; set by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is necessagged or production casing is cemented in; inted from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appomust be completed	ing minimum requirent te district office <i>prior</i> ved notice of intent to int of surface pipe as didated materials plus le, an agreement between the complete office will be notiful COMPLETION, procendix "B" - Eastern K within 30 days of the	nents will be met: to spudding of well; drill shall be posted on ear specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either plu fuction pipe shall be cemer ansas surface casing orde spud date or the well shall	ach drilling rig; set by circulating cement to the top; in all cases surfa- the underlying formation. district office on plug length and placement is necess agged or production casing is cemented in; inted from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office p	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate be completed thereby certify that the st	ing minimum requirent to district office <i>prior</i> ved notice of intent to int of surface pipe as lidated materials plus le, an agreement between the conflict office will be notiful COMPLETION, proceendix "B" - Eastern K within 30 days of the statements made herei	nents will be met: to spudding of well; drill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best intents.	ach drilling rig; set by circulating cement to the top; in all cases surfa- the underlying formation. district office on plug length and placement is necess- gigged or production casing is cemented in; need from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office p of my knowledge and belief.	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appomust be completed	ing minimum requirent to district office <i>prior</i> ved notice of intent to int of surface pipe as lidated materials plus le, an agreement between the conflict office will be notiful COMPLETION, proceendix "B" - Eastern K within 30 days of the statements made herei	nents will be met: to spudding of well; drill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best intents.	ach drilling rig; set by circulating cement to the top; in all cases surfa- the underlying formation. district office on plug length and placement is necess- gigged or production casing is cemented in; need from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office p of my knowledge and belief.	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appomust be completed	ing minimum requirent to district office <i>prior</i> ved notice of intent to int of surface pipe as lidated materials plus le, an agreement between the conflict office will be notiful COMPLETION, proceendix "B" - Eastern K within 30 days of the statements made herei	nents will be met: to spudding of well; drill shall be posted on ear specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either plu fuction pipe shall be cemer ansas surface casing orde spud date or the well shall	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessagged or production casing is cemented in; need from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office profit of my knowledge and belief. Title: AGENT	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate described by certify that the state:	ing minimum requirent to district office <i>prior</i> ved notice of intent to int of surface pipe as lidated materials plus le, an agreement between the conflict office will be notiful COMPLETION, proceendix "B" - Eastern K within 30 days of the statements made herei	nents will be met: to spudding of well; drill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best intents.	ach drilling rig; set by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; inted from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Title: AGENT	APR [] 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing, rior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to expense to expense the completed thereby certify that the st ate: I'm 30 200 For KCC Use ONLY	ing minimum requirent te district office <i>prior</i> ved notice of intent to the find of surface pipe as ilidated materials plus le, an agreement between the completion, proceed as "B" - Eastern K within 30 days of the satements made hereight	nents will be met: to spudding of well; odrill shall be posted on ea specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemeransas surface casing orde spud date or the well shall in are true and to the best grator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; inted from below any usable water to surface within 12 or #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Title: AGENT Remember to: - File Drill Pit Application (form CDP-1) with Intention	APR () 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to expense to the completed thereby certify that the streate:	ing minimum requirent te district office <i>prior</i> ved notice of intent to int of surface pipe as le, an agreement betwitte office will be notiful COMPLETION, proceeding "B" - Eastern K within 30 days of the laternents made herein Signature of Open 18/187	nents will be met: to spudding of well; odrill shall be posted on ea specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemeransas surface casing orde spud date or the well shall in are true and to the best grator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; inted from below any usable water to surface within 12 in #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office profit of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intentity File Completion Form ACO-1 within 120 days of	APR 0 3 2006 CC WICHIT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing, rior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to expense to expense the completed described are: 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	ing minimum requirent te district office <i>prior</i> ved notice of intent to the fint of surface pipe as lidated materials plus le, an agreement between trict office will be notiful COMPLETION, procendix "B" - Eastern K within 30 days of the latements made hereion Signature of Open 18/87~~~	nents will be met: to spudding of well; odrill shall be posted on ea specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemeransas surface casing orde spud date or the well shall in are true and to the best grator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; need from below any usable water to surface within 12 at #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office profession of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field principle.	APR [] 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing. to Drill; spud date; oration orders;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to expense the completed thereby certify that the strate: For KCC Use ONLY API # 15 - /2/-2 Conductor pipe required.	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as lidated materials plus le, an agreement between the completion, proceeding "E". Eastern K within 30 days of the latements made hereight Signature of Open 18/87-20-20	nents will be met: Ito spudding of well; Ito spudding of well; Ito drill shall be posted on ea specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best prator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; inted from below any usable water to surface within 12 in #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office profit of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intentity File Completion Form ACO-1 within 120 days of	APR 0 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing. to Drill; spud date; oration orders; workover or re-entry;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approus to be completed the properties of the completed that the street of the complete of the c	ing minimum requirent te district office prior ved notice of intent to the fint of surface pipe as lidated materials plus le, an agreement between trict office will be notiful COMPLETION, proceedix "B" - Eastern K within 30 days of the latements made hereight. Signature of Open \$187~~~	nents will be met: to spudding of well; odrill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best grator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necess agged or production casing is cemented in; need from below any usable water to surface within 12 at #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the completion of	APR 0 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing. to Drill; spud date; oration orders; workover or re-entry; completed;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved be completed thereby certify that the state: For KCC Use ONLY API # 15 - /2/-2 Conductor pipe required. Minimum surface pipe re Approved by:	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as le, an agreement betwittict office will be notiful COMPLETION, procendix "B" - Eastern K within 30 days of the satements made hereight Signature of Open 18187	nents will be met: Ito spudding of well; Ito spudding of well; Ito drill shall be posted on ea specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best prator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necess ugged or production casing is cemented in; need from below any usable water to surface within 12 if #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intenting File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is contacted.	APR 0 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing. to Drill; spud date; oration orders; workover or re-entry; completed; sting salt water.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved be completed thereby certify that the st sate: 100 200 For KCC Use ONLY API # 15 - 121-2 Conductor pipe required Minimum surface pipe re Approved by: 100 This authorization expires	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as le, an agreement between the complete will be notiful COMPLETION, proceeding "B" - Eastern K within 30 days of the statements made hereight Signature of Open 18187	nents will be met: to spudding of well; odrill shall be posted on ea specified below shall be se a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemer duction pipe shall be capanasas surface casing orders spud date or the well shall in are true and to the best frator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necess agged or production casing is cemented in; inted from below any usable water to surface within 12 ar #133,891-C, which applies to the KCC District 3 ard I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is continued.	APR 0 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing. to Drill; spud date; oration orders; workover or re-entry; completed; sting salt water. tion date) please
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved by: For KCC Use ONLY API # 15 - /2/-2 Conductor pipe required Minimum surface pipe re Approved by: This authorization expires	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as le, an agreement between the complete will be notiful COMPLETION, proceeding "B" - Eastern K within 30 days of the statements made hereight Signature of Open 18187	nents will be met: Ito spudding of well; Ito spudding of well; Ito drill shall be posted on ea specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best prator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; inted from below any usable water to surface within 12 ar #133,891-C, which applies to the KCC District 3 and I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Title: AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is contained in the provided expiration of the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging is contained in the prior to Submit plugging report (CP-4) after plugging are plugging is contained in the prior to Submit plugging report (CP-4) after plugging are plugging in the plugging in the plugging in the plugging report (CP-4) after plugging are plugging in the pl	APR 0 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing. to Drill; spud date; oration orders; workover or re-entry; completed; sting salt water. tion date) please
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved the completed thereby certify that the state: For KCC Use ONLY API # 15 - /2/-2 Conductor pipe required. Minimum surface pipe re Approved by: This authorization expires	ing minimum requirent te district office prior ved notice of intent to int of surface pipe as lidated materials plus le, an agreement between the complete of	nents will be met: to spudding of well; odrill shall be posted on ea specified below shall be se a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemer duction pipe shall be capanasas surface casing orders spud date or the well shall in are true and to the best frator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necess agged or production casing is cemented in; inted from below any usable water to surface within 12 ar #133,891-C, which applies to the KCC District 3 ard I be plugged. In all cases, NOTIFY district office poof my knowledge and belief. Title: AGENT Remember to: File Drill Pit Application (form CDP-1) with Intent in the completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the completion of the completion form ACO-1 within 120 days of the co	APR 0 3 2006 CC WICHT ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing rior to any cementing. to Drill; spud date; oration orders; workover or re-entry; completed; sting salt water. tion date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: MIAMI
Operator: OSBORN ENERGY, LLC	feet from N / S Line of Section
Lease: MAZZA	1650 feet from E / 🗸 W Line of Section
Well Number: 3-16	Sec. 16 Twp. 16 S. R. 25 ✓ East West
Field: SPRING HILL	
Musel and Assess about Assess	Is Section: ✓ Regular or Irregular
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - SE - NW	
QTH/QTH/QTH of acreage.	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			:		
				:	
	0 .		:	:	
			:		
		 	•		
· .				:	
		:	:		
			:		
. :			:		

APR 0 3 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: OSBORN ENERGY, LLC		License Number: 32294		
Operator Address: 24850 FARLEY BUCYRUS, KS			66013	
Contact Person: JEFF TAYLOR		Phone Number: (913) 533 - 9900		
Lease Name & Well No.: MAZZA 3-16		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_NW _ SE _ NW _	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 16 _{Twp.} 16 _{R.} 25 ✓ East	
Settling Pit	If Existing, date constructed:		1650 Feet from 🗸 North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1650 Feet from ☐ East / ✔ West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	MIAMI County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: N/A mg/l	
	A 115 1 1 1 1 1 1 1		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used? NATIVE CLAY LINED	
	8	20		
Pit dimensions (all but working pits):	om ground level to de	_		
If the pit is lined give a brief description of the			edures for periodic maintenance and determining	
material, thickness and installation procedure			ncluding any special monitoring.	
N/A			ON SITE MAINTENANCE WHILE	
	DRILLING			
Distance to nearest water well within one-mile of pit		Depth to shallo Source of info	owest fresh water N/A 93 feet.	
feet Depth of water wellfeet		measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: N/A		Type of material utilized in drilling/workover: BENTONITE		
		Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment procedure: LET WATER EVAPORATE THEN USE		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		BULLDOZER TO BACKFILL PIT Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the bes	RECEIVED	
W 30 2-20C		11/2 /	APR 0 3 2006	
74130 2006. Date		j wany	Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 4/3/04 Permit Num	ber:	Perm	nit Date: 4/3/06 Lease Inspection: Yes -No	