For KCC Use:	11 10-06
Effective Date:	4-10-06
District #	_,3
CCA2	TAIL OF THE PROPERTY OF THE PR

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

4 8 2006	Spot East
Expected Spud Date	0 0M NE 25 21 17 E
/	<u> </u>
OPERATOR: License#5150 COLT ENERGY INC.	1001 110111 1111 1111 1111 1111
Name. COLI ENERGY, INC.	leet from VE / W Line of Section
Address: P O BOX 388	Is SECTIONRegular Irregular?
City/State/Zip: IOLA, KS 66749	(Note: Locate well on the Section Plat on reverse side)
Contact Person: DENNIS KERSHNER	County: LABETTE
Phone: 620-365-3111	Lease Name: R & M KING Well #: 7-25
CONTRACTOR: License # 33072	Field Name: COFFEYVILLE - CHERRYVALE
CONTRACTOR: License# 35072 Name: WELL REFINED DRILLING COMPANY, INC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: WEEE NET INCO BRIEFING COMP 7411, INCO	Target Formation(s): PENNSYLVANIAN COALS
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 887 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water: 100
Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: NONE
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1100
Original Completion Date:Original Total Depth:	Formation at Total Depth: MISSISSIPPI
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
CCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plots agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface of the well is dry hole, an agreement between the operator and the difference of the surface of the surfa	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the difference of the search	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the standard management of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the sear	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugument of the seed of the specified within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be the seed of the seed of the spud date of the well shall be the seed of the spud date of the seed of t	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRODUCTION CLERK
AFFI The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug that the statements made herein are true and to the best of the place is 3-30-06. Signature of Operator or Agent: For KCC Use ONLY	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRODUCTION CLERK #Emember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the proposed of the spud date or the well shall be the proposed of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRODUCTION CLERK
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through its either plug of the seen through through the seen through the seen through the seen through th	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRODUCTION CLERK #Emember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the difference of the spropriate district office will be notified before well is either plug of the spuddate of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 23915 - O Conductor pipe required feet Minimum surface pipe required feet per Alt.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK #emember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent set of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: Conductor pipe required feet per Alt. (2) Approved by: 1. Approved district office prior of the district office pipe required feet per Alt.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all through all through all through all unconsolidated materials plus a minimum of 20 feet into the seed through a seed th	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRODUCTION CLERK File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the difference of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the teleptore of the spud date or the well shall be the statements made herein are true and to the best of the post of the spud date or the well shall be conducted by the statements made herein are true and to the best of the post of the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the shall be conducted by the spud date or the shall be conducted by the spud date or the shall be conducted by the spud date or the s	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRODUCTION CLERK Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: LABETTE
Operator: COLT ENERGY, INC.	3300 feet from N / V S Line of Section
Lease: R & M KING	
Well Number: 7-25	Sec. 25 Twp. 31 S. R. 17 VEast Wes
Field: COFFEYVILLE - CHERRYVALE	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: C SW NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

KCC WICHITA

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: COLT ENERGY, INC		License Number: 5150			
Operator Address: P O BOX 388, IOLA, KS 66749					
Contact Person: DENNIS KERSHNER		Phone Number: (620) 365 - 3111			
Lease Name & Well No.: R & M KING 7-25		Pit Location (QQQQ):			
Type of Pit:	Pit is:		CSW _ NE		
Emergency Pit Burn Pit	✓ Proposed		Sec. 25 _{Twp.} 31 _{R.} 17		
Settling Pit	If Existing, date constructed:		3300 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity: (bbls)		Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)			LABETTE County		
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL		
Pit dimensions (all but working pits): 30 Length (feet) 15 Width (feet) N/A: Steel Pits					
Depth fr	om ground level to de	eepest point:	5 (feet)		
			edures for periodic maintenance and determining nocluding any special monitoring.		
		3.7,			
			79		
Distance to nearest water well within one-mile of pit Depth to shallo Source of info		west fresh water UNKNOWN feet.			
			mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of ma			pe of material utilized in drilling/workover: NATIVE SOIL		
			Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure: PUMP OUT PUSH IN		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
Chille Ct. Hay and 3 2000					
Date Signature of Applicant or Agent CC MICH					
KCC OFFICE USE ONLY					
Date Received: 4/3/06 Permit Number: Permit Date: 4/3/06 Lease Inspection: Yes No					
Date Received: 4/3/06 Permit Number: Permit Date: 4/3/06 Lease Inspection: Yes No					