For KCC Use:

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 10, 2006 month day year	_ ,	
	Spot	
22265 1	Sec. 30 Twp. 30 S. R. 14 West  660 Feet from VN / S Line of Section	
OPERATOR: License# 33365 V Name: Layne Energy Operating, LLC	660 feet from / E / W Line of Section	
Name: Layle Ellergy Operating, LLO Address: 1900 Shawnee Mission Parkway	Is SECTION   Regular   Irregular?	
Address:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: M. B. Nattrass	County: Wilson	
Phone: 913-748-3987	Lease Name: Gorton Well #. 1-36	
	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	
Name: Thorton Air	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 915 feet MSL	
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:    Yes   Volume   Yes   Volume   Yes   Yes   Volume   Yes   Yes   Volume   Yes   Yes   Volume   Yes   Volume   Yes   Volume   Yes   Yes   Volume   Yes   Yes	
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
Other	Surface Dine by Atternate: 1 1 / 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 40 min.	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1500 Feet	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Training of the control control	
If Yes, true vertical depth:		
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR )	
* 40' surface casing minimum Al+ 2.	Will Cores be taken?	
A 40 301 ince casing minimum AIT 2.	KANCAG ANGLES	
AFI	FIDAVIT  Allegaing of this well will comply with K.S.A. 55 et see. A.D.D. a. —	MISSION
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2006	
It is agreed that the following minimum requirements will be met:		
Notify the appropriate district office <i>prior</i> to spudding of well;	each drilling rig:	
2. A copy of the approved notice of intent to drill shall be posted on ea	set by circulating cement to the top; in all cases surface pipe shall be set	<b>`</b>
	set by choulding centent to the top, in all cases surface pipe small be set	M
through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation.	M
4. If the well is dry hole, an agreement between the operator and the	district office on plug length and placement is necessary <i>prior to plugging</i> ;	<b>N</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu	district office on plug length and placement is necessary <b>prior to plugging</b> ; ugged or production casing is cemented in;	<b>N</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer	district office on plug length and placement is necessary <i>prior to plugging</i> ; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.	N
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	district office on plug length and placement is necessary <b>prior to plugging</b> ; ugged or production casing is cemented in;	<b>N</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	In district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.	<b>N</b>
<ol> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.</li> </ol>	district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.	<b>N</b>
<ol> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall</li> </ol>	In district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.	N
<ol> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.</li> </ol>	district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.	M
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: April 4, 2006  Signature of Operator or Agent:	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	M
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 265 - 265 - 200 - 200	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	M
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:  April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    Title: Agent   Remember to:	M •
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 2658 - 20-20-20	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	M
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 26518 - OD-OO  Conductor pipe required None feet	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    Title: Agent   Remember to:	<b>3</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 2658 - 20-20  Conductor pipe required	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    Title: Agent   Remember to:	<b>3</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 24518 - 00-00  Conductor pipe required	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  File plugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	<b>3</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 2658 - 2000  Conductor pipe required	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	<b>3</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 4, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 2658 - 00-00  Conductor pipe required	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Signature of Operator or Agent:	<b>3</b>
4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 4, 2006  Signature of Operator or Agent: MP API # 15 - 205 - 265 -	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	<b>3</b>

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County:_Wilson
660 feet from VN / S Line of Section
660 feet from F E / W Line of Section
Sec. 36 Twp. 30 S. R. 14 VEast West
Is Section: ✓ Regular or Irregular
If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)







NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway, Mission Woods, KS 66205				
Contact Person: M. B. Nattrass		Phone Number: ( 913 ) 748 - 3987		
Lease Name & Well No.: Gorton 1-36		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> <u>NE</u> _	
Emergency Pit Burn Pit	<b></b> Proposed	Existing	Sec36Twp30R14	
Settling Pit	If Existing, date or	onstructed:	660 Feet from 🗹 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	<del></del>	660 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	<b>N</b> 1-	How is the pit lined if a plastic liner is not used?	
Yes No	Yes ✓		Self-sealing pit	
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 3' (feet)				
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	adures for periodic maintenance and determining and special monitoring. ANSIS CONFIGURATION COMMISSION APR 0 5 2006	
			CONSERVATION DIVISION	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.	
Distance to nearest water well within one-mil	·	Source of info	west fresh waterfeet.	
	feet	Source of info	west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:	
NA feet Depth of water well_	feet	Source of info	west fresh waterfeet. mation:  uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud	
NA feet Depth of water well	feet	Source of informal measurements  Drilling, Worke Type of materia	west fresh waterfeet. mation:  uredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two	
NA feet Depth of water well	feet	Source of information measurement measurem	west fresh waterfeet. mation:  uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two  procedure: Let Evaporate until dry and then backfill	
NA feet Depth of water well	feet	Drilling, Work Type of materi Number of work Abandonment restore.	west fresh waterfeet. mation:  uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two  procedure: Let Evaporate until dry and then backfill	
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed.	feet	Drilling, Work Type of materi Number of work Abandonment restore. Drill pits must	west fresh waterfeet. mation:  uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two  procedure: Let Evaporate until dry and then backfill	
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No	feet	Source of informed measurements  Type of material Number of work Abandonment restore.  Drill pits must correct to the besure and the second measurements are stored to the besurements.	west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill be closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state  April 4, 2006	I spilled fluids to	Source of informed measurements  Type of material Number of work Abandonment restore.  Drill pits must correct to the besure and the second measurements are stored to the besurements.	west fresh waterfeet. mation:  uredwell ownerelectric logKDWR  over and Haul-Off Plts ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.  t of my knowledge and belief.	