For KCC Use: 4-12-06 Effective Date: _ District #_ SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

RECEIVED

NOTICE OF INTENT TO DRILL KO

1 N U 5 ZUU6	Form must be Type
C WICHITA	Form must be Signed blanks must be Filled

Expected Spud Date 4/12/06	Spot	ast
month, day year	NW - NW - SW Sec. 7 Twp. 3 S. R. 26 ✓ W	
30606	2310 feet from N / V S Line of Section	esi
OPERATOR: License# 30606 Name: Murfin Drilling Company, Inc.	330 feet from E / W Line of Section	
250 N. Water, Suite 300	Is SECTION RegularIrregular?	
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: David Doyel	County: Decatur	
Phone: 316-267-3241	Lease Name: Knutson 'B' Well #: 1-7	
	Field Name: Wildcat	
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field? Yes ✓	No
Name: Murfin Drilling Company, Inc.	Target Formation(s): LKC, Arbuckle	,,,,
Well Dellad Form Well Oleans Time Foreign and	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Est. 2638 feet	/SL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	-
OWO Disposal Vildcat Cable	Depth to bottom of fresh water: 225 / PD	, -
Seismic;# of Holes [Other	Depth to bottom of usable water: 1450	
Other	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 3900'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
	✓ Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #;	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	-
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
AFF	IDAVIT	
	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through through the through the through the through the through the through through the through the through the through the through the through through the through through the through the through through through the through thr	CIDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the top; in all cases surface pipe shall be set to underlying formation. It is the indication of the top; in all cases are prior to plugging to the	•
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through through the through the through the through the through the through through the through the through the through the through through through the through through the through through the through	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	•
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	•
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the content of the set of	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	•
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sethology</i> all unconsolidated materials plus a minimum of 20 feet into the sethology all unconsolidated materials plus a minimum of 20 feet into the sethology and the constant of the well is dry hole, an agreement between the operator and the constant of the sethology and the sethology and the sethology and the sethology and the sethology are sethology and the sethology	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	•
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the state of the well is dry hole, an agreement between the operator and the composition of the state of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging to the specified before well is either pluging the surface of the surface of the specified before well is either pluging the surface of the surfa	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	•
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the spunding order must be completed within 30 days of the spunding order of the well shall thereby certify that the statements made herein are true and to the best of the spunding of th	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	•
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the version of the well is dry hole, an agreement between the operator and the construction of the version o	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent* **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	•
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the constitution of the vell is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the vell shall shall be possible to the vell shall shall be sufficiently that the statements made herein are true and to the best of the vell shall shall be sufficiently that the statements made herein are true and to the best of the vell shall shall be sufficiently that the statements made herein are true and to the best of the vell shall shall be sufficiently that the statements made herein are true and to the best of the vell shall shall be sufficiently that the statements made herein are true and to the best of the vell shall shall be sufficiently that the statements made herein are true and to the best of the vell shall be sufficiently that the statements made herein are true and to the best of the vell shall be sufficiently that the statements made herein are true and to the best of the vell shall be sufficiently that the statements made herein are true and to the best of the vell shall be sufficiently that the statements made herein are true and to the best of the vell shall be sufficiently that the statements made herein are true and to the best of the vell shall be sufficiently that the statement is sha	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging. gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemer be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	•
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the control of the well is dry hole, an agreement between the operator and the control of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	•
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the statements of the well is dry hole, an agreement between the operator and the composition of the well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production of the well shall hereby certify that the statements made herein are true and to the best of the production of the production of the well shall hereby certify that the statements made herein are true and to the best of the production of t	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent* **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	ting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed is the plug of the spudding property of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be returned and to the best of the spud date or the well shall be returned and to the best of the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the well shall be returned and the spud date or the shall be returned and the spud date or the spud date or the spud	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall a hereby certify that the statements made herein are true and to the best of the prior of the prior of the prior of the prior of Agent: Por KCC Use ONLY	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	ting
The undersigned hereby affirms that the drilling, completion and eventual processing the isagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the composition of the well is district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certify that the statements made herein are true and to the best of the well shall hereby certified the well shall hereby	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


tion of Well: County: Decatur
•
feet from N / S Line of Section feet from E / W Line of Section
7 Twp. 3 S. R. 26 East ✓ Wes
ction: ✓ Regular or ☐ Irregular
ction is irregular, locate well from nearest corner boundary. on corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

APR 0 5 2006 Form must be Typed

APPLICATION FOR SURFACE PIT

KCC WICHITA

Submit in Duplicate

Operator Name: Murfin Drilling Co	ompany, Inc.		License Number: 30606	
Operator Address: 250 N. Water, Suite 300, Wichita, KS 67202				
Contact Person: David Doyel		Phone Number: (316) 267 - 3241		
Lease Name & Well No.: Knutson 'B' #1-7		Pit Location (QQQQ):		
Type of Pit:	Pit is:		C NW NW SW	
Emergency Pit Burn Pit	✓ Proposed		Sec. 7 Twp. 3 R. 26 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		2310 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	600 (bbis)		Decatur	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration:mg/l	
Is the belleville and Israell	A distribution of		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? Yes ✓ No		How is the pit lined if a plastic liner is not used? Bentonite & solids from drlg. oper. self seal pits.	
20.00.00.00.00.00.00.00.00.00.00.00.00.0	00	et) 100	AL/A	
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A N/A: Steel Pits Depth from ground level to deepest point: 4 (feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Source of infor		, –		
3350' / feet Depth of water wellfeet			uredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite	
		king pits to be utilized: 4		
		procedure: Allow pit to evaporate until dry then		
Does the slope from the tank battery allow all spilled fluids to		backfill whe	backfill when conditions allow. Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. A/4/06				
4/4/06 Hauna Dr. Date Signat			Simulman Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: $4/5/o$ Permit Num	ber:	Perm	it Date: 4/5/06 Lease Inspection: Yes 4 No	