RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

For KCC Use:

Effective Date:

APR 0 5 2006

Form C-1

December 2002 Form must be Typed

District # AIOTICE OF IN	Form must be Ty NTENT TO DRILL COMPANY Form must be Sign	
	TILITIES GUNSEENATION BRANCH	illed
Must be approved by KCC tive	e (5) days prior to commencing well WICHITA, KS	
Exposted Stud Pete April 26, 2006	Snot 90' S. & 60' E. of	
Expected Spud Date	C S/2 NIM SIM 13 20 14	ast
		/est
OPERATOR: License#5056	Teet nom	
Name: F.G. Holl Company, L.L.C.	leet from E / W Line of Section	
Address: 9431 E. Central, St. #100	Is SECTIONRegularIrregular?	
City/State/Zip: Wichita, KS. 67206	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Franklin R. Greenbaum	County: Barton	
Phone: (316) 684-8481	Lease Name: PANNING Well #: 1-13	
CONTRACTOR: License# 5929	Field Name: Maybach West	
Name: Duke Drilling Company, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Red Facele, LKC, Arbuckle, Herr	No
Tallo.		rington
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 720'	
Oil Chin Rec Infield Mud Rotary	Ground Surface Elevation: 1895 feet M	٦ .
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Penth to bottom of fresh water: 180' Yes]No 🖊
Seismic;# of Holes Other	Depth to bottom of flesh water.	
Other	Depth to bottom of usable water.	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Conductor Pipe required: None	
Operator:	Projected Total Depth: 3700'	
Well Name:	Formation at Total Depth: Arbuckle	
Original Completion Date:Original Total Depth:	✓ Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #: Contractor will apply	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗸)	
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
A 57	FID AVIT	
	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
1. Notify the appropriate district office <i>prior</i> to spudding of well;	ach drilling via	
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s 	set by circulating cement to the top; in all cases surface pipe shall be set	
through all unconsolidated materials plus a minimum of 20 feet into		
4. If the well is dry hole, an agreement between the operator and the	district office on plug length and placement is necessary prior to plugging	j;
5. The appropriate district office will be notified before well is either plu		
	nted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cement	tina
	Il be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.	iiig
I hereby certify that the statements made herein are true and to the best	, ,	
	1 in R. Weetham	
Date: April 4, 2006 Signature of Operator or Agent:	Title: Exploration Manager	
. 7	Remember to:	
For KCC Use ONLY		
0.09 - 20912 - 122-01	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	
AI 1 # 10 ·	File Completion Form ACC-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	\mathcal{C}
Conductor pipe required None feet	Notify appropriate district office 48 hours prior to workover or re-entry;	
Minimum surface pipe required 260 feet per Alt.	- Submit plugging report (CP-4) after plugging is completed;	
Approved by: Pctt 4-7-06	- Obtain written approval before disposing or injecting salt water.	<i>b</i> '
This authorization expires:	- If this permit has expired (See: authorized expiration date) please	20
(This authorization void if drilling not started within 6 months of effective date.)	check the box below and return to the address below.	
	Well Not Drilled - Permit Expired	
Spud date:Agent:	Signature of Operator or Agent:	<u></u>
	Date:	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009 - 24 928 - 00-00	Location of Well: County:Barton
Operator: F.G. Holl Company, L.L.C.	feet fromN / 🗾 S Line of Section
Lease: PANNING	feet from E / W Line of Section
Well Number: 1-13 Field: Maybach West	Sec. 13 Twp. 20 S. R. 14 East West
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: C S/2 - NW - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		•				•		•
		•					•	•
		•				•		•
		-	•			-	•	•
		•				•		•
		_						
		-						-
								· · · ·
					1			
					1		•	
		•		,		•	•	•
					_			
				1	.3			
						•		•
								•
		:	. :					•
							•	•
						•		•
						•	•	•
			 			•		•
			· · ·					
								· ·
-00								· · ·
7201						· · · ·		
720 '						· · · ·		· · ·
720 '		· · · ·				· · · ·		
720 '						· · · ·		
720 '						· · · ·		
720 '	· · ·					· · · ·		
720 '						· · · ·		
720 '						· · · ·		
720 '		· · · • • • •	· · · · · · · · · · · · · · · · · · ·			•		
720 '		· · · • • • •				•		
720 '		· · · • • • •	· · · · · · · · · · · · · · · · · · ·			•		
720 '		· · · • • • •	· · · · · · · · · · · · · · · · · · ·			•		
720 '	· · ·	· · · • • • •	· · · · · · · · · · · · · · · · · · ·			•		
720 '		10				•		
720 '		10	· · · · · · · · · · · · · · · · · · ·			•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		
720 '		10				•		

RECEIVED CANSAS CORPORATION COMMISSION

APR 1 5 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, $you\ must\ show$:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION
KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR u 5 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PATION DIVISION WICHTA, KS

Submit in Duplicate

Operator Name: F.G. Holl Company, L.L.C.			License Number: 5056			
Operator Address: 9431 E. Central, St. #100, Wichita, KS. 67206						
Contact Person: Franklin R. Greenbaum			Phone Number: (316) 684 - 8481			
Lease Name & Well No.: PANNING 1-13			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✔ Proposed Existing		Sec. 13 Twp. 20S R. 14 East V West			
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		720 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	500	(bbls)	Barton County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: N/A mg/l			
•			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	50 Length (fe	et) 150	Width (feet)N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	4 (feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.			
N/A		N/A	g,			
		14//				
Distance to nearest water well within one-mile of pit Depth to shall Source of info			west fresh water25feet. mation: KAK63			
		measuredwell owner electric logKDWR				
			kover and Haul-Off Pits ONLY:			
Producing Formation: Type of materi			ial utilized in drilling/workover: Fresh Mud			
		l	working pits to be utilized: 3			
Barrels of fluid produced daily: Abandonmo			procedure: Backfill rotary pits and smooth location			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
Franklin R. Greenbaum						
April 4, 2006		- K.				
Date Signature of Applicant or Agent						
	NLY RFAS+C					
4/5/4	L	_	Call DNT supt castr.			
Date Received: 4/5/0C Permit Num	per:	Perm	it Date: 4/6/04 Lease Inspection: Yes No			



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

April 6, 2006

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central St. #100 Wichita, KS 67206

RE: Drilling Pit Application

Panning Lease Well No. 1-13 SW/4 Sec. 13-20S-14W Barton County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **if sand is encountered during the construction of the reserve pit or working pits, please call the District Office at (785) 625-0550**. The fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: H Deines