For KCC Use: 4-12-06 Effective Date: 4-12-06 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 10, 2006	_ Spot ✓ East
month day year	<u>SW</u> - <u>NW</u> <u>Sec. 36</u> <u>Twp. 31</u> S. R. <u>14</u> West
OPERATOR: License#_33365 /	1980 feet from N / S Line of Section
Name Layne Energy Operating, LLC	
Address: 1900 Shawnee Mission Parkway	Is SECTION Regular Irregular?
City/State/Zip: Mission Woods, KS 66205	
Contact Person: M. B. Nattrass	County: Montgomery
Phone: 913-748-3987	Lease Name: Schabel Well #: 5-36
_	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33000	Is this a Prorated / Spaced Field?
Name: Thorton Air	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'
	Ground Surface Elevation: 974' feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas ✓ Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic;# of Holes Other	Depth to bottom of usable water: 200 175
Other	Surface Pipe by Alternate: 1 2 MANSAGE FINE
If OWWO: old well information as follows:	Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 20 Length of Conductor Pipe required: None Projected Total Depth: 1500 Feet APR 0 5 2000
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1500 Feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian Water Source for Drilling Operations: Well Farm Pond Other X WICHITA, KS
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ N	Water Source for Drilling Operations: Well Farm Pond Other X WICHITA, KO
If Yes, true vertical depth:	— DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	If Yes, proposed zone:
A	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventu	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well strict.	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The right all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well strict.	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The right all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either for pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the beautiful to the statement of the spud date or the well shall be certify that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the statements made herein are true and to the statements are true and to the statements are true and the statements are	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The with the plugged. In all cases, NOTIFY district office prior to any cementing that the plugged and belief.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the statements of the spropriate district office will be notified before well is either for pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the beautiful to the statements of the spud date or the well shall be certify that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statements made herein are true and to the beautiful that the statement that the statements are true and to the statement that the statements are true and to the statement that the state	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The right all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and it 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be centured in the statements made herein are true and to the best paternament. Date: April 4, 2006 Signature of Operator or Agent:	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The with the plugged. In all cases, NOTIFY district office prior to any cementing that the plugged and belief.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the statement district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the best potential of the production of the spud date of the spud date. Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The mented from below any usable water to surface within 120 days of spud date. The reach drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the district office on plugging; The plugged or production casing is cemented in; The plugged or
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the statement district office will be notified before well is either for an ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be centered that the statements made herein are true and to the best pate: April 4, 2006	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The worder #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. The set of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the specified before well is either: 6. If an ALTERNATE II COMPLETION, production pipe shall be comported or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31045 - 00 - 00 Conductor pipe required.	If Yes, proposed zone: AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; The plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. The Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statement between the operator and the statement of the initial before well is either of the surface casing or must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the shall b	If Yes, proposed zone: IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If e set by circulating cement to the top; in all cases surface pipe shall be set at the underlying formation. In edistrict office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date. In each drilling rig; In edistrict office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date. In each drilling rig; In elie asses, NOTIFY district office prior to any cementing that is a plugged. In all cases, NOTIFY district office prior to any cementing. It is: Agent Remember to: It is: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either of an ALTERNATE II COMPLETION, production pipe shall be compured to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well state. I hereby certify that the statements made herein are true and to the best of the specified of	If Yes, proposed zone: IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If yes set by circulating cement to the top; in all cases surface pipe shall be set at the underlying formation. If the underlying formation is necessary prior to plugging; plugged or production casing is cemented in; If yes, proposed zone: I
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the specified before well is either: 6. If an ALTERNATE II COMPLETION, production pipe shall be cented or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements be completed within 30 days of the spud date or the well statements of the spud date or the spud date. I hereby certify that the statements made herein are true and to the best of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31045 - 00 - 00 Conductor pipe required	If Yes, proposed zone: IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If yes set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If the district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; If the inented from below any usable water to surface within 120 days of spud date. If the inented from below any usable water to Surface prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the inented from the inented from the inented from the inented from the plugged. In all cases, NOTIFY district office prior to any cementing. If the inented from the
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the specified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the serior production pipe shall be centered and the surface casing or must be completed within 30 days of the spud date or the well still be producted and the surface casing or must be completed within 30 days of the spud date or the well still be producted and the surface pipe appropriate date of the producted and the surface pipe appropriate district office prior to spud date or the well still be producted and the surface pipe appropriate district office prior to spud date or the well still be producted and the surface pipe appropriate district office prior to spud date or the well still be producted and the surface pipe appropriate district office pipe as specified below appropriate and the surface pipe appropriate and the surface pipe appropriate and the a	IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. The shall be plugged. In all cases, NOTIFY district office prior to any cementing and be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box helow and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the statement of the specified before well is either: 6. If an ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements be completed within 30 days of the spud date or the well statements of the spud date or the well statements of the spud date or the spud date. I hereby certify that the statements made herein are true and to the best of the spud date or the spud date. For KCC Use ONLY API # 15 - 125 - 31045 - 400 -	If Yes, proposed zone: IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If yes be set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It is district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date. In enter #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. It is Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the specified before well is either in the appropriate district office will be notified before well is either in the statements of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. I hereby certify that the statements made herein are true and to the best part of the spuddate or the set per Alt. For KCC Use ONLY API # 15 - 125 - 31045 - 400	If Yes, proposed zone: IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. In the district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date. In the result of the kCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; If File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the specified before well is either. 5. The appropriate district office will be notified before well is either. 6. If an ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements be completed within 30 days of the spud date or the well statements. I hereby certify that the statements made herein are true and to the best part of the specific productor of Agent: For KCC Use ONLY API # 15 - 125 - 31045 - 00 - 00 Conductor pipe required	If Yes, proposed zone: IFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If yes be set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It is district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; In ented from below any usable water to surface within 120 days of spud date. In enter #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. It is Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Operator: Layr	PI No. 15 - 125 - 31 045 - 00 - 00 perator: Layne Energy Operating, LLC						198			y	Montgomery feet from ✓N / S Line of Section		
ease: Schabel Vell Number: 5-36						660			feet from V N / S Line of Section feet from E / W Line of Section				
					_ Sec		Twp. 31	31	S. R. 14 East Wes				
Field: Cheroke	e Basir	Coal					_ 000		p.:				
							- Is S	ection:	√ Reg	gular or	r Irregular		
Number of Acre				. SW	,	NW	-				_		
QTR / QTR / QT	IR OT AC	reage:	-						-	_	ite well from nearest comer boundary.		
							Sec	tion corr	ner used:	NE	E NW SE SW		
							PLAT						
		(Show loca					_	-	-	paced wells.)		
				(Show	footage	to the nea	rest lease	or unit b	oundary i	line.)			
									_				
	ļ.			:			· :				APR 0 5 2000		
	ŀ					•					CORPORATION		
• •	• •										APR 0 5 2006		
	3	2									11 N 0 5 2006		
	6	<u> </u>		٠							10Eh:/17-		
											CONSERVATION DIVISION WICHITA, KS		
Ì	•						· ·						
 								· · · ·					
6	JO :												
	:			. 2	' I		: :			EXAM	MPLE		
<u> </u>	•		•	 _	0	•							
	:			:	1		· :						
											1980		
			•				•						
	• •										3390'		
	·						. :						

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

SEWARD CO.

2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy C	perating, LL	License Number: 33365					
Operator Address: 1900 Shawne	ee Mission	Mission Woods, KS 66205					
Contact Person: M. B. Nattrass		Phone Number: (913) 748 - 3987					
Lease Name & Well No.: Schabel 5	-36	Pit Location (QQQQ):					
Type of Pit:	Pit is:		<u>SW</u> - <u>NW</u>				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 36 Twp. 31 R. 14 V East West				
Settling Pit	If Existing, date of	onstructed:	1980 Feet from 🗸 North / 🗌 South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	r it supusity.	(bbls)	Mantagana				
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l				
			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?				
			Self-sealing pit				
Pit dimensions (all but working pits):	80' Length (fe	eet) 20'	Width (feet) N/A: Steel Pits				
Depth fi	rom ground level to de	eepest point: 3'	(feet)				
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determining and special monitoring. 4PR 0 5 2006 CONSECUTION DIVISION VICATIA, KS				
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh waterfeet. Source of information:					
N/Afeet Depth of water well	feet	measuredwell owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:	:	Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Mud					
Number of producing wells on lease:		Number of working pits to be utilized: Two					
Barrels of fluid produced daily:		Abandonment procedure: Let Evaporate until dry and then backfill					
Does the slope from the tank battery allow all	I spilled fluids to	restore.					
flow into the pit? Yes No		restore. Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.				
April 4, 2006 Date		MBA	to of my knowledge and belief. If of my knowledge and belief. If of my knowledge and belief. If of my knowledge and belief.				
	KCC	OFFICE USE O	1 .				
Date Received: 4/5/66 Permit Num	ber:	Perm	it Date: 4/5/06 Lease Inspection: Yes R No				