RECEIVED

or KCC Use:	4-15-00
Effective Date:	71300
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Must be approved by KCC five (5) days prior to commencing well

APR 0 7 2006

Form C-1 December 2002

NOTICE OF INTENT TO DRILL

KCC WICHITA Form must be Typed Form must be Signed All blanks must be Filled

06 05 01 ✓ East **Expected Spud Date** Spot Sec. 10 Twp. 09 S. R. _04 month day vear 165 N / ✓ S Line of Section 5920 OPERATOR: License# 2310 _feet from 🗸 E / W Line of Section TE-PE OIL & GAS Is SECTION _✓_Regular __ P.O. BOX 522 Address: CANTON, KANSAS 67428 (Note: Locate well on the Section Plat on reverse side) City/State/Zip: TERRY P. BANDY CLAY Contact Person: County: 620-628-4428 UNA SWD Well #: 1 Lease Name: Phone: -WILDCAT Field Name: 32701 CONTRACTOR: License# Yes ✓ No Is this a Prorated / Spaced Field? C & G DRILLING Name: Target Formation(s): HUNTON Nearest Lease or unit boundary: Well Drilled For: Well Class: Type Equipment: 1280 feet MSL Ground Surface Elevation: ___ ✓ Mud Rotary Infield Oil Enh Rec Water well within one-quarter mile: Yes Pool Ext. Air Rotary Gas Storage Public water supply well within one mile: Wildcat Cable CAWAD Disposal Depth to bottom of fresh water: # of Holes Other Seismic: Depth to bottom of usable water: Other Surface Pipe by Alternate: ✓ 1 2 Length of Surface Pipe Planned to be set: If OWWO: old well information as follows: 0 Length of Conductor Pipe required: Operator: 2575 Projected Total Depth: ___ Well Name: HUNTON Formation at Total Depth:_ Original Completion Date:_ _Original Total Depth: Water Source for Drilling Operations: Yes ✓ No Directional, Deviated or Horizontal wellbore? Well ✓ Farm Pond Other . If Yes, true vertical depth: DWR Permit #: _ Bottom Hole Location:_ (Note: Apply for Permit with DWR) Yes ✓ No KCC DKT #:_ Will Cores be taken? If Yes, proposed zone: **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:_ Signature of Operator or Agent: Title:

For KCC Use ONLY API # 15 - 027-20038-00-00 None Conductor pipe required_ 200 Minimum surface pipe required..... feet per Alt. 1 Approved by: RIH 4-10-06 This authorization expires: 10-10-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date:_ Agent:

File Drill Pit Application (form CDP-1) with Intent to Drill;

File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Notify appropriate district office 48 hours prior to workover or re-entry;

Submit plugging report (CP-4) after plugging is completed;

Obtain written approval before disposing or injecting salt water.

If this permit has expired (See: authorized expiration date) please

check the box below and return to the address below. Well Not Drilled - Permit Expired

Signature of Operator or Agent: Date:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Remember to:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - D27-20038-00-00	Location of Well: County:	CLAY
Operator:TE-PE OIL & GAS	165	feet from N / S Line of Section
Lease: UNA SWD		_ feet from 🗸 E / 🗌 W Line of Section
Well Number: 1 Field: WILDCAT	Sec10 Twp09	S. R. 04 Fast West
Number of Acres attributable to well: OTR / QTR / QTR of acreage: S/2 SW/4 - SW/4 - SE/4		te well from nearest corner boundary. NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		1		
			•	•
] .		:	:	
] :] :	•	
	•			•
] :	:	
-				
:		:		
	· · · · · · · · · · · · · · · · · · ·	0 —		
ĺ .				
	Te-Pe		Te-Pe	·
	Hafner.		Una	
	E/2 SW/4		SE/4	
			/	
	•	330	2310 '	
·	•	7.0		\longrightarrow



NOTE: In all cases locate the spot of the proposed drilling locaton.

Te-Pe Chaffe

NW/4 Sec 15 In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION

APR 0 7 2006

Form CDP-1

APPLICATION FOR SURFACE PIT KCC WICHITA Form must be Typed

Submit in Duplicate

Operator Name: TE-PE OIL & G	AS		License Number: 5920	
Operator Address: P.O. BOX 522,	CANTON, K	ANSAS 6	7428	
Contact Person: TERRY P. BANDY			Phone Number: (620) 628 - 4428	
Lease Name & Well No.: UNA SWD #1		Pit Location (QQQQ):		
Type of Pit: Pit is:			S/2 _ SW/4 _ SW/4 _ SE/4	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 10 Twp. 09 R. 04 ✓ East West	
Settling Pit	If Existing, date constructed:		165 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit			2310 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	CLAY	
			County	
Is the pit located in a Sensitive Ground Water	· Area? Yes _ √ ,	Mo	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	BENTONITE GEL SEALED	
Pit dimensions (all but working pits):	rom ground level to de		Width (feet) N/A: Steel Pits -3/4 (feet)	
material, thickness and installation procedure	е.	liner integrity, i	edures for periodic maintenance and determining ncluding any special monitoring.	
material, thickness and installation procedur	е.		ncluding any special monitoring.	
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of infor	west fresh water	
Distance to nearest water well within one-mil 2145 3300 feet Depth of water well	e of pit 105 (4 feet	Depth to shallo Source of infor measu	west fresh water 70 39 feet. mation:	
Distance to nearest water well within one-mil 2145 3300 feet Depth of water well Emergency, Settling and Burn Pits ONLY	e of pit 105 (4) feet	Depth to shallo Source of informeasu	west fresh water	
Distance to nearest water well within one-mil 3145 3300 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pit 105 (4) feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	west fresh water	
Distance to nearest water well within one-miles 3300	e of pit 105 (4) feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	west fresh water	
Distance to nearest water well within one-miles 3300	e of pit 105	Depth to shallo Source of informeasu. Drilling, Work Type of material Number of work Abandonment	west fresh water	
Distance to nearest water well within one-miles 3300	e of pit 105	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment ORIGINAL CO	west fresh water	
Distance to nearest water well within one-mile 3145 3300 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	e of pit 105 4 feet :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment ORIGINAL CO	west fresh water	
Distance to nearest water well within one-mile 3300 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	e of pit 105 4 feet :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment ORIGINAL CO	west fresh water	
Distance to nearest water well within one-mile 3300	e of pit 105 4 feet :	Depth to shallo Source of informeasu. Drilling, Work Type of materia Number of wor Abandonment ORIGINAL CODIII pits must correct to the besides.	west fresh water	
Distance to nearest water well within one-mile 3300 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 4/6/06	e of pit 105 4 feet I spilled fluids to ements are true and o	Depth to shallo Source of informeasu. Drilling, Work Type of materia Number of wor Abandonment ORIGINAL CODIII pits must correct to the besides.	west fresh water	



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.