For KCC Use: 4-17-06 Effective Date: 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 17, 2006 month day year	Spot SESW NW SE Sec. 19 Two. 23 S. R. 20 West
33120	1380 feet from N / S Line of Section
OPERATOR: License# 33120 Name: Derek Rhodes dba Rhodes Well Service	2045 Feet from F E / W Line of Section
Address: 12378 SE Ohio	Is SECTION RegularIrregular?
City/State/Zip: Kincaid, KS 66039	
Contact Person: Derek Rhodes	(Note: Locate well on the Section Plat on reverse side) County: Allen
Phone: (620) 496-5275	Lease Name: Adams Well #: N-2
CONTRACTOR: License# 33027	Field Name:
Name: Michael Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Yes V No
	Nearest Lease or unit boundary: 1,380'
Well Drilled For: Well Class: Type Equipment:	
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 20'
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 730'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	DAVIT
AFF	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	IDAVIT RECEIVED lugging of this well will comply with K.S.A. FANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT RECEIVED lugging of this well will comply with K.S.A. FANSAS CORPORATION COMMISSION APR 1 2 2006
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	UDAVIT Lugging of this well will comply with K.S.A. AND CORPORATION COMMISSION APR 1 2 2006
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. AND CORPORATION COMMISSION APR 1 2 2006 of drilling rig; by circulating cement to the top; in all cases such serious formation.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into the	UDAVIT THE COMMISSION TO THE COMMISSION THE COMMISSION APR 1 2 2006 The drilling rig; In the property of
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 of drilling rig; of by circulating cement to the top; in all cases such serior from the underlying formation. In this content is necessary from Sugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the continuation of the state of the specified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; by circulating cement to the top; in all cases second article by circulating cement to the top; in all cases second article by circulating formation. In the underlying formation. In the underlying formation is upget or production casing is cemented in; and placement is necessary and the sugging; aged or production casing is cemented in; and placement is necessary and the sugging; aged or production casing is cemented in; and the sugging is defined by the sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 APR 1 2 2006 APR 1 2 2006 APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006 APR 1 2 2006 APR 1 2 2006 The sugging of this well will comply with K.S.A. A SECTIVED APR 1 2 2006
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; by circulating cement to the top; in all cases secons and being formation. In the underlying formation. In the underlying formation is necessary and the sugging; aged or production casing is cemented in; and placement is necessary and the sugging; aged or production casing is cemented in; and placement in the sugging of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the drilling of the second of the drilling of the second of the drilling of the drilling of the second of the drilling of the drilling of the second of the se	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; In by circulating cement to the top; in all cases such serior from bination. In underlying formation. In underlying formation. In underlying formation. In underlying formation. In underlying formation are underlying formation are underlying formation. In underlying formation are underlying formation are underlying formation. In underlying formation are underlying formation are underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; In by circulating cement to the top; in all cases such serior from bination. In underlying formation. In underlying formation. In underlying formation. In underlying formation. In underlying formation are underlying formation are underlying formation. In underlying formation are underlying formation are underlying formation. In underlying formation are underlying formation are underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the figure of the well is district office will be notified before well is either plug to the surface of the well is either plug to the surface of the well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface o	ugging of this well will comply with K.S.A. SECTIVED APR 1 2 2006 ch drilling rig; the by circulating cement to the top; in all cases such seripa fick briefly be included in the underlying formation. iistrict office on plug length and placement is necessary property brugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the specified within 30 days of the spudiction of the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spudiction of the specified well shall hereby certify that the statements made herein are true and to the best of the specified well shall be completed within 30 days of the spudiction and the specified well shall hereby certify that the statements made herein are true and to the best of the specified wells.	ugging of this well will comply with K.S.A. SECTIVED APR 1 2 2006 ch drilling rig; the by circulating cement to the top; in all cases such seripa fick briefly be included in the underlying formation. iistrict office on plug length and placement is necessary property brugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud that the statements made herein are true and to the best of the specific production of the specific plants.	ugging of this well will comply with K.S.A. SECTIVED APR 1 2 2006 ch drilling rig; the by circulating cement to the top; in all cases such seripa fick briefly be included in the underlying formation. iistrict office on plug length and placement is necessary property brugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud that the statements made herein are true and to the best of the specific production of the specific plants.	ugging of this well will comply with K.S.A. SECTIVED APR 1 2 2006 The drilling rig; In the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spud shall appear in the statements of the operator or Agent: For KCC Use ONLY For KCC Use ONLY The province of the prior to spud shall be completed within 30 days of the spud date or the well shall be provinced by the prior to the spud shall be completed within 30 days of the spud date or the well shall be provinced by the provinced by the prior to	ugging of this well will comply with K.S.A. SECTIVED APR 1 2 2006 The drilling rig; In the puriculating cement to the top; in all cases such series from bloods on the underlying formation. In the underlying forma
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; In the production casing is cemented in; In the plugged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged of production casing
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required feet	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; In the production casing is cemented in; In the plugged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged or production casing is cemented in; In the plugged of production casing
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of th	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; It by circulating cement to the top; in all cases such serior from blood in the underlying formation. In istrict office on plug length and placement is necessary profession budging; Iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of th	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; It by circulating cement to the top; in all cases such serior intervention in the underlying formation. Identification casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the s	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; It by circulating cement to the top; in all cases such serior intervention in the underlying formation. Identification casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set into the set of the well is either plug to the set of the	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; It by circulating cement to the top; in all cases successive interval in the underlying formation. Identification casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the s	ugging of this well will comply with K.S.A. SECTIVED APR 1 2 2006 ch drilling rig; In the production casing is cemented in; In the production casing is case, alternate il cementing is cementing. In the production casing is cemented in; In the production casing is case, alternate il cementing is cementing. In the production casing is case, alternate il cementing is cementing. In the production casing is case, alternate il cementing is cemented; In the production casing is case, alternate il cementing is cementing. In the production casing is case, alternate il cementing is case, alternate il cementing is cementing. In the production casing is case, alternate il cementing is case, alternate
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set into the set of the well is either plug to the set of the	ugging of this well will comply with K.S.A. CORPORATION COMMISSION APR 1 2 2006 ch drilling rig; the by circulating cement to the top; in all cases such serior for bugging; in the underlying formation. listrict office on plug length and placement is necessary for bugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 601 - 29391-0000	Location of Well: County: Allen
Operator: Derek Rhodes dba Rhodes Well Service	•
Lease: Adams	1380 feet from N / ✓ S Line of Section 2045 feet from ✓ E / W Line of Section
Well Number: N-2	Sec. 19 Twp. 23 S. R. 20 ✓ East West
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SESW - NW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

_													_	r		_											_
			:							:							:										
.										٠.				١.			٠							٠.			
			•				•										•										
			•																					•			
	•	•		•	•	•		•	•	. •	•	•	•		٠	•		•	•	٠,		•		. '	•		
																	•							•			
			:				•			:							•										
-			-		_	_										_								·			_
										:																	
																	•							•			
.																											
			•							•														•			
										٠.						٠Ī								٠.			
																١											
										•						١	٠			•				•			
1.			•			. '	٠.			•						1	•							•			
'	•	•		•	•	٠.		•	•	. '	•	•	•		•	1		•	•	٠.	•	•	•	. •	•	٠.	
										•						1	٠							•			
1			•			•				•						- 1	•			•				•			
																- 1											



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Derek Rhodes dt	oa Rhodes W	ell Service	License Number: 33120
Operator Address: 12378 SE Oh	nio, Kincaid,	KS 6603	39
Contact Person: Derek Rhodes			Phone Number: (620) 496 - 5275
Lease Name & Well No.: Adams N-	2		Pit Location (QQQQ):
Type of Pit:	Pit is:		SE _ SW _ NW _ SE
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 19 Twp. 23 R. 20
Settling Pit	If Existing, date of	onstructed:	1380 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Dit conscitu		2045 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Allen
Is the pit located in a Sensitive Ground Water		No	Chloride concentration:mg/l
To the pit tooded in a constitute crosses trace.		2	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓	NO	native clay
Pit dimensions (all but working pits):	20 Length (fe	eet)12	Width (feet) N/A: Steel Pits
Depth f	rom ground level to de	eepest point: 4	(feet)
Distance to nearest water well within one-mil	e of pit	Death to shall	CONSERVATION DIVISION WICHITA, KS
.11		Source of info	rmation:
N/A feet Depth of water well	feet	meas	uredwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY			tover and Haul-Off Pits ONLY:
Producing Formation:		1	al utilized in drilling/workover: drilling mud
Number of producing wells on lease:	Patrici	rking pits to be utilized: 2	
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill
Does the slope from the tank battery allow at flow into the pit? Yes No	Il spilled fluids to	Drill pits must	be closed within 365 days of spud date.
I hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge and belief.
April 12, 2006 Date	a	onna	Manual Signature of Applicant or Agent
	KCC	OFFICE USE O	NLY
Date Received: 4/12/05 Permit Nun	nber:	Perm	nit Date: 4/12/06 Lease Inspection: Yes 🔊 No