For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

Expected Spud Date April 17, 2006 month day year	- ·	ast
		est/
PERATOR: License# 33120	1605	
ame: Derek Rhodes dba Rhodes Well Service	leet from \forall E / \forall Line of Section	
ddress: 12378 SE Ohio	Is SECTION _✓ RegularIrregular?	
ty/State/Zip: Kincaid, KS 66039	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Derek Rhodes	County: Allen	
none: (620) 496-5275	Lease Name: Adams Well #: P-3	
22027	Field Name:	
ONTRACTOR: License# 33027	Is this a Prorated / Spaced Field?	No
ame: Michael Drilling	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,605'	******
	Ground Surface Elevation: n/a feet M	ASL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	No 🛩
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	No ~
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200 /	
Other	Surface Pipe by Alternate:	_
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 730'	
Original Completion Date: Original Total Depth:	Souirel	
Original Completion Date:Original lotal Depth:	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
Yes, true vertical depth:	- DWR Permit #:	
ottom Hole Location:		
CC DKT #:	— (Note: Apply for Fermit with DWH ☐) — Will Cores be taken? Yes ✓	No -
	If Yes, proposed zone:	INO
	RECEIVED	
Al	FFIDAVIT KANSAS CORPORATION CO	SIMMC
he undersigned hereby affirms that the drilling, completion and eventua	I plugging of this well will comply with K.S.A. 55 et. seq.	nc .
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	al plugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 200) 6
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or 	each drilling rig; CONSERVATION DIVIS set by circulating cement to the top; in all cases surface pipe contains to the underlying formation. the district office on plug length and placement is necessary prior to plugging	SION g;
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall 	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe solutions to the underlying formation. de district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementall be plugged. In all cases, NOTIFY district office prior to any cementing.	SION g;
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best 	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe solutions to the underlying formation. de district office on plug length and placement is necessary prior to pluggling plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementall be plugged. In all cases, NOTIFY district office prior to any cementing.	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either placed in the composition of the shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be certified that the statements made herein are true and to the best contribution of the statements made herein are true and to the best contributions.	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe set to the underlying formation. the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The surface is to the KCC District 3 area, alternate II cementall be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best ate: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe set to the underlying formation. the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The surface prior to any cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent	SION g;
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either point of the properties of the specific proper	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe set to the underlying formation. the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The spud belonged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either please. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best pate: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29395-0000	each drilling rig; CONSERJATION DIVIS set by circulating cement to the top; in all cases surface pipe set to the underlying formation. The district office on plug length and placement is necessary prior to plugging blugged or production casing is cemented in; The ented from below any usable water to surface within 120 days of spud date. The ented from below any usable water to surface within 120 days of spud date. The entered is a rea, alternate II cemented by the entered in th	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the well shall be certified before the well shall be completed within 30 days of the spud date or the well shall be certified before the well shall be certified b	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe set to the underlying formation. to the underlying formation. to district office on plug length and placement is necessary prior to plugging blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best ate: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe set to the underlying formation. to the underlying formation. to district office on plug length and placement is necessary prior to plugging blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best pate: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29395-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X 2 Approved by: 2# 4/-12-06	each drilling rig; conservation DIVIS set by circulating cement to the top; in all cases surface pipe to the underlying formation. le district office on plug length and placement is necessary prior to plugging blugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Itel: #133,891-C, which applies to the KCC District 3 area, alternate II cementall be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best ate: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	each drilling rig; Deset by circulating cement to the top; in all cases surface pipe to the underlying formation. The district office on plug length and placement is necessary prior to plugging oblugged or production casing is cemented in; the ented from below any usable water to surface within 120 days of spud date. The ented from below any usable water to surface within 120 days of spud date. The ented from below any usable water to surface within 120 days of spud date. The entered from below any usable water to surface within 120 days of spud date. The entered from below any usable water to surface within 120 days of spud date. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be returned be certify that the statements made herein are true and to the best pate: April 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29395-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X 2 Approved by: 2# 4/-12-06	each drilling rig; conservation DIVIs set by circulating cement to the top; in all cases surface pipelicities is to the underlying formation. the district office on plug length and placement is necessary prior to plugging blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	SION g;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of a national production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be replaced by that the statements made herein are true and to the best plus attention of the production pipe required best plus of the spud date of the well shall be replaced by the statements of the production of the plus of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the statements of the plus of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the statements of the spud date of the well shall be replaced by the spud date of the well shall be replaced by the spud date of the well shall be replaced by the spud date of the spud date of the well shall be replaced by the spud date of th	each drilling rig; conservation DIVIs set by circulating cement to the top; in all cases surface pipe in the underlying formation. de district office on plug length and placement is necessary prior to plugging or production casing is cemented in; dented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	sion 19 23
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either plus of a national properties of the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well in the statements made herein are true and to the best plus of the spud date of the well shall be certified before well in the statements made herein are true and to the best plus of the spud date of the well shall be certified. For KCC use ONLY API # 15 - OOI - 29395 - OOO Conductor pipe required None feet Minimum surface pipe required feet per Alt. X 2 Approved by: 2 + 4-12-06 This authorization expires: 10-12-06	each drilling rig; conservation DIVIs set by circulating cement to the top; in all cases surface pipelicities is to the underlying formation. the district office on plug length and placement is necessary prior to plugging blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	SION g;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - CO1 -29395-CCC	Location of Well: County: Allen						
Operator: Derek Rhodes dba Rhodes Well Service	·						
Lease: Adams							
Well Number: P-3	Sec. 19 Twp. 23 S. R. 20 ✓ East Wes						
Field:							
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NESE - NW - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.						
	Section comer used: NE NW SE SW						

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			 				-											
		•	•							•			٠					
1																•		
İ			•		•					•			•		•	•		
١.							١.											
			•										•					
	-			•				•			•							
ĺ							1											
١.							١.							 				
		•			•					•								
1		•	•		•		1			-			•					
1		•																
						_		_						 				
						_		_		:				 				
						_	I						:	 	•			
						_							:	 	•			
			 : :			_ 							:	 	•			
									•				:	 	•			
									•				:	 	•			
		 •				- 							:	 	•			
		· -	 :			- 			•			•		 				
		· -	 :						•					 			-	
•			 · · · · · · · · · · · · · · · · · · ·						-			 •·		 			•	
			 · · · · · · · · · · · · · · · · · · ·									· ·		 				
			 · · · · · · · · · · · · · · · · · · ·									 •·		 				
												 •·		 				
			 · · · · · · · · · · · · · · · · · · ·									 •·		 				
												 •·		 			•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Derek Rhodes db	oa Rhodes W	License Number: 33120								
Operator Address: 12378 SE Oh										
Contact Person: Derek Rhodes	iio, itiiloala,	Phone Number: (620) 496 - 5275								
	2	Pit Location (QQQQ):								
Lease Name & Well No.: Adams P-		NE SE NW SE								
Type of Pit:	Pit is:									
Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	If Existing, date or	_ +	Sec. 19 Twp. 23 R. 20							
Settling Pit			1605							
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section							
	160	(bbls)	Allen County							
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l							
Is the bottom below ground level?	Artificial Liner?	· ·	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?							
✓ Yes No	☐ Yes 🗸	No	native clay							
Pit dimensions (all but working pits):2	20 Length (fe	et) 12	Width (feet) N/A: Steel Pits							
	rom ground level to de	_	(feet)							
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and determining EVED notation commission of the composition of the compositi							
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:							
N/A feet Depth of water well	feet	measu	red well owner electric log KDWR							
Emergency, Settling and Burn Pits ONLY:			g, Workover and Haul-Off Pits ONLY:							
Producing Formation:		al utilized in drilling/workover: drilling mud								
Number of producing wells on lease:		rking pits to be utilized: 2								
Barrels of fluid produced daily:		procedure: air dry and backfill								
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	be closed within 365 days of spud date.								
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.										
April 12, 2006 Date	ω	Inanda ignature of Applicant or Agent								
KCC OFFICE USE ONLY										
Date Received: 4/12/06 Permit Num	ber:	t Date: 4/12/06 Lease Inspection: Yes 1 No								