For KCC Use: Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Metal Meta	Expected Spud Date 04/17/06	Spot ✓ E	ast
Department Dep			
Section Sect	33583		
Item	Alaman Admiral Bay (USA) Inc	0054	
Contract Person. Sieven Tedesco	Address: 14550 E Easter Ave, Ste. 1000		
Country Modes Charge C	City/State/Zip: Centennial, CO 80112	(Mate: Locate well on the Section Plat on reverse side)	
Case Name: Chard Chanute	Contact Person: Steven Tedesco	County: Woodson	
File Name Humbold: Chanute Street	Phone. 303.671-7242	Lease Name. Chard Well # 14-33	
ContractOr8: Licenses Contract Contrac		Field Name: Humboldt-Chanute	
Mare Dried Formation Properties Post Po	CONTRACTOR: License# 5786		No.
Nearest Lease or unit bourdary, 700 FSL Set MSL Not Polar MSL Not Pola	Name: McGowan Drilling		
Ground Surface Elevation: 994 refet MSL Water well within one-quarter mile: 954 No Potary Selevation: 9 Foot East. 1 Ar Rodary Water well within one-quarter mile: 954 No Potary Selevation: 9 Foot East. 1 Ar Rodary No Potary Selevation: 9 Foot East. 1 Public water supply well within one mile: 9 Public water supply water supply well within one mile: 9 Public	Mall Daillad Fau Mall Class Tuna Fauireant	Nearest Lease or unit boundary: 700 FSL	
Water well within one-quarter miles: Yes No No No Project No Own Disposal Wildcat Cable		0.6/	ASL
OWNO Disposal Wildcat Cable Other		Water well within one-quarter mile: Yes ✓	No -
Depth to bottom of lorable water Depth lorable Depth		Public water supply well within one mile:	No _
Depth to bottom of usable water: Surface Pipe Platemate:			
Common		Depth to bottom of usable water: 200'+	
Departor: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Ves Ves No Original Completion Date: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Ves Ves No Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Opera	Other	Surface Pipe by Alternate: ☐ 1 🗸 2	
Departor: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Ves Ves No Original Completion Date: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Ves Ves No Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Opera	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Original Completion Date:Original Total Depth:	Operator:		
Original Completion Date:Original Total Depth:	Well Name:		
Ves.	Original Completion Date:Original Total Depth:	Formation at total Depth.	
Section Hole Location: DWR Permit 8: (Note: Apply for Permit with DWR)	Dissetional Positated on Hadrontol wellbook		
Note: Apply for Permit with DWR			
AFFIDAVIT AFFIDAVITA AFFIDAVIT AFFIDAVITA AFFIDAVIT AFFIDAVIT	•		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. APR 1 3 2006 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is comented in; 6. If an ALTERNATE IL OMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Inhereby certify that the statements made herein are true and to the fest of my knowledge and belief. Date: 4/12/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 2704-000 This authorization expires: 10-13-000 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Agent: Byud date: Agent: Agent: Agent: Byud date: Agent: Agent: Byud date: Agent: Agent: Byud date: Agent: Date: Agent: Date: Agent: Date: Approved by: Buth 4-13-000 This authorization void if drilling not started within 6 months of effective date.) Agent: Date: Date: Date: Date: Approved by: Buth 4-13-000 This authorization void if drilling not started within 6 months of effective date.)			1
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. APR 1 3 2006 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe to the very strongh all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be comented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kanass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the feet of my knowledge and belief. Pote: 4/12/106 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DD D D D D D D D D D D D D D D D D D	ROC DRT #:		No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. APR 1 3 2006 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe with the strongh all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kanass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Inhereby certify that the statements made herein are true and to the yest of my knowledge and belief. Date: 4/12/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2D 7 2 70/4-000 Fer KCC Use ONLY API with the statements made herein are true and to the yest of my knowledge and belief. Prilie Completion from ACO-1 within 120 days of spud date; File Completion from ACO-1 within 120 days of spud date; File Completion from ACO-1 within 120 days of spud date; File Completion from ACO-1 within 120 days of spud date; File Completion from ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain writer			
APR 1 3 2006 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the vest of my knowledge and belief. Date: 4/12/06 Signature of Operator or Agent: Minimum surface pipe required	AFFI	DAVIT KANSAS CORPODATION	D
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be completed within 30 days of the surface as in the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the lest of my knowledge and belief. Poate: 4/12/106	The undersigned hereby affirms that the drilling, completion and eventual pla	ugging of this well will comply with K.S.A. 55 et. seq.	COMMISSIO
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be completed within 30 days of the surface as in the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the lest of my knowledge and belief. Poate: 4/12/106	It is agreed that the following minimum requirements will be met:	APR 13 20	JUE
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the yest of my knowledge and belief. Date: 4/12/06 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	1. Notify the appropriate district office prior to spudding of well;		
For KCC Use ONLY API # 15 - 207 - 27014-0000 Conductor pipe required None feet per Alt. Approved by: PH U-13-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	the underlying formation. istrict office on plug length and placement is necessary <i>prior to plugging</i> iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	g ;
For KCC Use ONLY API # 15 - 207- 27014-0000 Conductor pipe required None feet Minimum surface pipe required 90 feet per Alt. 2 Approved by: Pet 4-13-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Agent: Agent: Agent: Approved ONLY File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	I hereby certify that the statements made herein are true and to the pest of	my knowledge and belief.	
For KCC Use ONLY API # 15 - 207- 27014-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 2 Approved by: Per 4-13-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Date: Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	Date: 4/12/06 Signature of Operator or Agent:		
This authorization expires: 10-13-00 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	API # 15 - 207- 27014-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2)	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; 	1.
Check the box below and return to the address below. Check the box below and return to the address below.	1 10-12-17-10		2
Spud date: Agent: Signature of Operator or Agent: Date:	I his authorization expires:	check the box below and return to the address below.	4.
Date:			L
	Spud date: Agent:		1
	Mall to, MOD Consenting Physics 400 C		7

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


if the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 207-270/4-0000	Location of Well: County: Woodson
Operator: Admiral Bay (USA) Inc.	
Lease: Chard	700 feet from N / S Line of Section 2051 feet from E / W Line of Section
Well Number: 14-33	Sec. 33 Twp. 26S S. R. 17 ✓ East Wes
Field: Humboldt-Chanute	
Number of Acres attributable to well: 40	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SE SW	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		Julia in Dapheat		
Operator Name: Admiral Bay (USA) Inc.		License Number: 33583	
Operator Address: 14550 E East	ter Ave., Ste	e. 100		
Contact Person: Janet Johnson		Phone Number: (303) 350 - 1255		
Lease Name & Well No.: Chard 14-33		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE</u> SW	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 33 Twp. 26S R. 17 📝 East 🗌 West	
Settling Pit	If Existing, date constructed:		700 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2051 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	150	(bbls)	Woodson	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
In the hottom holour ground love!?	Anticial Lines		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
the similar (2m 22m months)	20 Length (fe		Width (feet) N/A: Steel Pits	
Depth	from ground level to de	eepest point:	(feet)	
			APR 1 3 2006 CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.		
N/A			measuredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		1	Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water & Native mud		
			Number of working pits to be utilized: 2	
Barrels of fluid produced daily: Abando		Abandonment	procedure: Evaporation and back fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		be closed within 365 days of spud date.		
I hereby certify that the above sta	tements are true and	correct to the be	st of my knowledge and belief.	
4/12/06 Date	Ja	I Joh	Signature of Applicant or Agent	
	KCC /	OFFICE USE O	ONLY	
1 ,	ROO	STRICE USE C	1 1	
Date Received: 4/13/06 Permit Nu	mber:	Perr	nit Date: 4/13/06 Lease Inspection: Yes X No	