For KCC Use: Effective Date: District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

April 12, 2006	
Expected Spud Date April 13, 2006	Spot East
month day year	C SE NW Sec. 9 Twp. 23 S. R. 8 West
OPERATOR: License# 5316	1980 / feet from VN / S Line of Section
Name: Falcon Exploration, Inc.	Teet from LE / V W Line of Section
Address: 155 N. Market, Suite 1020	Is SECTION ✓ RegularIrregular?
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Ron Schraeder / Mike Mitchell	County: Reno
Phone: 316-262-1378	Lease Name: Arlen Well #: 1-9
CONTRACTOR: License# 5892	Field Name: Charters Corner NW ext
Name: Berentz Drilling Company, Inc.	Is this a Prorated / Spaced Field?
Name,	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660"
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1654feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: ☐ Yes ✓ No ✓
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic;# of Holes Other	Depth to bottom of fresh water: 220'
Other	Depth to bottom of usable water: 240'
	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260'
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 3800'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Tormation at Total Deptili.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other XX
If Yes, true vertical depth:	Well Farm Pond Other XX DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
NOO DITT II.	
	If Voc proposed zone:
	If Yes, proposed zone: RECEIVED
AFF	DAVIT KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. SAPR 0 7 2006
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the things of the surface propriate district office will be notified before well is either plug for a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ugging of this well will comply with K.S.A. 55 et. sAPR 0.7 2006 CONSERVATION DIVISION WIGHTA KS It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the things of the surface propriate district office will be notified before well is either plug for a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drilling that the statements of the appropriate district office will be notified before well is either plug to the second of the second	CONSERVATION DIVISION white the content of the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be completed within 30 days of the spud date or the well shall be the appropriate that the statements made herein are true and to the best of the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be compl	CONSERVATION DIVISION which drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. iistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the superior of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the plants of the statements of the plants of the spud date or the well shall. Date: 4/7/06 Signature of Operator or Agent:	CONSERVATION DIVISION WIGHTA KS The purpose of this well will comply with K.S.A. 55 et. SAPR 0.7 2006 CONSERVATION DIVISION WIGHTA KS The purpose of the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date: 4/7/06 Signature of Operator or Agent:	CONSERVATION DIVISION WIGHTA KS The underlying formation. In th
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of	CONSERVATION DIVISION WIGHITA KS The underlying formation. In t
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill the well is dry hole, an agreement between the operator and the drill the unconsolidated materials plus a minimum of 20 feet into the search of the well is either plug for the suppopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plants of the spud date of the well shall. For KCC Use ONLY API # 15 - 255 - 21500 - COOC Conductor pipe required feet	CONSERVATION DIVISION WANTE AS CORPORATION COMMISSION CONSERVATION DIVISION WANTE AS The production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drill the well is dry hole, an agreement between the operator and the drill the unconsolidated materials plus a minimum of 20 feet into the season of the season of the spurition of the drill the well is either plug of the spurition of the season of the unconsolidated materials plus a minimum of 20 feet into the drill the well is either plug of the spurition of the season of the spurition of the well is either plug of the spurition of the well shall thereby certify that the statements made herein are true and to the best of the plus of the spurition of the well shall thereby certify that the statements made herein are true and to the best of the plus of the spurition of the spurition of the spurition of the plus of the spurition of the spuritio	ugging of this well will comply with K.S.A. 55 et. sAPR 0.7 2006 CONSERVATION DIVISION WIGHTA KS The production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the defence of the set o	Ungging of this well will comply with K.S.A. 55 et. SAPR 0.7 2006 CONSERVATION DIVISION WENTER KS The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through a supportant of the seen through a supp	CONSERVATION DIVISION white the content of the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the spud shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dry of the appropriate district office will be notified before well is either plug of the spud date or the well is either plug of the appropriate of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plants of the plants of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plants of t	CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVA
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the copy of the appropriate district of such a plus a minimum of 20 feet into the such and the copy of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the such and the copy of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall. For KCC Use ONLY API # 15 - Signature of Operator or Agent: Conductor pipe required Signature of Operator or Agent: Minimum surface pipe required feet per Alt. (1) X Approved by: Part 4-14-06	CONSERVATION DIVISION with the production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by that the statements made herein are true and to the best of the seen of the se	CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 155 - 2 ISO - ODO Operator: Falcon Exploration, Inc.	Location of Well: County: Reno 1980	
Lease: Arlen	1980 feet from E / W Line of Section	
Well Number: 1-9	Sec. 9 Twp. 23 S. R. 8 East ✓ West	
Field: Charters Corner NW ext		
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular	
QTR / QTR / QTR of acreage: C _ SE _ NW		
	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	
	RECEIVED KANSAS CORPORATION COMMISSION	
	APR 0 7 2006	
1980'	CONSERVATION DIVISION WIGHTA, KS	
	EXAMPLE	

3390

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Falcon Exploration, Inc.		License Number: 5316		
Operator Address: 155 N. Market, Suite 1020, Wichita, KS 67202				
Contact Person: Ron Schraeder/Mike Mitchell		Phone Number: (316) 262 - 1378		
Lease Name & Well No.: Arlen #1-9		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_C _ SE _NW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 23 R. 8 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1980 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Reno County	
Is the pit located in a Sensitive Ground Water	Area? 🗸 Xes	No	Chloride concentration:mq/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	No	Native Clay and Mud	
Pit dimensions (all but working pits): 80 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fro	om ground level to de	epest point: 3.5	(feet)	
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure	٠.	liner integrity, in	ncluding any special monitoring.	
			KANSAS CORPORATION COMMISSION	
			APR 0 7 2006	
		CONSERVATION DIVISION		
Distance to nearest water well within one-mile of pit Depth to shallo Source of information in the state of the shallo s		Source of infor	west fresh water Sa feet. WICHITA, KS mation:	
2333 feet Depth of water well	84 feet	measu	red well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		i		
Producing Formation: Type of material utilized in drilling/workover: Chemical Mud		al utilized in drilling/workover: Chemical Mud		
Number of producing wells on lease: Number of wor		king pits to be utilized: 3		
Barrels of fluid produced daily: Abandonment		procedure: haul off free fluids & allow to dry		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and concept to the best of my knowledge and belief.				
$\Lambda(1)$				
4/6/06 Chillelf & Thingh				
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY RFAS+48H&				
Date Received: 4/7/06 Permit Num	ber:	Permi	it Date: 4 14 06 Lease Inspection: 1 Yes No	



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

April 14, 2006

Mr. Ron Schraeder Falcon Exploration, Inc. 155 N. Market Ste 1020 Wichita, KS 67202

Re: Drilling Pit Application

Arlen Lease Well No. 1-9 NW/4 Sec. 09-23S-08W Reno County, Kansas

Dear Mr. Schraeder:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 48 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

cc: Doug Louis