For KCC Use: Effective Date: District #__ SGA? Yes 🗷 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002

Form must be Typed Form must be Signed All blanks must be Filled

	Mound Va	llev
Expected Spud Date 4/19/06	Spot	-
month day year N	W- <u>SE</u> SE NE Sec. 35 Twp. 33 S. R. 18	Vest
PERATOR: License# 33583	2018feet from ✓ N / S Line of Section	1
_{lame:} Admiral Bay (USA) Inc.	560 Feet from Feet from E / W Line of Section	1
ddress: 14550 E Easter Ave, Ste. 1000	Is SECTION Regular Irregular?	
city/State/Zip: Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)	
contact Person: Janet Johnson	County: Labette	
hone: 303.671-7242	Lease Name. Obrien Well #. 8-35	
ONTRACTOR: License# 5786	Field Name: Mound Valley South	
ame: McGowan Drilling	Is this a Prorated / Spaced Field?	′ No
ame:	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 560 FEL	
Oil Enh Rec Infield Infield Mud Rotary	Ground Surface Elevation: 843 feet	MSL
Gas Storage Pool Ext. Air Rotary		∐No"_
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	'_No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100'+	
Other	Depth to bottom of usable water: 200'+	
	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1200' Mississippian	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
irectional, Deviated or Horizontal wellbore? Yes 🗸 No	Water Source for Drilling Operations:	
Yes, true vertical depth:	U Well ✓ Farm Pond Other	
ottom Hole Location:	DWR Permit #:	
CC DKT #:	(Note: Apply for Permit with DWR	7
CC DICT #.	Will Cores he taken?	INIO
	If Yes, proposed zone:	
AFFI	If Yes, proposed zone:	
he undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 of Net School Complete C	25.55
The undersigned hereby affirms that the drilling, completion and eventual plact is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	25.55
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et Seq.S CC ACR 1 4 200 ch drilling rig; th by circulating cement to the top; in all cases surface to the seq. Seq. Seq. Seq. Seq. Seq. Seq. Seq. S	SION
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search of the se	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et Seq.S CCC A A A A A A A A A A A A A A A A A	SION
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the self-self-self-self-self-self-self-self-	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et Seq.S CCC A A A A A A A A A A A A A A A A A	SION
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	DAVIT ugging of this well will comply with K.S.A. 55 et 1960 CC ch drilling rig; If by circulating cement to the top; in all cases surface pipe strell be set on the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing army knowledge and belief.	SION
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	DAVIT ugging of this well will comply with K.S.A. 55 et 1960 CC ch drilling rig; If by circulating cement to the top; in all cases surface pipe with the enderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Land Manager	SION
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the post of the approved notice of intent to drill <i>shall be</i> posted on each and the post of the post of the post of the spud all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the spud of the spud the properties of the plug of the spud date or the well is either plug of the spud date or the well shall the thereby certify that the statements made herein are true and to the best of the post of the properties of the properti	DAVIT ugging of this well will comply with K.S.A. 55 et sed S CC ch drilling rig; If by circulating cement to the top; in all cases surface pipe shell be an enderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Land Manager Title: Land Manager File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	SION
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the appropriate district office will be notified before well is either plug of the analytic and the plug of the set of the s	DAVIT ugging of this well will comply with K.S.A. 55 et 1960 S C C C C C C C C C C C C C C C C C C	SION
he undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug effect or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set of the surface will be sufficiently that the statements made herein are true and to the best of the surface will be sufficiently as a surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the surface will be sufficiently as a surface will be sufficie	DAVIT ugging of this well will comply with K.S.A. 55 et seq S CC ch drilling rig; If by circulating cement to the top; in all cases surface prior stall should be underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing imp knowledge and belief. Title: Land Manager Alemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	Sioning
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.5 CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	SION
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set of th	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.5 CC ch drilling rig; If by circulating cement to the top; in all cases surface proper stall sequence and enderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Land Manager Title: Land Manager Agemember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	Sioning
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface of the set of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.5 CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Sioning


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 099-23927-0000	Location of Well: County: Labette
Operator: Admiral Bay (USA) Inc.	
Lease: Obrien	
Well Number: 8-35	Sec. 35 Twp. 33 S. R. 18 Ves
Field: Mound Valley South	
Number of Acres attributable to well: 40	Is Section: Fegular or Irregular
QTR / QTR / QTR of acreage: SE _ NE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Admiral Bay (USA) Inc.		License Number: 33583		
Operator Address: 14550 E East		e. 100		
Contact Person: Janet Johnson		Phone Number: (303) 350 - 1255		
Lease Name & Well No.: Obrien 8-35		Pit Location (QQQQ):		
Type of Pit;	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 35 Twp. 33S R. 18	
Settling Pit	If Existing, date constructed:		20/8 Feet from ✓ North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		560 Feet from 🗸 East / 🗌 West Line of Section	
(If WP Supply API No. or Year Drilled)	150	(bbls)	Labette	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸] No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ I	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):2	20 Length (fe	_{eet)} 20	Width (feet) N/A: Steel Pits	
	rom ground level to de		(feet)	
material, thickness and installation procedure			adures for periodic maintenance and determining notuding any special monitoring AND	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.		
N/A feet Depth of water well_	feet	1	uredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drill			over and Haul-Off Pits ONLY:	
Producing Formation: Type of material utilized in drilling/workover: Fresh Water & Native mu				
Number of producing wells on lease: Number of working pits to be utilized: 2				
Barrels of fluid produced daily: Abandonment procedure: Evaporation and back fill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the be	st of my knowledge and belief.	
4/13/06 Date Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 4 14 06 Permit Nur	mber:	Perr	nit Date: 4/14/06 Lease Inspection: Yes 🔾 No	



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved 'Intent to Drill' does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.