For KCC	Use:	4-22-06
Effective	Date:	4-00-00
District #		
SGA2	Voc	No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
Il blanks must be Filled

SGA? ATTES NO		unt ha approved by VCC #	All blanks must be Fil	16G
	M	usi de approved by KCC five	re (5) days prior to commencing well Dkt. 06-CONS-110-CW	LE
	Eshaman 1	5 2006	Filed 1/17/06	
Expected Spud Date	February l		Spot	
	month	day year /	NW NW - NW - NE Sec. 35 Twp. 23 S. R. 33. X W	est
OPERATOR: License#_	32390		167 feet from X N / S Line of Section	
	INS PRODUCTI	ON, LIC	2559 feet from X E / W Line of Section	
Address: P. O. Bo			is SECTION X Regular Irregular?	
City/State/Zip: Savo	y, TX 75479	1515	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Jim	Fuller or	Ron Osterbuhr	County: Finney	
Phone: 903-965-5	6403 or 620	-275-7888	Lease Name: Schweer well #: 1-35	
		/	Field Name: Hugoton	
CONTRACTOR: License			Is this a Prorated / Spaced Field?	No
Name: Cheyenne	Drilling, L	<u>P</u>	Target Formation(s): chase	
144-11-5-211	14/-11 01	Time Continuents	Nearest Lease or unit boundary: 167 feet	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 2888 feet feet M	ISL ,
Oil Enh		X Mud Rotary	Water well within one-quarter mile:	No /
X Gas Store		Air Rotary	Public water supply well within one mile:	No
OWWO Dispo	hanne of	Cable	Depth to bottom of fresh water:	
Seismic;# c	of Holes Other		Depth to bottom of usable water:	
Other	MARK THE STREET	- M-V	Surface Pipe by Alternate: 1 X 2	
If OWWO: old well inform	mation as follows:		Length of Surface Pipe Planned to be set: 400'	
			Length of Conductor Pipe required: none /	
Operator:	Acces 1 100 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		Projected Total Depth: 2850'	
	Doto: Or	ining Total Dooth:	Formation at Total Depth: Chase	
Original Completion	Date:Or	iginal lotal Deptil.	Water Source for Drilling Operations:	
Directional, Deviated or I	Horizontal wellbore?	Yes X No	* X Well Farm Pond Other or truck it in	
If Yes, true vertical depth	1:	140.777	DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR	
KCC DKT #:			Will Cores be taken?	No
V 11-11-6	A	()	If Yes, proposed zone:	
	CATION EXC			
GRANTED	06. CONJ . 1	10-CWLE AF	FIDAVIT RECEIVED	
The undersigned hereby	y affirms that the drilling	ng, completion and eventual	plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION CO	MISSI
It is agreed that the folk	owing minimum requir	ements will be met:	EED 0 2 2000	
1. Notify the appropr	riate district office pri	or to spudding of well;	FEB 0 3 2006	•
2. A copy of the app	proved notice of intent	to drill shall be posted on e	each drilling rig;	
			set by circulating cement to the top; in all cases sur CONSERVATION DIAG	Oîv!
		us a minimum of 20 feet into		
			e district office on plug length and placement is necessary prior to plugging	; ;
			lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.	
			er #133,891-C, which applies to the KCC District 3 area, alternate II cement	tina
•	•	_	all be plugged. In all cases, NOTIFY district office prior to any cementing.	g
•	•		t of my knowledge and belief.	
i noteby certify that the	Statements made ner			
Date: 01-12-0	6 Signature of Or	perator or Agent	Title: member/manager	
Dato.	Oignatoro or Op	relation of rigor.		
[Remember to:	
For KCC Use ONLY	- 21012	~~ .>	- File Drill Pit Application (form CDP-1) with Intent to Drill;	}
API # 15 - 053	5-21913-		- File Completion Form ACO-1 within 120 days of spud date;	W
Conductor pipe require	ed None	feet	- File acreage attribution plat according to field proration orders;	4
1	Lini		Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed:	•
Minimum surface pipe	Teduli 60	feet per Alt. X 2	Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water.	1_
Approved by:	10 1-08	The second secon		\mathcal{U}
This authorization expir	res: 10-17-0	<i>o</i>	- If this permit has expired (See: authorized expiration date) please	W
(This authorization void	if drilling not started with	nin 6 months of effective date.)	check the box below and return to the address below.	1
			Well Not Drilled - Permit Expired	C
Spud date:	Agent:		Signature of Operator or Agent:	γv
			Date:	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 055-21913-0000	Location of Well: County: Finney
Operator: HIGH PLAINS PRODUCTION, LLC	167' feet from X N / S Line of Section
Lease: Schweer	2559' feet from X E / W Line of Section
Well Number: 1-35	Sec. 35 Twp. 23 S. R. 33 East X West
Field: Hugoton	
Number of Acres attributable to well: 640	Is Section: X Regular or Irregular
QTR / QTR / QTR of acreage: <u>NW</u> - <u>NW</u> - <u>NE</u>	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW


PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 0 3 2006

CONSERVATION DIVISION WICHITA, KS





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Dkt. 06-CONS-110-CWLE Filed 1/17/06

Operator Name: HIGH PLAINS PRO	DUCTION, LLC	License Number: 32390		
Operator Address: P. O. Box 228	Savoy, TX 7	5479		
Contact Person: Jim Fuller or	Ron Osterbuh	Phone Number: (903) 965 - 5403		
Lease Name & Well No.: Schweer	1-35	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE - NE NW	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 35 Twp. 23 R. 33 East X Wes	t
Settling Pit X Drilling Pit	If Existing, date constructed: ———————————————————————————————————			
Workover Pit Haul-Off Pit				
(If WP Supply API No. or Year Drilled)	' '	(bbls)	Finney	
Is the pit located in a Sensitive Ground Water	Area? Yes X	N o	Chloride concentration:	mg/l
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
X Yes No	Yes X	No	Sealed with drilling mud additive	s
Pit dimensions (all but working pits): 10^{-1}	0 Length (fe	et)75	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de			
If the pit is lined give a brief description of the	i	Describe proce	edures for periodic maintenance and determining ncluding any special monitoring.	ED
material, thickness and installation procedure	e .	imer integrity, i	nciuding any special monitoring.	
			ANSAS CORPORATION	N COMMISS
			ANSAS CORPORATION	N COMMISS
		.	でANSAS CORPORATION	N COMMISS
			CONSERVATION I	N COMINISS 2006 DIVISION
Distance to nearest water well within one-mil	e of pit	Depth to shallo	CONSERVATION I WICHITA, K	N COMMISS 2006 DIVISION IS
Distance to nearest water well within one-mil		Depth to shallo Source of info	CONSERVATION I WICHITA, K	N COMMISS 2006 DIVISION IS
	350 feet	Depth to shallo Source of info	CONSERVATION E Swest fresh water 99 feet. That ion:	N COMMISS 2006 DIVISION IS
2\82 feet Depth of water well_	350 feet	Depth to shalld Source of information measurements	SONSERVATION IN WICHITA, Knownest fresh water Feet. Transion: WH KLS KDW	N COMMISS 2006 DIVISION IS
2\82 feet Depth of water well Emergency, Settling and Burn Pits ONLY	350 feet	Depth to shalld Source of informeast Drilling, Work Type of materi	CONSERVATION DE WICHITA, K Tradion: Well owner electric log KDW Cover and Haul-Off Pits ONLY:	N COMMISS 2006 DIVISION IS
	.3 SØ feet	Depth to shallo Source of informeast Drilling, Work Type of materi	CONSERVATION DE WICHITA, Known west fresh water 99 feet. The well owner electric log KDW cover and Haul-Off Pits ONLY: al utilized in drilling/workover:	N COMMISS 2006 DIVISION IS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	350 feet	Depth to shallo Source of informeast Drilling, Work Type of materi	SONSERVATION IN WICHITA, Knowest fresh water	N COMMISS 2006 DIVISION SS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	350 feet	Depth to shallong Source of informease Drilling, Work Type of material Number of wood Abandonment	SONSERVATION IN WICHITA, Knowest fresh water	N COMMISS 2006 DIVISION SS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	3 So feet:	Depth to shallong Source of information measurements. Drilling, Work Type of material Number of work Abandonment. Drill pits must	SONSERVATION IN WICHITA, Knowest fresh water	N COMMISS 2006 DIVISION IS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	3 So feet:	Depth to shallong Source of information measurements. Drilling, Work Type of material Number of work Abandonment. Drill pits must	SONSERVATION IN WICHITA, Knowest fresh water	N COMMISS 2006 DIVISION IS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	3 So feet:	Depth to shallong Source of information measurements. Drilling, Work Type of material Number of work Abandonment. Drill pits must	SONSERVATION IN WICHITA, Knowest fresh water	N COMMISS 2006 DIVISION IS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state	3 So feet:	Depth to shalld Source of informease Drilling, Work Type of materi Number of woo Abandonment Drill pits must correct to the best	SONSERVATION IN WICHITA, Knowest fresh water	N COMMISS 2006 DIVISION IS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit? I hereby certify that the above stat 01-12-06	3 So feet:	Depth to shalld Source of informease Drilling, Work Type of materi Number of woo Abandonment Drill pits must correct to the best	CONSERVATION DE WICHITA, KENNESS FROM THE PROPERTY OF THE PROP	N COMMISS 2006 DIVISION IS
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state 01-12-06 Date	3 So feet:	Depth to shallo Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the best Depth of	CONSERVATION IN WICHITA, Knowest fresh water 99feet. Inmation:	N COMMISS 2006 DIVISION 15 -055 - 21913-00