For KCC Use: 4-23-06
Effective Date: 3
SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 23, 2006		East
month day year		West
OPERATOR: License#_33365 /	feet fromN / ✓S Line of Section	
Name: Layne Energy Operating, LLC	1980feet from F E / W Line of Section	n
1900 Shawnee Mission Parkway	Is SECTION _✓RegularIrregular?	
City/State/Zin: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person M. B. Nattrass	County: Montgomery	
Phone: 913-748-3987	Lease Name: Cotterill Well #: 15-12	
	Field Name: Coffeyville-Cherryvale	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	/ No
Name: Thomton Air Rotary, LLC	Target Formation(s): Cherokee Coals	
W. I. D. III. I. E	Nearest Lease or unit boundary: 660'	
Well Drilled For: Well Class: Type Equipment:		MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ▼	7 No -
Gas Storage Pool Ext. Air Rotary —		√ 700-
CWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic;# of Holes Other	Depth to bottom of usable water: 299 /50	
Other	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1200 Feet	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken? Yes   ▼	No
	If Yes, proposed zone:	
AFFI	PAVIT RECEIVED	
	DAVIT KANSAS CORPORATION COM	imissi
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT KANSAS CORPORATION COM	<b>IM</b> ISSI
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	DAVIT  KANSAS CORPORATION CON  ugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT  WANSAS CORPORATION CON  Logging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION	ON
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	DAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATIO	ON
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION  April 1 8 2006  CONSERVATION DIVISION  By circulating cement to the top; in all cases surface properties set in an underlying formation.	ON
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the seath of the well is dry hole, an agreement between the operator and the drilling that the seath of the se	ugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONS	ON
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the shall be seen that the shall be shall be seen the shall be seen the shall be shall b	ugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION DIVIS	ON mg;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the shall be seen that the appropriate district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement.	ugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION DIVIS	ON ng;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard intention of the shall be seen that the shall be determined in the shall be appropriate district office will be notified before well is either plug that the shall be coment of the shall be shall be coment of the shall be coment of the shall be coment of the shall be	ugging of this well will comply with K.S.A. 55 et. seq.  APR 1 8 2006  CONSERVATION DIVISION  CONSERVATION DIVISION  The underlying formation.  Instrict office on plug length and placement is necessary prior to pluggling ged or production casing is cemented in;  and the underlying formation are underlying formation.  Instrict office on plug length and placement is necessary prior to pluggling ged or production casing is cemented in;  and the underlying formation are underlying formation.	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard intention of the shall be seen that the shall be determined in the shall be appropriate district office will be notified before well is either plug that the shall be coment of the shall be shall be coment of the shall be coment of the shall be coment of the shall be	CONSERVATION DIVISION OF THE PROPERTY OF THE P	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of the seas	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The underlying formation.  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is necessary prior to plugging ged or prior to plu	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the search and the drill and the search and the drill and	CONSERVATION DIVISION OF THE PROPERTY OF THE P	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of the seas	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The underlying formation.  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is cemented in;  The underlying formation is necessary prior to plugging ged or production casing is necessary prior to plugging ged or prior to plu	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The underlying formation.  In the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the production cases, NOTIFY district office prior to any cementing in the knowledge and belief.  Title: Agent	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The underlying formation.  In the underlying formation and placement is necessary prior to pluggling ged or production casing is cemented in;  The drom below any usable water to surface within 120 days of spud date with the plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	ON  ing;  inting  .
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of	CONSERVATION DIMISION APR 1 8 2006  The drilling rig;  The underlying formation.  In the underlying formation are underlying to product to a pluggling ged or production casing is cemented in;  The underlying formation are underlying to the	ON  mg;  e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as the intent of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the set of the set of the spud date or the well is either plug to find a ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plants of the spud date or the well shall be cement.    Por KCC Use ONLY	CONSERVATION DIMSIC APR 1 8 2006  The drilling rig;  The underlying cement to the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date; and plaged.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ON  ing;  inting  .
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The underlying cement to the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date if 133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	on one of the control
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the description of the description of the second of the description of the d	CONSERVATION DIMISION APR 1 8 2006  The drilling rig;  The by circulating cement to the top; in all cases surface production is necessary prior to pluggling ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date; and plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	on one of the control
The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the sum of the description of the description of the sum of the	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The underlying cement to the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date if 133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ON  ing;  inting  .
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the description of the description of the second of the description of the d	CONSERVATION DIVISION APR 1 8 2006  The drilling rig;  The driving cement to the top; in all cases surface production is necessary prior to pluggling ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date; and plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	on one of the control
The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the sum of the description of the description of the sum of the	CONSERVATION DMSK  the drilling rig;  the production casing is cemented in;  ged or production casing is cemented in;  ged from below any usable water to surface within 120 days of spud date;  #133,891-C, which applies to the KCC District 3 area, alternate II ceme to plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.  #134	on one of the control

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 125-31051-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	
Lease: Cotterili	feet from N / S Line of Section  1980 feet from Z E / W Line of Section
Well Number: 15-12	Sec. 12 Twp. 32 S. R. 16 ✓ East Wes
Field: Coffeyville-Cherryvale	
Number of Acres attributable to well:	Is Section: Regular or irregular
QTR / QTR / QTR of acreage: SW SE	If Section is irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

### PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:	· · · · · · · · · · · · · · · · · · ·	:	
	· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·			
	:		· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·	: ?	· · · · · · · · · · · · · · · · · · ·
:	· · · ·	<u>-                                    </u>	
· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
  :	· · · · · · · · · · · · · · · · · · ·	<del>•</del>	1980
	· · · · · · · · · · · · · · · · · · ·	(php)	· · · · · · · · · · · · · · · · · · ·

KANSAS CORPORATION COMMISSION
APR 1 8 2006

CONSERVATION DIVISION WIGHTA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawne	e Mission I	Parkway,	Mission Woods, KS 66205	
Contact Person: M. B. Nattrass		Phone Number: ( 913 ) 748 - 3987	]	
Lease Name & Well No.: Cotterill 15-12		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> _ <u>SE</u> _	
Emergency Pit Burn Pit	<b>✓</b> Proposed	Existing	Sec. 12 Twp. 32 R. 16 📝 East 🗌 West	
Settling Pit	If Existing, date or	onstructed:	Feet from North / 🗹 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	] No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	N-	How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸		Self-Sealing	-
Pit dimensions (all but working pits):3				
Depth fr	rom ground level to de			┨ .
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determining CEIVED KANSAS CORPORATION COMMIS	L
				SION
			APR 1 8 2006	
			CONSERVATION DIVISION WIGHTA, KS	
Distance to nearest water well within one-mile of pit		Depth to shallo	west fresh water?feet. /	
	<i>150</i> feet	measi	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:	ادًا
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Mud		100
		Number of working pits to be utilized: Two		5-
		procedure: Let evaporate until dry, then backfill	3/	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		3/05/000
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	8
		wa 1/		18
April 17, 2006		MS 154	signature of Applicant or Agent	
Date			ngriature of Applicant of Agent	J 7
	KCC	OFFICE USE O	NLY	
Date Received: 4/18/06 Permit Num	nber:	Perm	it Date: 4/18/06 Lease Inspection: Yes No	