For KCC Use: 4-23-06 Effective Date: 3 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	.,,,	
Expected Spud Date April 23, 2006	Spot East	
month day year		
OPERATOR: License#_33365	100 100 100 100 100 100 100 100 100 100	
Name: Layne Energy Operating, LLC	Teet from L / W Line of Section	
1900 Shawnee Mission Parkway	Is SECTION _▼RegularIrregular?	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: M. B. Nattrass	County: Wilson	
Phone: 913-748-3987	Lease Name: Lange AX&P	
33606	Field Name: Neodesha	
CONTRACTOR: License# 33606 Name: Thomton Air Rotury, Luc	Is this a Prorated / Spaced Field? Yes ✓ No	
Name: Thomas All (100 127)	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:		
Seismic;# of Holes Other		
Other		
	Surface Pipe by Alternate: ☐ 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required:	
Well Name:	Obanalasa	
Original Completion Date:Original Total Depth:	Formation at total Depth.	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
If Yes, true vertical depth:		
KCC DKT #:	Will Cores be taken? Yes ✓ No	
	Will Cores be taken?	
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: CHANGAS CORPORATION CONTROL OF THE	
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: CHANGAS CORPORATION CONTROL OF THE	
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: CHANGAS CORPORATION CONTROL OF THE	
AFF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: FIDAVIT KANSAS CORPORATION COMMISSION Dlugging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2006	
AFF The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted on each of the appropriate district of the property of the appropriate district of the appropriate distr	Will Cores be taken? If Yes, proposed zone: FIDAVIT KANSAS CORPORATION COMMISSION CONSERVATION DIVISION	
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be shall be as	Will Cores be taken? If Yes, proposed zone: FIDAVIT FIDAVIT Comply with K.S.A. 55 et. seq. APR 1 8 2006 CONSERVATION DIVISION Conservation commission Conservation Division	
AFF The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be sometimed all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: RESCRIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Conservation commission Conservation Division	
AFF The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be sometimed all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Conservation division and placement is necessary prior to plugging; Will Cores be taken? Provided No. 1 8 2006 CONSERVATION DIVISION WICHITA KS the underlying formation. district office on plug length and placement is necessary prior to plugging;	
AFF The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONSERVATION DIVISION Conservation commission Conservation Division Co	
AFF The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be start through all unconsolidated materials plus a minimum of 20 feet into the fit in the well is dry hole, an agreement between the operator and the the start of the appropriate district office will be notified before well is either plus than ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONSERVATION DIVISION Conservation commission Conservation Division Co	
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be start through all unconsolidated materials plus a minimum of 20 feet into the fit in the well is dry hole, an agreement between the operator and the the start of the appropriate district office will be notified before well is either plus than ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud shall be certified.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONSERVATION DIVISION Conservation commission Conservation division Co	
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into d. If the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus d. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plus appropriate in the statements of the operator of Agent: Date: April 17, 2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONSERVATION DIVISION Conservation commission Conservation division Co	
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best Date: April 17, 2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state. Part 17, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26552 - 2000	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the production of the spud date or the well shall be: Date: April 17, 2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date of the well shall be completed. Signature of Operator or Agent: Date: April 17, 2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONS	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plus of the spud state of the well shall I hereby certify that the statements made herein are true and to the best of the spud state of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT KANSAS CORPORATION COMMISSION CONSERVATION DIMISION APR 1 8 2006 CONSERVATION DIMISION Ach drilling rig; Conservation district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	
AFF The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the complete of the statements made herein are true and to the best of the complete of the statements made herein are true and to the best of the complete of the complete of the complete of the well shall be conducted by the statements made herein are true and to the best of the complete of the co	SW NW Sec. 33 Twp. 30 S. R. 16 West 1982 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 660 feet from R / V Sec. Line of Section 18 SECTION Feegular Irregular? Well #:5-33 Field Name: Neodesha Is this a Prorated / Spaced Field? Targot Formation(s): Cherokee Coals Nearest Lease or unit boundary: 660 Ground Surface Elevation: 783 feet MSL Water well within one-quater mile: Yes No No No No No No No N	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plus of the spud shall be stated by the spud shall of the plus of the spud shall be as the spud shall of the shall of the spud sh	Will Cores be taken? If Yes, proposed zone: FIDAVIT CANSAS CORPORATION COMMISSION CONSERVATION DIMISION APR 1 8 2006 CONSERVATION DIMISION Ach drilling rig; Conservation of the well will comply with K.S.A. 55 et. seq. APR 1 8 2006 CONSERVATION DIMISION Ach drilling rig; Conservation DIMISION Ach drilling rig; Conservation DIMISION Conservation DIMISION Ach drilling rig; Conservation DIMISION Conservation DIMISION April 18 2006 Conservation DIMISION Conservation DIMISION April 20 deys of spud date. The file of production casing is cemented in; The plugged. In all cases, NOTIFY district office prior to any cementing. Conservation DIMISION Conservation DIMISION Conservation DIMISION Conservation DIMISION April 20 deys of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. The Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	
AFF The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the complete of the statements made herein are true and to the best of the complete of the statements made herein are true and to the best of the complete of the complete of the complete of the well shall be conducted by the statements made herein are true and to the best of the complete of the co	Will Cores be taken? If Yes, proposed zone: **RECEIVED** **RASAS CORPORATION COMMISSION** CONSERVATION DIVISION** ach drilling rig; CONSERVATION DIVISION **CONSERVATION DIVISION **CO	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plus of the spud shall be stated by the spud shall of the plus of the spud shall be as the spud shall of the shall of the spud sh	Will Cores be taken? If Yes, proposed zone: **RECEIVED** **RASS CORPORATION COMMISSION** CONSERVATION DIVISION** ach drilling rig; ach be plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ach drom below any usable water to surface within 120 days of spud date. ach r#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ach my knowledge and belief. Title: Agent **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please tuity complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-205-26552-0000	Location of Well: County: Wilson			
Operator: Layne Energy Operating, LLC	1982 feet from 🗸 N / 🗌 S Line of Section			
Lease: Lange AX&P	660 feet from E / V Line of Section			
Well Number: 5-33	Sec. 33 Twp. 30 S. R. 16 VEast West			
Field: Neodesha	<u> </u>			
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular			
QTR / QTR / QTR of acreage: SW NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		· ·			•		
	,286	· · · ·					
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
lado.	•	· · · · ·					
	• •	· 	3	3	•		
	·	· · · · · · · · · · · · · · · · · · ·					
	·	· · · ·	· ·				
	·		· · · · ·		• • • •	• • • •	
	· .		•		•	•	

RECEIVED
KANSAS CORPORATION COMMISSION
APR 1 8 2006

CONSERVATION DIVISION WICHITA, K8



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

				-	
Operator Name: Layne Energy C	perating, LL0	С	License Number: 33365		
			Mission Woods, KS 66205]	
Contact Person: M. B. Nattrass			Phone Number: (913) 748 - 3987		
Lease Name & Well No.: Lange AX	&P 5-33		Pit Location (QQQQ):]	
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 33 _{Twp.} 30 _{R.} 16 ✓ East		
☐ Settling Pit ☑ Drilling Pit	If Existing, date of	onstructed:	1982 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	<u></u>		660 Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Wilson		
Is the pit located in a Sensitive Ground Water	Aran 2	(<i>bbis)</i>	Chloride concentration:	┨	
is the pit located in a Sensitive Ground water	Vieg (A les	_ NO	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	1	
✓ Yes No	Yes 🗸	No	Self-Sealing		
the difference (diff but working pile).	BO' Length (fe	•	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determinate CEIVED notuding any special monitoring. KANSAS CORPORATION COMMI		
			CONSERVATION DIVISION WICHTA, KS		
		Depth to shallo Source of infor	west fresh waterfeet. mation:		
none feet Depth of water well	feet	feet measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY	:	_	over and Haul-Off Pits ONLY:	l	
Producing Formation: Type of m		Type of materia	al utilized in drilling/workover: Fresh Water Mud		
Number of producing wells on lease: Number of			Number of working pits to be utilized: Two		
Barrels of fluid produced daily:	roduced daily: Abandonment procedure: Let evaporate until dry, then backfill			2 200 0	
— — — — — — — — — — — — — — — — — — —		and restore		6	
		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	Î	
April 17, 2006 Date		15 Ntt	HAA ignature of Applicant or Agent		
	КСС	OFFICE USE O	NLY	18	
Date Received: 4/18/06 Permit Num	nhae:	Parm	it Date: 4/18/06 Lease Inspection: Yes - No	\	