| 20       |
|----------|
| 器        |
|          |
| <b>~</b> |
|          |
|          |

| Effective Date: 4-14-06 OIL & GAS CONS   | ERVATION DIVISION  | naceuper entitle C                     |
|--|--|--|
| SGA? Wes No NOTICE OF IN   | TENT TO DRILL APR 1 3 2006   | Form must be Typed Form must be Signed |
| Must be approved by KCC five   | (5) days prior to commencing well<br>TED CONSERVATION DIVISION   | blanks must be Filled                  |
| CORREC   | TED CONSERVATION DIVISION  | <b>C</b>                               |
| Expected Spud Date April 18, 2006  | E AS WICHTA, KS  | East C                                 |
| month day year   | SE Sec. 2 Two. 5   | S, R. 30                               |
| OPERATOR: Licensee 8861  | 1650feet from N / 🗸  |  |
| Name: Ron's Oil Operation, Inc.  | 1455feet from 7 E /  | W Line of Section                      |
| 1889 200th Avenue  | is SECTION Regular irregular?  |  |
| City/State/Zip: Penokee, KS 67659  | (Note: Locate well on the Section Plat on re   | verse side)                            |
| Contact Person: Ron Nickelson  | County: Decatur  |  |
| Phone: (785) 421-2409 or (785) 421-8800  | Leese Name: Savage   | Well 8: 2-2                            |
| 22607  | Field Name:  |  |
| CONTRACTOR: Licenset 33607   | is this a Prorated / Spaced Field?   | Yes No                                 |
| Name: Kaler Oil Company  | Target Formation(s): Kansas City   |  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary: 650'   |  |
|  | Ground Surface Elevation: 2848   | feet MSL                               |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  | Yes No                                 |
| OWO Disposal Wildcat Cable   | Public water supply well within one mile:  | Yes VNo                                |
| Seismic; of Holes Other  | Depth to bottom of fresh water: 200  |  |
| Other  | Depth to bottom of usable water: 200'  |  |
|  | Surface Pipe by Alternate: 1 1 2   |  |
| If OWWO: old well information as follows:  | celled of confece ripe remitted to be set.   | <del></del>                            |
| Operator:  | Length of Conductor Pipe required: none  |  |
| Well Name:   | Projected Total Depth: 4,000'  |  |
| Original Completion Date:Original Total Depth:   | / romadon at rotal Depth   | <del></del>                            |
| Directional, Deviated or Horizontal wellbore?  | Water Source for Drilling Operations:   ✓ Well Farm Pond Other existing v  | vell 🖊                                 |
| If Yes, true vertical depth:   | DWR Permit #:  |  |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR   | <del></del>                            |
| KCC DKT 4:   | Will Cores be taken?   | Yes No                                 |
| Was: SE-SW-SE 650' FSL   | If Yes, proposed zone:   |  |
| T E/O-SE-NUM-SE 11.CD'ESI  |  | KANGAS                                 |
| LS. L/A DE INIVESE INDS TO AFF   | IDAVIT   | KANGAS CORPORATION COMMISS             |
| The undersigned hereby affirms that the drilling, completion and eventual pl   | lugging of this well will comply with K.S.A. 55 et. seq.   | ADD 17 0000                            |
| It is agreed that the following minimum requirements with be met:  |  | APR 17 2006                            |
| <ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>  |  | CONO                                   |
| 2. A copy of the approved notice of intent to drill shall be posted on each.  3. The minimum amount of surface rises as specified below shall be seen.   | ch drilling rig;<br>et by almyteting compat to the ten in all cases system   | CONSERVATION DIVISION                  |
| The minimum amount of surface pipe as specified below <b>shall be</b> eathrough all unconsolidated materials plus a minimum of 20 feet into the state of the stat | he underlying formation.   | pro state to sevicetta, KS             |
| 4. If the well is dry hole, an agreement between the operator and the d  |  | y prior to plugging;                   |
| 5. The appropriate district office will be notified before well is either plug   |  |  |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement  |  |  |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order<br>must be completed within 30 days of the spud date or the well shall   |  |  |
| I hereby certify that the statements made herein are true and to the best of   | , ,,   | to any comonany.                       |
|  |  |  |
| Date: April 13, 2006 Signature of Operator or Agent: V   | ma Thanda Title: Agent   |  |
|  |  |  |
| For KCC Use ONLY   | Remember to:   | 2411                                   |
| 020 - 2007 - 0000  | <ul> <li>File Drill Pit Application (form CDP-1) with Intent to I</li> <li>File Completion Form ACO-1 within 120 days of sp</li> </ul> | ,                                      |
| Arr - 10   | File acreege attribution plat according to field prora   | <b>U</b> .                             |
| Conductor pipe required MONL feet  | Notify appropriate district office 48 hours prior to wo  |  |
| Minimum surface pipe required. 250 feet per Alt. (1)   | - Submit plugging report (CP-4) after plugging is corr   |  |
| Approved by: PLH 4-14-06/Rut 4-18-26   | - Obtain written approval before disposing or injecting  | g salt water.                          |
| This authorization expires: 10-14-06   | - If this permit has expired (See: authorized expiration   | r diete) please                        |
| The same same same same same same same sam   | check the box helow and return to the advises held   |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# CORRECTE

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this aids of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 039-20971-0000  | Location of Welt: County: Decatur  |
|--|--|
| Operator: Ron's Oil Operation, Inc.  | 650 1650 feet from N/ 8 Line of Section  |
| Lease: Savage  | 650°   1650   feet from  |
| Well Number: 2-2   | Sec. 2 Twp. 5 S. R. 30 East / West   |
| Field:   |  |
| Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  SENE - SW SE | Is Section: 📝 Regular or 🗌 Irregular   |
| E/2 SE-NW-SE   | If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show locage to the nearest lease or unit boundary line.)

|     |   |     |       |   |   | _ |
|-----|---|-----|-------|---|---|---|
|     | • |     |       | • | •                                       |   |
| ł . | • |     |       | • |   |   |
| 1   | • |     |       | • | •                                       |   |
|     |   |     |       |   |   | • |
| 1   |   |     |       |   |   |   |
|     |   |     |       |   |   |   |
|     | - | -   |       | - |   |   |
|     |   |     |       |   |   | • |
| i   |   |     |       | • |   |   |
| 1   |   |     |       |   |   |   |
|     | • |     |       | • |   |   |
|     |   |     |       |   | • • • • • • •                           | • |
|     | - |     |       | • |   |   |
|     |   |     | - 1   |   | •                                       |   |
|     |   |     |       |   | •                                       |   |
|     |   |     |       |   |   |   |
|     |   |     |       |   | <u> </u>                                |   |
|     | • |     |       | • | • •                                     |   |
|     | - |     |       | • | : :                                     |   |
|     | - |     |       | • | : :                                     |   |
|     | - |     | <br>  | : | · · · · · · · · · · · · · · · · · · ·   |   |
|     |   |     |       | : |   |   |
|     |   |     | <br>· | : |   |   |
|     |   | : : |       |   |   | - |
|     |   |     |       |   |   |   |
|     |   |     |       |   |   |   |
|     |   |     |       |   | : |   |
|     |   |     |       |   | : |   |
|     |   |     |       |   | : |   |
|     |   |     |       |   | : |   |
|     |   |     |       |   | : |   |
|     |   |     |       |   | : |   |

KANSAS CORPORATION COMMISSION
APR 1 7 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

# in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

April 2004 Form must be Typed

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **APPLICATION FOR SURFACE PIT**

CORRECTED

|  |  |                         |  | 7            |  |  |  |
|--|--|-------------------------|--|--------------|--|--|--|
| Operator Name: Ron's Oil Operations, Inc.  |  |                         | License Number: 6861   | 1            |  |  |  |
| Operator Address: 1889 200th A   | Operator Address: 1889 200th Avenue, Penokee, KS 67659 |                         |  |              |  |  |  |
| Contact Person: Ron Nickelson  |  |                         | Phone Number: ( 785 ) 421 - 2409   |              |  |  |  |
| I and Alexand SMall No. 0  |  | Pit Location (QQQQ): NW | _  |              |  |  |  |
| Type of Pit:   |  |                         | SE NE SE   | \ <u>S</u>   |  |  |  |
| Emergency Pt Burn Pt   | Proposed Existing                                      |                         | Sec. 2 Twp. 5 R. 30 ☐ East   |              |  |  |  |
| Settling Pit  Drilling Pit   |  |                         | * 1650 Feet from North / South Line of Section   | Ē            |  |  |  |
| Workover Pit Haul-Off Pit  | CH specific  | ·                       | 1455 Feet from 7 East / West Line of Section   |              |  |  |  |
| (If WP Supply API No. or Year Drilled)   | Pit capacity:<br>60                                    | (bbls)                  | Decatur County   | ייטחחבט / בנ |  |  |  |
| Is the pit tocated in a Sensitive Ground Water   |  | 180                     | Chloride concentration:mg/l  |              |  |  |  |
| to the free free and a constitute of the party states  |  |                         | (For Emergency Pits and Settling Pits only)  |              |  |  |  |
| is the bottom below ground level?  | Artificial Liner?                                      |                         | How is the pit lined if a plastic liner is not used?   |              |  |  |  |
| Yes No   | ☐ Yes 🗸  | No                      | native clay  |              |  |  |  |
| Pit dimensions (all but working pits):3  | O Length (fe   | set) <u>8</u>           | Width (feet) N/A: Steel Pits   |              |  |  |  |
| Depth fr   | om ground level to de                                  | sepest point: 5         | (feet)   |              |  |  |  |
| If the pit is lined give a brief description of the meterial, thickness and installation procedure |  |                         | idures for periodic maintenance and determining CCEIVED including any special monitoring.  APR 1 3 2006  CONSERVATION DIVISIONAL WICHITA, KS |              |  |  |  |
| Distance to nearest water well within one-mile   | of pit   | •                       | west fresh water 125 feet.   | 1            |  |  |  |
| 1724 feet Depth of water well_   | 160 feet   | Source of infor         | - 1,1-4,5  |              |  |  |  |
| Emergency, Settling and Burn Pits ONLY:  |  |                         | over and Hauf-Off Pits ONLY:   | 1            |  |  |  |
| Producing Formation:   |  | Type of materix         | al utilized in drilling/workover: drilling mud   | 3            |  |  |  |
| Number of producing wells on lesse:  |  | i                       | king pits to be utilized: 2  | 19           |  |  |  |
| Barrels of fluid produced daily:   |  | ı                       | procedure: air dry and backfill  | 39-          |  |  |  |
| Does the slope from the tank battery allow all flow into the pit?  Yes  No                         | spilled fluids to                                      |                         | pe closed within 365 days of spud date.  | 5-039-209    |  |  |  |
| I hereby certify that the above state  | ments are true and o                                   | correct to the best     | of my knowledge and belief.  | 12           |  |  |  |
| April 13, 2006   |  | nno                     | Thanda ignature of Applicant or Agent  | coo.         |  |  |  |
| KCC OFFICE USE ONLY  |  |                         |  |              |  |  |  |
| Date Received: 4 13 0c. Permit Num   | ber:   | Permi                   | R Date: 4/13/66 Lease Inspection: Wes A No   |              |  |  |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED KANSAS CORPORATION COMMISSION

APR 17 2006

CONSERVATION DIVISION WICHITA, KS

つうロロにってに