For KCC Use: Effective Date: District # SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

must be approved by NOO live		
Expected Spud Date April 25, 2006	Spot E	ast
month day year	<u>NW</u> - <u>SW</u> Sec. <u>16</u> Twp. <u>28</u> S. R. <u>17</u> W	est
OPERATOR: License#_33344	1980feet from N / V S Line of Section	
Name: Quest Cherokee LLC	660 Feet from E / W Line of Section	
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Wilson	
Phone: (405) 286-9316	Lease Name: Fail, William O. Well #: 16-1	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals]140
	Nearest Lease or unit boundary: 660	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 928 feet M	 /SI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100]140
Seismic;# of Holes Other	Depth to bottom of usable water:	
Other Coalbed Methane	Surface Pipe by Alternate: 1 2	
If CVARALO, and wall information on fallows.	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1500	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore?		
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:	_
KCC DKT #:	(Note: Apply for Permit with DWR)	١
	Will Cores be taken?	No
	Will Cores be taken? Yes Yes If Yes, proposed zone:	No
AFFI	If Yes, proposed zone:	
AFFI	If Yes, proposed zone:	
	If Yes, proposed zone: DAVIT RECEIVE ugging of this well will comply with K.S.A. 55 et. Corporation	D COMMISSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	D COMMISSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig:	D COMMISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	DAVIT Ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 Ch drilling rig; If by circulating cement to the top; in all cases surface phospharman	D COMMISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 th drilling rig; by circulating cement to the top; in all cases surface CASEMATION ON WICHTA, KS	D COMMISSIC 106 TISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the state of	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface properties and the underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging	D COMMISSIC 106 TISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface properties of the underlying formation. with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	D COMMISSIC 106 TISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosenation with the underlying formation. wighth, ks istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	D COMMISSIO 106 TISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the foundation of the surface will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface properties of the underlying formation. with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	D COMMISSIO 106 TISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the district of the post of the post of the post of the second of the post of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface properties of the underlying formation. with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMISSIO 106 TISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the foundation of the surface will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphorous with the underlying formation. wighth, ks istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plant of the best of the spud carrier and to the best of the spud carrier and the spud c	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphorous with the underlying formation. wighth, ks istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plant of the best of the spud carrier and to the best of the spud carrier and the spud c	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphorous with the underlying formation. WIGHTA, KS istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the sequence of the well is dry hole, an agreement between the operator and the sequence of the well is either plug for a purpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the plant of the best of the plant of the best of the plant of the plant of the best of the plant of the plant of the best of the plant	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphorous wights, ks is trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphorous with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the posted on each and the drill and the posted on each and the drill and the dril	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface propertion on the underlying formation. wighth, ks istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: PREMEMBER to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phose to plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphation on the underlying formation. wighth, Ks istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phose to plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/18/2006 Signature of Operator or Agent: 100 Conductor pipe required 100 Feet per Alt. 100 Conductor pipe required 100 Feet	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface place of place on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/18/2006 Signature of Operator or Agent: Conductor pipe required None feet Minimum surface pipe required Approved by: 4/19-06 This authorization expires: 10-19-06	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface phosphorocomple underlying formation. wichta, Ks istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/18/2006 Signature of Operator or Agent: 100 Conductor pipe required 100 Feet per Alt. 100 Conductor pipe required 100 Feet	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface puscent to plugging to underlying formation. with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISSIO 106 TISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/18/2006 For KCC Use ONLY API # 15 - 205 -20502-0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface pustantion on the underlying formation. with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	DOMMISSION 15:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/18/2006 Signature of Operator or Agent: Conductor pipe required None feet Minimum surface pipe required Approved by: 4/19-06 This authorization expires: 10-19-06	DAVIT ugging of this well will comply with K.S.A. 55 et. APR 1 9 20 ch drilling rig; t by circulating cement to the top; in all cases surface puscent to plugging to underlying formation. with the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISSIO 106 TISION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-26562-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1980feet fromN / 🔽 S Line of Section
Lease: Fail, William O.	660 feet from E / 🔽 W Line of Section
Well Number: 16-1	Sec. 16 Twp. 28 S. R. 17 VEast West
Field: Cherokee Basin CBM	
Number of Acres attributable to well: NW SW	Is Section: Pegular or Irregular
QTR / QTR / QTR of acreage: NW SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North May Avenue, Suite 300			Oklahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Fail, William O. #16-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 28 R. 17 East West	
Settling Pit	If Existing, date c	constructed:	Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / 🔽 West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet)				
material, thickness and installation procedure.		edures for periodic maintenance and determining including any special monitoring. Operation lasting approx 3 days		
· · · · · · · · · · · · · · · · · · ·		west fresh waterfeet.		
Source of infor		west fresh waterfeet. mation: liredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled		
		over and Haul-Off Pits ONLY:		
_		al utilized in drilling/workover: Air Drilled		
Number of producing wells on lease: Number of wor		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		procedure: Air Dry, Back Fill and Cover pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
4/18/06 Date APR 1 9 2006 Signature of Applicant or Agent CONSERVATION DIVISION				
KCC OFFICE USE ONLY				
Date Received: 4/19/04 Permit Num	ıber:	Permi	t Date: 4/19/0c Lease Inspection: Yes 1 No	