For KCC Use: Effective Date: District #\_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	(5) days prior to commencing well
/ /	Mound Valley
Expected Spud Date 4/19/06	Spot ✓ East
month / / day year	NE - SE - NW Sec. 36 Twp. 33 S. R. 18 West
OPERATOR: License# 33583 -	1953 feet from V N / S Line of Section
Name: Admiral Bay (USA) Inc.	2097feet from E / W Line of Section
Address: 14550 E Easter Ave, Ste. 1000	Is SECTION <u>✓</u> RegularIrregular?
City/State/Zip: Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Janet Johnson	County: Labette
Phone: 303.671-7242	Lease Name: Obrien Well #: 6-36
,	Field Name: Mound Valley South
CONTRACTOR: License# 5786	Is this a Prorated / Spaced Field? Yes ✓ No
Name: McGowan Drilling Tac.	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1953 FNL
	Ground Surface Elevation: 875 feet MSL
Oil Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile: Yes   ✓ No ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'+
Seismic;# of Holes Other	Depth to bottom of usable water: 200'+
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1000'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond  Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KANON RECEIVED	(Note: Apply for Permit with DWR )
KCC DKT #: KANGAS CORPORATION COMMI	ISSION Cores be taken? Yes ✓ No
APR 1 9 2006 AFFI The undersigned bereby effirms that the delline COMPANIAN appropriate of the companies of	If Yes, proposed zone:
AFF	TIDAVIT FALSE OF THE PROPERTY
The undersigned hereby affirms that the drilling CONSCIENTIAL OF	lugging of this well will comply with K.S.A. 55 et. seq. Con Commission
It is agreed that the following minimum requirements which takes	APR 1 4 2006
Notify the appropriate district office <b>prior</b> to spudding of well;	71: N 1 7 2000
	ch drilling rig; CONSEC VATION DIVIDION
	ch drilling rig;  of by circulating cement to the top; in all cases surface fibe sign for the serior.
through all unconsolidated materials plus a minimum of 20 feet into the	
<ol> <li>If the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	district office on plug length and placement is necessary prior to plugging;
	ted from below any usable water to surface within 120 days of spud date.
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.
14	1 della de la constituenta
Date: 04/13/06 Signature of Operator or Agent: Kan	Title: Land Coordinator
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 099-23938-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY  API # 15 - 099 - 23938-0000  Conductor pipe required None feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY  API # 15 - 099 - 23938-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. X 2	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>
For KCC Use ONLY  API # 15 - 099 - 23938-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt. (2)  Approved by: 24 4-19-00	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
For KCC Use ONLY  API # 15 - 099 - 23938-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. X 2	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY  API # 15 - 099 - 23938-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt. (2)  Approved by: 24 4-19-00	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
For KCC Use ONLY  API # 15 - 099-23938-0000  Conductor pipe required None feet  Minimum surface pipe required go feet per Alt. X 2  Approved by: 24 4-19-00  This authorization expires: 10-19-06	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
For KCC Use ONLY  API # 15 - 099-23938-0000  Conductor pipe required None feet  Minimum surface pipe required go feet per Alt. X 2  Approved by: 24 4-19-00  This authorization expires: 10-19-06	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 099-23938-0000	Location of Well: County: Labette
Operator: Admiral Bay (USA) Inc.	
Lease: Obrien	1953 feet from VN/ S Line of Section 2097 feet from E / VW Line of Section
Well Number: 6-36	Sec. 36 Twp. 33 S. R. 18 ✓ East Wes
Field: Mound Valley South	
Number of Acres attributable to well: 40	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SE NW	if Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION FORM CORP-1 OIL & GAS CONSERVATION DIVISION

APR 1 9 2006 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit In Duplicate

CONSERVATION DIVISION WIGHTALKS

RECEIVED

Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration:				WIGHTON 12
Operator Address: 14550 E Easter Ave., Ste. 100  Contact Person: Janet Johnson  Phone Number: ( 303 ) 350 1255  Pit Location (QQQQ):  Type of Pit:  Emergency Pit Bum Pit Settling Pit Dolling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Weter Area? Yes No  Stelling Pit Artificial Liner?  Artificial Liner?  Pit dimensions (all but working pits):  Depth from ground level to deepest point:  Depth from ground level to deepest point:  Depth from ground level to deepest point:  Depth from artificial, thickness and installation procedure.  Depth of water well within one-mile of pit  Depth to shallowest fresh water  Source of information:  MARCA CAPATICADION  Chicrocercamic (well owner electric log KDW)  Emergency, Settling and Bum Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No  Drill pits must be closed within 365 days of spud date.	Operator Name: Admiral Bay (USA) Inc.		License Number: 33583	
Contact Person: Janet Johnson			. 100	
Pit Location (QQQQ):   Type of Pit:			Phone Number: ( 303 ) 350 - 1255	
Type of Pit:    Emergency Pit   Bum Pit   Pit is:   Settling Pit   Dnilling Pit   Morkover Pit   Haul-Off Pit   Pit capacity:   Type of Pit   Haul-Off Pit   Pit capacity:   Type of Pit located in a Sensitive Ground Water Area?   Yes   No   Chloride concentration:   Feet from   East / West Line of Set   Labette   Co				
Settling Pit		Pit is:		
Settling Pit	Emergency Pit Bum Pit	Proposed Existing		Sec. 36 Twp. 33S R. 18
Workover Pit	Settling Pit	If Existing, date constructed:		1953
Supply API No. or Year Onlited)   150	Workover Pit Haul-Off Pit			2097
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mr	P Supply API No. or Year Drilled)		(bbls)	Labette
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used?    Yes	e nit located in a Sensitive Ground Water A			County  Chloride concentration:mq/l
Pit dimensions (all but working pits):    20	pit located in a Sensitive Stoutid Water A	ea: lies f		_
Depth from ground level to deepest point:				How is the pit lined if a plastic liner is not used?
Describe procedures for periodic maintenance and determiting.  AFR 1 4 20  CONSERVATION DIV  WESTERNATION DIV  WESTERNAT	limensions (all but working pits): 20	Length (fee	et) 20	Width (feet) N/A: Steel Pits
Distance to nearest water well within one-mile of pit  N/A feet Depth of water well feet  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Number of fluid produced daily:  Distance to nearest water well within one-mile of pit  Depth to shallowest fresh water feet.  Source of information:  measured well owner electric log KDWF  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh Water & Native must be fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No  No  No  No  Drill pits must be closed within 365 days of spud date.	Depth from	n ground level to dee	epest point:	(feet)
Depth to shallowest fresh waterfeet.  N/A feet    Depth of water wellfeet   feet				APR 1.4.2006  CONSERVATION DIVISION MET SIZE AS
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Fresh Water & Native must be utilized: 2  Abandonment procedure:  Evaporation and back fill  Drill pits must be closed within 365 days of spud date.	·		west fresh waterfeet.	
Producing Formation: Type of material utilized in drilling/workover: Fresh Water & Native multiple of producing wells on lease: Number of working pits to be utilized: 2 Abandonment procedure: Evaporation and back fill Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No No Drill pits must be closed within 365 days of spud date.			meas	uredwell owner electric log KDWR
Number of producing wells on lease:	5 3.		•	
Barrels of fluid produced daily: Abandonment procedure: Evaporation and back fill   Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   Drill pits must be closed within 365 days of spud date.	Producing Formation: Type of mate		al utilized in drilling/workover: Fresh Water & Native mud	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Prill pits must be closed within 365 days of spud date.				
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	rels of fluid produced daily:		Abandonment procedure: Evaporation and back fill	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			be closed within 365 days of spud date.	
	I hereby certify that the above states	nents are true and c	correct to the be	st of my knowledge and belief.
4/13/06 Date Signature of Applicant or Agent		4	and of	Signature of Applicant or Agent
KCC OFFICE USE ONLY		КСС	OFFICE USE (	NLY
Date Received: 4/19/06 Permit Number: Permit Date: 4/19/06 Lease Inspection: Yes	.1 1			nit Date: 4/19/06 Lease Inspection: Yes K No



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN 1. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.