For KCC Use: Effective Date:_ District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Typed banks must be Filled

NOTICE OF INTENT TO DRILL

0/04/00	
Expected Spud Date 3/01/06	Spot East
• • •	SE_NE_NW NW Sec. 36 Twp. 26 S. R. 17 West
OPERATOR: License#_33583	505 feet from V N / S Line of Section
Name: Admiral Bay (USA) Inc.	teet from E / V W Line of Section
Address: 14550 E Easter Ave, Ste. 1000	Is SECTION RegularIrregular?
City/State/Zip: Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Steven Tedesco	County: Allen
Phone: 303.671-7242	Lease Name: Offenbacker Well #: 4-36-BV
CONTRACTOR: License# 5786 CONSUMER OF CONS	Field Name: Humboldt-Chanute
Name: McGowan Drilling	Is this a Prorated / Spaced Field?Yes
Name	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 505 FNL
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 970 feet MSL
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100'
Other	Depth to bottom of usable water: 200'
	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected total Deptil.
Original Completion Date: Original Total Depth:	Formation at total Depth
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
NOO BILL #.	
- Lac + 44-36-15	Will Cores be taken? Yes ✓ No
-WAS: #4-36-B	Will Cores be taken? Yes ▼ No If Yes, proposed zone:
TC: 4 11-26-BV	
IS: # 4-36-BV AFF	If Yes, proposed zone:
TC: 4 11-26-BV	If Yes, proposed zone:
T5: # 4-36-BV AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
T5: # 4-36-BV The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
T5: # 4-3b-BV The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be s</i>	If Yes, proposed zone: IDAVIT Integrating of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; In the top; in all cases surface pipe shall be set
T5: # 4-3b-BV The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of the prior and the posted on each of the province of the p	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; If Yes, proposed zone: Inch drilling rig;
T5: # 4-3b-BV The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
T5: # 4-3b-BV The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the substitution of the well is dry hole, an agreement between the operator and the substitution of the s	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the less of the spud control of the specific control	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the less of the spud case.	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall are the statements made herein are true and to the dest of the complete of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the statements made herein are true and to the dest of the spud date or the well shall be the spud date or the s	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the dest of the statements made herein are true and to the statements made herein are true and to the statemen	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the posted on each of the state of	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the dest of the spud state of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29367-0000 Conductor pipe required None feet	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be s</i> . 4. If the well is dry hole, an agreement between the operator and the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be the statements made herein are true and to the place of the spud pipe in the statements made herein are true and to the place of the spud pipe required below the spud pipe required feet per Alt.	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the state of the state of the state of the spuddate of the well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before	IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the second structure. 4. If the well is dry hole, an agreement between the operator and the substitution of the second structure. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the pest of the second state of the statements of the operator of Agent: For KCC Use ONLY API # 15 - OOI - 39367 - OOO Geet into the second state of the s	IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch dy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Inch drom below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In Inch Manager In In Inch Manager In In Inch Manager In In Inch Manager In In Inch Manage
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the surface pipe and the surface pipe and the surface pipe and the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the pest of the pipe shall be completed. Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - ODI - 9347-000 Conductor pipe required	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling rig; Inch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Ingged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; If File Completion Form ACO-1 within 120 days of spud date; If learning at the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surfaced pipe as specified below shall be surfaced in the surfaced pipe as specified below shall be surfaced pipe shall be completed. If the well is district office will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. If an ALTERNATE if COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the plest of the plant of the	IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch dynamic dement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Inch drilling rig; Inch drilling right ri

CORRECTED LL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29367-000	Location of Well: County: Allen
Operator: Admiral Bay (USA) Inc.	
Lease: Offenbacker	feet from V N / S Line of Section 1058 feet from E / V W Line of Section
	Sec. 36 Twp. 26 S. R. 17 ✓ East Wes
Field: Humboldt-Chanute	
Number of Acres attributable to well: 40	Is Section: Regular or Irregular
QTR / QTR of acreage: NW NVV	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1058	(3/10)	riootage to the in	salest lease of thin bo
0	505	:	
	· ·		· · · · · · · · · · · · · · · · · · ·
	•		· · · · · · · · · · · · · · · · · · ·
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	· 3	86 <u>.</u>	<u>:</u> :
: :	:	:	
: :	:	:	: :
			· · · · · · · · · · · · · · · · · · ·
		:	
L			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

	Sub	omit in Duplicate	
Operator Name: Admiral Bay (USA) Inc.		License Number: 33583
Operator Address: 14550 E Eas		e. 100	n i
Contact Person: Steven Tedesco		Phone Number: (303) 617 - 8919	
ease Name & Well No.: Offenbacker 4-36-BV		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW</u> - <u>NW</u>
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 36 _{Twp.} 26 _{R.} 17 ✓ East
Settling Pit	If Existing, date co	onstructed:	Feet from 📝 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1058 Feet from East / 🗸 West Line of Section
	150	(bbls)	ALLEN County
Is the pit located in a Sensitive Ground Wate	r Area? 🗌 Yes 🛛 🗸	No	Chloride concentration:mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes 🗸 I	No	
Pit dimensions (all but working pits):	20 Length (fe		Width (feet) N/A: Steel Pits
material, thickness and installation procedu			edures for periodic maintenance and determining and the maintenance an
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.	
N/Afeet Depth of water wellfeet		meas	uredwell owner electric logKDWR
Emergency, Settling and Burn Pits ONL	Y:	1	cover and Haul-Off Pits ONLY:
		ial utilized in drilling/workover: Fresh Water & Native mud	
Number of producing wells on lease:		Number of working pits to be utilized: 2	
Barrels of fluid produced daily:		Abandonment	procedure: Evaporation and back fill
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. correct to the best of my knowledge and belief.	
I hereby certify that the above sta	atements are true and	correct to the be	st of my knowledge and belief.
3/29/06 Date		James)	Signature of Applicant or Agent
	ксс	OFFICE USE	DNLY
Date Received: 3/31/06 Permit No	umber:	Peri	mit Date: 3/31/06 Lease Inspection: Yes (No