For KCC Use: Effective Date: District #_ SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 25, 2006	Spot ✓ East
month day year	<u>SE</u> - <u>SW</u> <u>Sec. 10</u> <u>Twp. 28</u> <u>S. R. 18</u> West
OPERATOR: License#_33344	660 feet from N / S Line of Section
Name: Quest Cherokee LLC	1980feet from E / W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 286-9316	Lease Name: Stich, William A. Well #: 10-1
CONTRACTOR: License#_Will be licensed by the KCC	Field Name: Cherokee Basin CBM
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: VVIII advise of the Acc-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 945feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
CWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100
Other Coalbed Methane	Depth to bottom of usable water: 200/30
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth:
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	APR 1 9 2006
1. Notify the appropriate district office prior to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	
2. 7. copy of the approved hence of missing to 2.111 of the proceed of the	ch drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipached beset
The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	of by circulating cement to the top; in all cases surface pipe chiral baset ne underlying formation.
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount 	If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	If by circulating cement to the top; in all cases surface pipacing baset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	If by circulating cement to the top; in all cases surface pipacing baset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later of the statements made herein are true and to the best of the set of	If by circulating cement to the top; in all cases surface pipacing baset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later of the statements made herein are true and to the best of the set of	If by circulating cement to the top; in all cases surface pipacing baset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the best of the statements. Date: 4/18/2006 Signature of Operator or Agent: For KCC Use ONLY.	the by circulating cement to the top; in all cases surface pipacing baset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the herein are true and to the best of the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements are true and to the best of the statements of the statements of the statements of the statements of the statements.	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the different below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If may knowledge and belief. Title: VP
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the secon	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the surface within 120 days of spud date. The surface within 120 days of spud date. The surface prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The surface prior to any cementing of the surface prior to any cementing. The surface prior to any cementing of the surface prior to any cementing. The surface prior to any cementing of the surface prior to any cementing. The surface prior to any cementing the surface prior to any cementing of the surface prior to any cementing the surface prior to any
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the secon	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the herein are true and to the best of the second of the	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the complete of th
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through the seed through an agreement between the operator and the defendence of the self-seed through the seed through through the seed through through the seed through through the seed through through through through the seed through t	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the complete of th
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the herein are true and to the best of the second of the	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed to seed the seed through an agreement between the operator and the defense of the seed to see the seed through a surface casing order must be completed within 30 days of the spud date or the well shall the seed through the seed through the seed through the seed to see the seed through through the seed through through the seed through through the seed through through through the seed through thro	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the definition of the complete state of the complete of the comp
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed to 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certify that the statements made herein are true and to the best of 1 hereby certified and the statement of 1 hereby certified	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the complete of th
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed to seed the seed through all the seed to see the seed through all the seed to see the seed through all the seed to see the seed through all thro	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the complete of th
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed to seed the seed the seed the seed to seed the	the by circulating cement to the top; in all cases surface pipacing baset the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the difference of the complete of th

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


APINO. 15 - 133 -26609-0000	Location of Well: County:_Neosho
Operator: Quest Cherokee LLC	660feet fromN / 🗾 S Line of Section
Lease: Stich, William A.	1980 feet from E / W Line of Section
Well Number: 10-1	Sec. 10 Twp. 28 S. R. 18 Fast West
Field: Cherokee Basin CBM	- -
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North M	ay Avenue,	Suite 300	Oklahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Stich, William A. #10-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE</u> . <u>SW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 10 Twp. 28 R. 18 🗾 East 🗌 West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / 🗹 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1980 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l	
		-	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes V No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet) N/A: Steel Pits	
Depth fi	om ground level to de	eepest point:	10 (feet)	
material, thickness and installation procedure.		edures for penodic maintenance and determining		
			ocluding any special monitoring.	
		All Dilling	Operation lasting approx 3 days	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water	
			epth to shallowest fresh water	
4303 feet Depth of water well			<u> </u>	
		over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover: Air Drilled king pits to be utilized: One		
		procedure: Air Dry, Back Fill and Cover		
Barrels of fluid produced daily:	anillad fluida t-	Avandonment	procedure, grave - 197, - 1911 to the state of the state	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	pe closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and c	correct to the best	t of my knowledge and belief. KANSAS CORPORATION COM	
	(1)	())	APR 1 9 2006	
<u>4/18/06</u> Date	$-\Lambda$	(Chard s	1 parlie	
			ignature of Applicant or Agent CONSERVATION DIVISION WIGHTA, KS	
	KCC (OFFICE USE OF	NLY	
Date Received: 4/19/06 Permit Num	ber:	Permi	t Date: 4/R/04 Lease Inspection: Yes 4No	