For KCC Use: Effective Date: District #_ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC tive (5) days prior to commencing well
Expected Spud Date April 24, 2006	Spot East
month day year	NE NW Sec. 21 Twp. 28 S. R. 16 West
OPERATOR: License# 33344	660 feet from N / S Line of Section
Name: Quest Cherokee LLC	1980feet fromE / V W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120 Richard Marlin	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Nichaid Wallin	County: Wilson
Phone: (405) 488-1304	Lease Name. Wing Living Trust Well #. 21-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1020feet MSL
Gas Storage Pool Ext. V Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other Coalbed Methane	Depth to bottom of usable water: 200 / 50
V Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500 Cherokee Cooks
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other Air
If Yes, true vertical depth:	_ _
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR \[\] \)
	Will Cores he taken?
KCC DKT #:	Will Cores he taken?
KCC DKT #:	Will Cores he taken?
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: WANTED
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: WARE CORPORATED
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION If Yes, proposed zone: APR 18 2006 CONSERVATION DIVISION If you circulating cement to the top; in all cases surface pipe shall be all to the top.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSERVITION DIVISION The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be also e underlying formation.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be shall
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be all the complete shall be all
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dientification of the dientificati	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSERVITION DIVISION To by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: DAVIT agging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION the drilling rig; to by circulating cement to the top; in all cases surface pipe shall be seen the concentration. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dientification of the dientificati	Will Cores be taken? If Yes, proposed zone: DAVIT agging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION the drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set to strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If yes, proposed zone: Yes No
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
AFFII The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:
AFFII The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the difference of the strict office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-2655 Y-0000	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to get underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a likely that the statements made herein are true and to the best of the plate: Alta 17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-2655 Y-0000 Conductor pipe required For Conductor pipe required For KCC Use ONLY API # 15 - 205-2655 Y-0000	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. APP 18 2006 To open to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be all the best of the production of the statements made herein are true and to the best of the plate of the production of the statements of the production of the plate of the plate of the production pipe required to the production of the plate of	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to get underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-2655 Y-0000 Conductor pipe required 1000 feet per Alt. 1000	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. APP 18 2006 CONSENTION DIVISION If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26 55 Y - 5000 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. Approved by: 24 4 4 - 19 - 06	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. APR 18 2006 To by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-2655Y-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. APR 18 2006 To vicinity appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is at water.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-2655Y-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT April 8 2006 If Yes, proposed zone: April 8 2006 April 8 2006 If Yes, proposed zone: April 8 2006 April 8 2006 If Yes, proposed zone: April 8 2006 April 9 2006 A
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 4/17/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26554-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT APR 18 2006 If Yes, proposed zone: DAVIT APR 18 2006 If Yes, proposed zone: APR 18 2006 APR 18 2006 APR 18 2006 If Yes, proposed zone: APR 18 2006 APR 18 2006 APR 18 2006 APR 18 2006 If Yes, proposed zone: APR 18 2006 APR


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26554-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Wing Living Trust	1980 feet from E / W Line of Section
Well Number: 21-1 Field: Cherokee Basin CBM	Sec. 21 Twp. 28 S. R. 16 East West
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North M	ay Avenue,	Suite 300	Oklahoma City, Oklahoma 7312	20
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Wing Living Trust #21-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> . <u>NW</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec21Twp28R16 East West	
Settling Pit Drilling Pit	If Existing, date of	constructed:		ion
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:			
(If WP Supply API No. or Year Drilled)	300	(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water	Area? Yes	No -	Chloride concentration:mg	$\dot{-}$
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	BO Length (fe	eet)10	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	eepest point:	10(feet)	
material, thickness and installation procedure	э.	Air Drilling	west fresh water	TOVEL TOVEL 2006
Distance to nearest water well within one-mile	e of pit		west fresh water 32 feet.	Vision.
2333 feet Depth of water well_	65 _{feet}	Source of infor	mation:	/
Emergency, Settling and Burn Pits ONLY:		 	over and Haul-Off Pits ONLY:	\dashv
Producing Formation: Type of material utilized in drilling/workover: Air Drilled		I utilized in drilling/workover: Air Drilled	_ ∽	
Number of producing wells on lease: Number of wor		king pits to be utilized: One	− <i>δ</i> ¦	
Barrels of fluid produced daily: Abandonment procedu		procedure: Air Dry, Back Fill and Cover	_ 片	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must b	ne closed within 365 days of spud date.	- 28854
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief.	
4/17/2006 Date	Ru	hand &	gnature of Applicant or Agent	
	KCC	OFFICE USE OF	NLY	
Date Received: 4/18/06 Permit Num	ber:	Permi	t Date: 4/18/06 Lease Inspection: Yes No	