For KCC Use: Effective Date: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date ✓ Fast Snot dav vear NE4 680 N / S Line of Section OPERATOR: License# 33342 150 ✓ E / W Line of Section Name: Blue Jay Operating LLC Address: 4916 Camp Bowie Blvd., Suite 204 ___Regular _ Is SECTION _Irregular? City/State/Zip: Fort Worth, TX 76107 (Note: Locate well on the Section Plat on reverse side) Contact Person: Jimmy McGuire County: Wilson Well #: A-8 SWD Phone: 405-279-4313 Lease Name: Seiwert Field Name: Cherokee Basin Coal Gas CONTRACTOR: License# 33072 Is this a Prorated / Spaced Field? Yes ✓ No Name: Well Refined Drilling Co., Inc. Target Formation(s): Arbuckle Nearest Lease or unit boundary: 150' Well Drilled For Well Class: Type Equipment: Ground Surface Elevation: Unknown feet MSL Mud Rotary Oil Enh Rec Infield Water well within one-quarter mile: Yes **√** No Storage Air Rotary Gas Pool Ext. Public water supply well within one mile: Yes **✓** No OWWO ✓ Disposal Wildcat Cable Depth to bottom of fresh water: 100+ Seismic; _# of Holes Other Depth to bottom of usable water: 200+ Other Surface Pipe by Alternate: 1 2 20' Minimum Length of Surface Pipe Planned to be set: If OWWO: old well information as follows: Length of Conductor Pipe required: None Operator: Projected Total Depth: 1750 Well Name: Formation at Total Depth: Arbuckle Original Completion Date:___ Original Total Depth: Water Source for Drilling Operations: Yes ✓ No Directional, Deviated or Horizontal wellbore? Well ✓ Farm Pond Other If Yes, true vertical depth:___ DWR Permit #:. Bottom Hole Location: (Note: Apply for Permit with DWR) KCC DKT #: Will Cores be taken? If Yes, proposed zone: **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be se through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief Date: 4/17/06 Signature of Operator or Ager Remember to: For KCC Use ONLY File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 205-26568-000 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Conductor pipe required Notify appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed; Minimum surface pipe required_ Approved by: PLH 4-20-06 Obtain written approval before disposing or injecting salt water. This authorization expires: 10-20-06 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. (This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired Signature of Operator or Agent:

Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26568-0200	Location of Well: County: Wilson
Operator: Blue Jay Operating LLC	680 feet from N / S Line of Section
Lease: Seiwert	150 feet from E / W Line of Section
Well Number: A-8 SWD	Sec. 6 Twp. 28 S. R. 15E / East West
Field: Cherokee Basin Coal Gas	
Number of Acres attributable to well: 80 QTR / QTR / QTR of acreage: NE4 - SE - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		RECEIVED APR 1 9 2006 KCC WICHITA
 	-6 - · · · · ·	EXAMPLE
		1980
	, 89	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Blue Jay Operating LLC		License Number: 33342	
Operator Address: 4916 Camp Boy	wie Blvd. Ft.	Worth, TX	76107
Contact Person: Jimmy McGuire			Phone Number: (405) 279 4313
Lease Name & Well No.: Seiwert A-8 SWD			Pit Location (QQQQ):
Type of Pit:	Pit is:		SE NE4 SE SE
Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit	Proposed If Existing, date co		Sec. 6 Twp. 28 R. 15 Feast West 680 Sec. 6 Twp. 28 R. 15 Feast Section 150
(If WP Supply API No or Year Drilled)	Pit capacity:	(bbls)	Wilson ✓ East / West Line of Section
is the pit located in a Sensitive Ground Water		No .	Chloride concentration: None mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Dirt
Pit dimensions (all but working pits):	15 Length (fe	eet) 15	Width (feet) N/A: Steel Pits
	from ground lovel to de	agnest point. 10	(feet)
Depth f If the pit is lined give a brief description of the material, thickness and installation procedur	e liner	Describe proc liner integrity,	edures for periodic maintenance and deter RECEIVED APR 1.9 2000
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi	e liner e.	Describe proc liner integrity,	edures for periodic maintenance and deteriRECEIVED APR 1 9 2006
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e.	Describe procliner integrity, Depth to shall Source of info	edures for periodic maintenance and deter RECEIVED APR 1 9 2006 KCC WICHITA Division: KCC WICHITA Control of the control
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi	e liner e. le of pit 190 feet	Describe procliner integrity, Depth to shall Source of info	edures for periodic maintenance and deteriRECEIVED APR 1 9 2006
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minimum of the material water well within one-minimum of the material water well.	e liner e. le of pit 190 feet	Describe procliner integrity, Depth to shall Source of info meas Drilling, World	edures for periodic maintenance and determECEIVED APR 1 9 2006 KCC WICHITA Division from the second seco
Distance to nearest water well within one-mi 4を97 City Water feet Depth of water well Emergency, Settling and Burn Pits ONLY	e liner e. le of pit 190 feet	Describe procliner integrity, Depth to shall Source of info meas Drilling, Worl	edures for periodic maintenance and determECEIVED APR 1 9 2006 KCC WICHITA Depute the second of t
Distance to nearest water well within one-mi 4897 City Water feet Depth of water well Emergency, Settling and Burn Pits ONLY	e liner e. le of pit 190 feet	Describe procliner integrity, Depth to shall Source of info meas Drilling, Worl Type of mater Number of wo	edures for periodic maintenance and determECEIVED APR 1 9 2006 KCC WICHITA Determinent of the second of the sec
Distance to nearest water well within one-mi 4897 City Water feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e liner e. le of pit 190 feet	Depth to shall Source of info meas Drilling, Work Type of mater Number of wo	edures for periodic maintenance and determECEIVED APR 1 9 2006 KCC WICHITA Divest fresh water 100+ 18 feet. Trimation: ured well owner electric log KDWR KOVER and Haul-Off Pits ONLY: iat utilized in drilling/workover: Fresh Water rking pits to be utilized: One
Distance to nearest water well within one-mi 4897 City Water feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery ailow a	le of pit 190 feet 7:	Depth to shall Source of info meas Drilling, World Type of mater Number of wo Abandonment Drill pits must	APR 1 9 2006 CCC WICHITA Divest fresh water 100+ 18 feet. Franciscon well owner electric log KDWR Rover and Haul-Off Pits ONLY: Initial utilized in drilling/workover: Fresh Water Introduction of the procedure: Remove Fluids, Allow to Dry, and Level Surface The procedure of the procedure
Distance to nearest water well within one-mi 4897 City Water feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	le of pit 190 feet 7:	Describe procliner integrity, Depth to shall Source of info meas Drilling, World Type of mater Number of wood Abandonment Drill pits must	APR 1 9 2006 CCC WICHITA Divest fresh water 100+ 18 feet. Franciscon well owner electric log KDWR Rover and Haul-Off Pits ONLY: Initial utilized in drilling/workover: Fresh Water Introduction of the procedure: Remove Fluids, Allow to Dry, and Level Surface The procedure of the procedure
Distance to nearest water well within one-mi 4897 City Water feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above sta	le of pit 190 feet f: all spilled fluids to	Describe procliner integrity, Depth to shall Source of info meas Drilling, World Type of mater Number of wood Abandonment Drill pits must	edures for periodic maintenance and determined to the including any special monitoring. APR 1 9 2006 KCC WICHITA December 18 feet. The matter well owner electric log KDWR Rover and Haul-Off Pits ONLY: The initial utilized in drilling/workover: Fresh Water Triking pits to be utilized: One procedure: Remove Fluids, Allow to Dry, and Level Surface be closed within 365 days of spud date. Signature of Applicant or Agent Signature of Applicant or Agent



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. WOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.