For KCC Use: 4-25-00	
Effective Date: 4-53	
District #	
SGA2 TVes X No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	May	5th day	2006 year	Spot SW	SE	sw	Sec. 33	. Twp. 13S	S. R. ¹⁷	East ✓ West
OPERATOR: License# 514 Name: Dreiling Oil Inc.	5 /			*	115 1750	_	feet from feet from	n	✓ S Line	of Section
P. O. Box 550				Is SECT	ION _	Regular	Irre	gular?		
City/State/Zip: Hays, Kansas	67601				(No	te: Locate w	ell on the Se	ction Plat on	reverse side	e)
Contact Person: Terry W. Pie	esker	_		County:	Ellis					
Phone: 785-625-8327	<u> </u>			Lease N	lame: W	eber Unit			Well #	:#1
	21549			Field Na						
CONTRACTOR: License# Discovery Drilling	31346					d / Spaced n(s): <u>LKC &</u>			[Yes ✓ No
Well Drilled For:	Well Class	· Tyna	Equipment:			r unit bound				
				Ground	Surface I	Elevation: 2	007			feet MSL
✓ Oil ✓ Enh Re	\vdash		Mud Rotary	Water w	ell within	one-quarte	r mile:		[✓ Yes No
Gas Storage	=	. =	Air Rotary	Public w	ater sup	ply well with	in one mile:			✓ Yes No
OWWO Disposa			Cable	Depth to	bottom	of fresh wa	ter: 180'			
Seismic;# of H	Holes Other			Depth to	bottom	of usable v	/ater: ^{680'}		<u> </u>	
Other		<u>-</u>		Surface	Pipe by	Alternate:	1 ✓	2 /	_	
If OWWO: old well informat	tion as follows:			Length	of Surfac	e Pipe Plar	ned to be	set: 200' +		
Operator:				Length	of Condu	ctor Pipe re	equired: No	18		
Well Name:				Projecte	d Total [Depth: 3600				
Original Completion Dat	te:	_Original Tota	al Depth:	Formation	on at Tot	al Depth:	Arbuckle			
Discoulation of Devil and a collection		•	□vaa ☑ Na			r Drilling Op				
Directional, Deviated or Hor			Yes ✓ No	v	/ell ✓	Farm Pond	Other			
If Yes, true vertical depth:				DWR P	ermit #: _					
Bottom Hole Location:						(Note: A	pply for Pern	ait with DINE	1 1	
MOO DIET III							ppry for r erri	חוו שונה בייוו	ш, _,	
KCC DKT #:	Astached	by Postine	classe		es be tal	cen?		iii wiiii DVV		Yes ✓ No
kcc dkt #: 6 Oil & bas Leason	Atto ched	6/ Pooling	clase							Yes √No
KCC DKT #: COII : bas Leases	Atto ched	w/ Pooling				cen?			RE	CENT.
KCC DKT #:		, ,	AFF	If Yes, p	roposed	cen? zone:			RE	CENT.
The undersigned hereby af	ffirms that the o	drilling, comp	AFF letion and eventual p vill be met:	If Yes, p	roposed	cen? zone:			RE	CENT.
The undersigned hereby af	ffirms that the original minimum refer district office of in the first of surface pridated materials, an agreement office will be COMPLETION andix "B" - Eas	drilling, comp quirements w prlor to spu tent to drill si ten to drill si s plus a mini nt between the e notified bef i, production tern Kansas	AFF letion and eventual prill be met: dding of well; hall be posted on ear ed below shall be s mum of 20 feet into the operator and the fore well is either plu pipe shall be cemen surface casing order	If Yes, p IDAVIT lugging of the characteristic office the underlying district office the district of the	g; ting cem g forma on plug duction c ow any c, which	vill comply vill comple vill c	with K.S.A. op; in all can diplacement mented in; er to surface the KCC Di	55 et. seq. ases surfac t is necess e within <i>12</i> strict 3 are	RE APR KCC e pipe sha ary prior to days of a, alternat	1 9 2006 NCHIII to plugging; spud date. e II cementing
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appe must be completed with the state of	ffirms that the original minimum relevation of the district office and office of int of surface pridated material e, an agreeme rict office will be COMPLETION and ix "B" - Eas within 30 days aternents made	drilling, compared to the sput of the sput	AFF letion and eventual p vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the fore well is either plu pipe shall be cemen surface casing order date or the well shall rue and to the best of	If Yes, p IDAVIT lugging of the strong of th	g; ting cem g formal on plug duction c ow any c, which In all c	zone: vill comply vill comply vill comply vill comply vill comply vill comply vill complete to the transfer of the complete to coases, NOT belief.	with K.S.A. op; in all can be all placement in; and the contraction of	55 et. seq. ases surfac t is necess e within 12 strict 3 are ct office pr	RE APR KCC e pipe sha ary prior to 0 days of a, alternation to any of	1 9 2006 WCHIT o plugging; spud date. e II cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appe must be completed well.	ffirms that the original minimum relevation of the district office and office of int of surface pridated material e, an agreeme rict office will be COMPLETION and ix "B" - Eas within 30 days aternents made	drilling, compared to the sput of the sput	AFF letion and eventual p vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the fore well is either plu pipe shall be cemen surface casing order date or the well shall rue and to the best of	If Yes, p IDAVIT lugging of the strong of th	g; ting cem g formal on plug duction c ow any c, which In all c	zone: vill comply vill comply vill comply vill comply vill comply vill comply vill complete to the transfer complies to the cases, NOT belief.	with K.S.A. op; in all can be all placement in; and the contraction of	55 et. seq. ases surfac t is necess e within 12 strict 3 are ct office pr	RE APR KCC e pipe sha ary prior to 0 days of a, alternation to any of	1 9 2006 NCHIII to plugging; spud date. e II cementing
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appe must be completed with the state of the state o	ffirms that the original minimum relevation of the district office and office of int of surface pridated material e, an agreeme rict office will be COMPLETION and ix "B" - Eas within 30 days aternents made	drilling, compared to the sput of the sput	AFF letion and eventual p vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the fore well is either plu pipe shall be cemen surface casing order date or the well shall rue and to the best of	If Yes, p IDAVIT lugging of the strong of th	g; ting cem g formal on plug duction c ow any c, which In all edge and	zone: vill comply vill comply vill comply vill comply vill comply vill comply vill complete to the transfer complies to the cases, NOT belief.	with K.S.A. op; in all can be all placement in; and the contraction of	55 et. seq. ases surfac t is necess e within 12 strict 3 are ct office pr	RE APR KCC e pipe sha ary prior to 0 days of a, alternation to any of	1 9 2006 WCHIT o plugging; spud date. e II cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsolid 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Appemust be completed with the state of the provided of the provided in the state of the provided in the	ffirms that the ong minimum rese district office yed notice of int of surface pidated materiale, an agreemerict office will be COMPLETION andix "B" - Easwithin 30 days atements made	drilling, compaquirements was prior to spute tent to drill some specific solution as minimal between the notified beful, production term Kansas of the spud contern are to the form of the spud contern are the form of the spud content are the spud con	letion and eventual pill be met: dding of well; hall be posted on ear ed below shall be s mum of 20 feet into the operator and the sore well is either plu pipe shall be cement surface casing order date or the well shall rue and to the best of	If Yes, p IDAVIT lugging of the characteristic office goed or produced from bel #133,891-0 be plugged. If my knowled to the characteristic of the charac	g; ting cem g formal on plug duction c ow any c, which In all edge and	vill comply vill complex to the transfer vill complex to the cases, NOT belief.	with K.S.A. op; in all can be all placement of the placement of the surface the KCC Differ distriction. Title: Title:	55 et. seq. ases surfact t is necess e within 12 strict 3 are t office pr	APR APR APR ACC e pipe sha ary prior to 0 days of a, alternation to any of	1 9 2006 West 17 o plugging; spud date. e II cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Appemust be completed with the statement of the complete o	ffirms that the eng minimum reperted for the district office yed notice of interest of the district office will be COMPLETION and ix "B" - Eas within 30 days attements made 2 Signature of the district of th	drilling, compounted to drill so prior to sputent to drill so pe as specific so plus a minimal between the notified beful, production tern Kansas of the spud content are to the compounted for the spud content are the full of the spud content are the full production are the spud content are	letion and eventual pill be met: dding of well; hall be posted on ear ed below shall be s mum of 20 feet into the operator and the sore well is either plu pipe shall be cement surface casing order date or the well shall rue and to the best of	If Yes, p IDAVIT lugging of the characteristic office gged or proof ted from bel #133,891-0 be plugged of my knowled from the characteristic office plugged of my knowled from the characteristic of the plugged of my knowled from the characteristic of the characteri	g; ting cem g formal on plug duction c ow any c, which In all edge and	vill comply vill complex to the transfer vill complex to the cases, NOT belief.	op; in all can be provided by the surface of the su	55 et. seq. ases surfact t is necess e within 12 strict 3 are office pr	APR	1 9 2006 West 17 o plugging; spud date. e II cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appe must be completed with the completed with the standard process of the complete of the compl	ffirms that the ong minimum reset district office yed notice of int of surface pridated materials, an agreement office will be COMPLETION andix "B" - Easwithin 30 days atterments made 2 Signature of 25573	drilling, compared to drill some specific solution and the notified before the notified before the notified before the notified before the specific solution term Kansas of the spud contern are the notified before the notified	letion and eventual pill be met: dding of well; hall be posted on ear ed below shall be s mum of 20 feet into the operator and the sore well is either plu pipe shall be cement surface casing order date or the well shall rue and to the best of	If Yes, p IDAVIT lugging of the characteristic office gged or proof ted from bel #133,891-0 be plugged of my knowled from the characteristic office plugged of my knowled from the characteristic office of the characteristic of the characterist	g; ting cem g formal on plug duction c ow any c, which In all edge and edge	vill comply vill comple vill c	op; in all can be provided by the control of the co	ases surface t is necess e within 12 strict 3 are to office provided the strict of the	APR	1 9 2006 Weekling or plugging; spud date. e II cementing. cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distriction of 1. If an ALTERNATE II Or pursuant to Appe must be completed with the star Date: 4 - 17 - 06 For KCC Use ONLY API # 15 - 051- Conductor pipe required	ffirms that the eng minimum releved notice of into the foliated material engagements of the completion	drilling, compared to drill some specific splus a minimal between the notified before the spud of the	letion and eventual pill be met: dding of well; hall be posted on earlied below shall be some operator and the fore well is either plu pipe shall be cemen surface casing order date or the well shall rue and to the best of Agent.	If Yes, p IDAVIT lugging of the characteristic office gged or proceed from bell #133,891-C be plugged of my knowled from the characteristic from the c	g; ting cem g formal on plug duction c ow any c, which In all edge and edge	vill comply vill complex to the transfer vill complex to the cases, NOT belief.	op; in all can be provided by a placement of the company of the co	ases surface t is necess e within 12 strict 3 are t office pr vith Intent to 0 days of s to field pro	APR	1 9 2006 Weekling or plugging; spud date. e II cementing. cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr. 6. If an ALTERNATE II Or pursuant to Appe must be completed with the standard of the well in the standard of the work of of the wor	ffirms that the ong minimum rele district office yed notice of int of surface pidated material e, an agreeme rict office will be COMPLETION endix "B" - Eas within 30 days atements made 2 Signature of 25573	drilling, compared to drill some specific splus a minimal between the notified before the spud of the	letion and eventual puil be met: dding of well; hall be posted on ear ed below shall be s mum of 20 feet into the operator and the sore well is either plu pipe shall be cemen surface casing order date or the well shall rue and to the best of Agent:	If Yes, p IDAVIT lugging of the characteristic office gged or proceed from belled to the plugged of my knowled to the plugged of	g; ting cem g formal on plug duction c ow any c, which In all dedge and definition edge and edge and definition edge and edge a	vill comply vill comple valuable water applies to cases, NOT belief.	op; in all can placement of in; in all can placement of in; in the KCC Differ district of the KCC Differ district of the KCC Differ of the	ases surface t is necess e within 12 strict 3 are t office pr vith Intent to 0 days of se to field pro urs prior to ugging is c	APR	2006 1 9 2006 20
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amoun through all unconsoli 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Apper must be completed with the completed with the certify that the state of the complete	ffirms that the eng minimum rele district office yed notice of int of surface pidated material e, an agreeme rict office will be COMPLETION andix "B" - Easwithin 30 days atements made 2 Signature of 2	drilling, compared properties of the spud	letion and eventual pill be met: dding of well; hall be posted on earlied below shall be some operator and the fore well is either plu pipe shall be cemen surface casing order date or the well shall rue and to the best of Agent.	If Yes, p IDAVIT lugging of the characteristic office gged or proceed from bel #133,891-C be plugged of my knowled from the characteristic of the characte	g; ting cem g forma on plug duction c ow any c, which In all o edge and edge and reage at appropria t pluggin written	vill comply vill complex to the tribution. I length and assing is cell usable water applies to the cases, NOT in the case vill complex vill c	op; in all can be provided by the KCC Differ district of the KCC Differ CDP-1) within 12 at according ffice 48 hours of the KCC piece 48 hours of th	ases surface t is necess e within 12 strict 3 are toffice pr with Intent to 0 days of s to field pro urs prior to ugging is co	APR	1 9 2006 No plugging; spud date. e II cementing. cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distriction of the programment of the programm	ffirms that the eng minimum reserved notice of interest of surface pridated materials, an agreement of GOMPLETION and it "B" - Easwithin 30 days attements made a Signature of the surface	drilling, compaquirements was prior to spute tent to drill some specific solution to the notified before the notified before the notified before the spud contern Kansas of the spud contern the notified before the spud contern that the notified before the spud contern that the notified before the notified	letion and eventual prill be met: dding of well; hall be posted on ear ed below shall be s mum of 20 feet into the operator and the solution of the common o	If Yes, p IDAVIT lugging of the characteristic office ged or proofed from bel #133,891-C be plugged of my knowled from the characteristic office plugged of my knowled from the characteristic of the	g; ting cem g formal on plug duction c ow any c, which In all o dege and dege and ber to: fill Pit Ap pompletior creage at appropria t pluggin written permit h the box	vill comply vill complex to the tribution. I length and assing is cerusable water applies to the cases, NOT in the case of th	op; in all can be provided in the control of the co	ases surface t is necess e within 12 strict 3 are t office pr with Intent to 20 days of se to field pro urgging is co ng or inject e address b	APR	1 9 2006 No plugging; spud date. e II cementing. cementing.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsolid 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Appemust be completed with the standard complete of the c	ffirms that the eng minimum refer district office yed notice of int of surface pridated materials, an agreement office will be COMPLETION and it "B" - Easwithin 30 days atterments made attempt of the complete of the comple	drilling, compaquirements was prior to spute tent to drill some specific solution to the notified before the notified before the spud contern Kansas of the spud contern are to the company of the spud contern are to the spud content are to the spu	letion and eventual prill be met: dding of well; hall be posted on ear ed below shall be some operator and the fore well is either plu pipe shall be cement surface casing order date or the well shall rue and to the best of the well shall rue and to the well shall rue and the well shall rue and to the well shall rue and to the well shall rue and the well shall rue and th	If Yes, p IDAVIT lugging of the characteristic office ged or proofed from bel #133,891-C be plugged of my knowled File Director of the characteristic of t	g; ting cem g formal on plug duction c ow any c, which In all o dege and dege and reage at appropria t pluggin written permit h the box ell Not E	vill comply vill complex to the tribution of the complex complex to the complex complex vill complex vi	op; in all can be provided by the control of the co	ases surface t is necess e within 12 strict 3 are t office pr with Intent to 00 days of se to field pro urgging is co ng or inject e address be	APR APR APR APR APR APR APR APR	1 9 2006 No plugging; spud date. e II cementing. cementing.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051 - 25513-0000	Location of Well: County: Ellis
Operator: Dreiling Oil Inc.	feet from N / 🗸 S Line of Section
Lease: Weber Unit	1750 feet from E / V W Line of Section
Well Number: #1	Sec. 33 Twp. 13S S. R. 17 East ✓ Wes
Field:	
Number of Acres attributable to well: OTR / OTR / OTR of parage; SW SE SW	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:SWSE SW	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

22 13-5	1
: : : ³	
Weber Unit	
: -20 Acres -:	
1320 FWL 13301 2640 FWL	
weber unit #1	
1320 FWL 3301 2640 FWL	
7.50 0 115	-
215 FNL 2640 FWL	
1320 FWL	

RECEIVED APR 1 9 2006 KGC WICHITA

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		 _					
Operator Name: Dreiling Oil, Inc.		License Number: 5145					
Operator Address: P.O. Box 550	Hays, Kansa	as 67601					
Contact Person: Terry W. Piesker		Phone Number: (785) 625 - 8327					
Lease Name & Well No.: Weber Unit #1			Pit Location (QQQQ):				
Type of Pit:	Pit is:		SWSESW				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 33 Twp. 13S R. 17 ☐ East ✓ West				
Settling Pit	If Existing, date c	onstructed:	115 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit			1750				
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section				
	3000	(bbls)	County				
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
✓ Yes No	☐ Yes 🗸	No	Native Mud				
	50	250					
	Pit dimensions (all but working pits): 250 Length (feet) 250 Width (feet) N/A: Steel Pits						
Depth fr	om ground level to de	eepest point: 5	(feet)				
·			APR 1 9 2006 KCC MICH				
Distance to nearest water well within one-mile	70	Source of infor	_				
1465feetDepth of water well	feet	measu	red well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:			al utilized in drilling/workover: chemical mud				
Number of producing wells on lease:		Number of working pits to be utilized: 3					
Barrels of fluid produced daily:		Abandonment procedure: Evaporation and backfill					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.				
4-17-06 Nerry W. Rieshes Date Signature of Applicant or Agent							
	KCC	OFFICE USE O	NLY				
Date Received: 4 19 06 Permit Number: Permit Date: 4 19 06 Lease Inspection: Yes No							