For KCC Use: 4-29-06 Effective Date: SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

	December 2002
	Form must be Typed
	Form must be Signed
AII	blanks must be Filled

Must be approved by KCC five (5,) days prior to commercing well	
Expected Spud Date 4/25/06	Spot 70° W	East
month day year	SE SE SE Sec. 7 Two. 32 S. R. 20	✓ West
OPERATOR: License# 30606	330feet from N / ✓ S Line of	
Name: Murfin Drilling Company, Inc. Name: Murfin Drilling Company, Inc. ANSAS CORPORATION COMMISSION	400 feet from F / W Line of	
Address. 200 N. Water, Oute 500	Is SECTIONRegularIrregular?	
City/State/Zip: Wichita, KS 67202 APR 2 1 2006	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: David Doyel	County: Comanche	-
Phone: 316-267-3241 CONSERVATION DIVISION	Lease Name: Eubank Trust Well #: 1-	-7
CONTRACTOR: License# 30606 WICHTA, KS	Field Name: Wildcat	
Name: Murfin Drilling Company, Inc.		Yes 🗸 No
	Target Formation(s): Viola	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330 Ground Surface Elevation: 1908	feet MSL
Oil Enh Rec Infield Mud Rotary		Yes No -
Gas Storage Pool Ext. Air Rotary	•	Yes V No
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic;# of Holes Other	Depth to bottom of usable water: 180'	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 6300' Formation at Total Depth: Viola	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFFID	AVIT	
The undersigned hereby affirms that the drilling, completion and eventual plug		
It is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall and underlying formation. Itrict office on plug length and placement is necessary prior to p and or production casing is cemented in; If from below any usable water to surface within 120 days of spi 133,891-C, which applies to the KCC District 3 area, alternate if	plugging; ud date. I cementing
I hereby certify that the statements made herein are true and to the best of n	ny knowledge and belief.	
Date: 4/21/06 Signature of Operator or Agent:	und Simplimantitle: Agent	
	Remember to:	
For KCC Use ONLY API # 15 - 033 - 21467-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt 1 X	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or results. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. 	e-entry;
Approved by: Rut 42406 This authorization expires: 10-24-06	 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	C'
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired	\ \
Spud date: Agent:	Signature of Operator or Agent:	
	Date:	\&

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 033-21467-0000	Location of Well: County: Comanche
Operator: Murfin Drilling Company, Inc.	feet from N / ✓ S Line of Section
Lease: Eubank Trust	400 feet from Feet from E / E / W Line of Section
Well Number: 1-7	Sec. 7 Twp. 32 S. R. 20 East ✓ Wes
Field: Wildcat	Is Section: 🗸 Regular or 🗌 Irregular
Number of Acres attributable to well:	is Section. 4 fregular of megular
QTR / QTR / QTR of acreage: SE SE SE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:						: [SEWARD CO.
						. 0-74	α·
 		•					
	:						3390'
	:		1	•	•	:	
<u>:</u>	:	<u>:</u>	7	· 	•	:	EXAMPLE
:	:				•		
 	:					:	
	:			• •			
	:					:	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling C	company, Inc.		License Number: 30606
Operator Address: 250 N. Water			KS 67202
Contact Person: David Doyel			Phone Number: (316) 267 - 3241
Lease Name & Well No.: Eubank T	rust #1-7		Pit Location (QQQQ):
Type of Pit:	Pit is:		70' W _ SE _ SE _ SE
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 7 Twp. 32 R. 20 ☐ East West
Settling Pit	If Existing, date co	onstructed:	
Workover Pit Haul-Off Pit			400 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Comanche
			County
Is the pit located in a Sensitive Ground Water	r Area? [✔] Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes 🗸 I	No	Bentonite & solids from drlg oper. self seal pits.
Dit dimoneione (all but working nite).	Length (fe	eet) 100	Width (feet) N/A N/A: Steel Pits
ra unitensions (all but working pits):		eepest point: 4	(feet)
	e liner	Describe proce	edures for periodic maintenance and determine CEIVED nocluding any special monitoring. KANSAS CORPORATION COMM
Depth t	e liner	Describe proce	ncluding any special monitoring. KANSAS CORPORATION COMM
Depth t	e liner re.	Describe proce liner integrity, i	CONSERVATION DIVISION WICHITA, KS
Depth (If the pit is lined give a brief description of the material, thickness and installation procedur	e liner re.	Describe proceed liner integrity, in the state of the shall of the sha	CONSERVATION DIVISION WICHITA, KS
Depth of Depth of Water well	e liner re. le of pit 40feet	Describe proceed liner integrity, in the control of	APR 2 1 2006 CONSERVATION DIVISION WICHITA, KS Owest fresh water 15 feet. mation:
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit get to be peth of water well to be perfected by the peth of water well.	e liner re. le of pit 40feet ':	Describe proceed liner integrity, in the process of	CONSERVATION DIVISION WICHITA, KS Divest fresh water feet. mation: ured well owner electric log KDWR
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit get to be peth of water well to be perfected by the peth of water well.	e liner re. le of pit 40feet /:	Depth to shalld Source of informeast Drilling, Work Type of materi	APR 2 1 2006 CONSERVATION DIVISION WICHITA, KS OWEST Fresh water 15 feet. Fremation: Formation: Forward well owner electric log KDWR Forward and Haul-Off Pits ONLY: Forward in drilling/workover: Bentonite Fixing pits to be utilized: 4
Depth if the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well	e liner re. le of pit 40feet /:	Depth to shalld Source of informeast Drilling, Work Type of materi	CONSERVATION DIVISION WICHITA, KS Divest fresh water 15 feet. Internation: Lired well owner electric log KDWR Lover and Haul-Off Pits ONLY: al utilized in drilling/workover:
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e liner re. lle of pit 40feet re.	Describe proceed inner integrity, in the control of	APR 2 1 2006 CONSERVATION DIVISION WICHITA, KS WEST fresh water 15 feet. In the second of the sec
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	e liner re. lle of pit 40feet re.	Describe proceed inner integrity, in the control of	APR 2 1 2006 CONSERVATION DIVISION WICHITA, KS Divest fresh water 15 feet. Internation: Lived well owner electric log KDWR Rover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Princedure: allow pits to evaporate until dry then
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well	e liner re. lle of pit 40feet r:	Describe proceed liner integrity, in the shall of the sha	APR 2 1 2006 CONSERVATION DIVISION WIGHTA, KS Towest fresh water 15 feet. The mation: Lived well owner electric log KDWR Tower and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Trking pits to be utilized: 4 Procedure: allow pits to evaporate until dry then an conditions allow. be closed within 365 days of spud date.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well	e liner re. lle of pit 40feet r:	Describe proceed liner integrity, in the shall of the sha	APR 2 1 2006 CONSERVATION DIVISION WIGHTA, KS Towest fresh water 15 feet. The mation: Lived well owner electric log KDWR Tower and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Trking pits to be utilized: 4 Procedure: allow pits to evaporate until dry then an conditions allow. be closed within 365 days of spud date.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No I hereby certify that the above state 4/20/06	e liner re. lle of pit 40feet r:	Describe proceed liner integrity, in the shall of the sha	APR 2 1 2006 CONSERVATION DIVISION WIGHTA, KS Towest fresh water 15 feet. The mation: Lived well owner electric log KDWR Tower and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Trking pits to be utilized: 4 Procedure: allow pits to evaporate until dry then an conditions allow. be closed within 365 days of spud date.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	e liner re. lle of pit 40feet r:	Describe proceed liner integrity, in the shall of the sha	APR 2 1 2006 CONSERVATION DIVISION WIGHTA, KS Towest fresh water 15 feet. The mation: Lived well owner electric log KDWR Tower and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Trking pits to be utilized: 4 Procedure: allow pits to evaporate until dry then an conditions allow. be closed within 365 days of spud date.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No I hereby certify that the above state 4/20/06	e liner re. de of pit 40feet re. dll spilled fluids to tements are true and of	Describe proceed liner integrity, in the shall of the sha	APR 2 1 2006 CONSERVATION DIVISION WICHITA, KS Divest fresh water 15 feet. Interest well owner electric log KDWR Rover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Triking pits to be utilized: 4 Procedure: allow pits to evaporate until dry then In conditions allow. Be closed within 365 days of spud date. It of my knowledge and belief. Conservation committees with the committees of the conditions allow. Conservation description of the conservation committees of the condition o
Depth is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mit 950 feet Depth of water well	e liner re. le of pit 40feet /: ull spilled fluids to tements are true and of	Describe proceed liner integrity, is been been been been been been been bee	APR 2 1 2006 CONSERVATION DIVISION WICHITA, KS OWEST Fresh water 15 feet. Internation: Ured well owner electric log KDWR Rover and Haul-Off Pits ONLY: International utilized in drilling/workover: Bentonite Triking pits to be utilized: 4 Procedure: allow pits to evaporate until dry then In conditions allow. Be closed within 365 days of spud date. Signature of Applicant or Agent

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

April 24, 2006

Mr. David Doyel Murfin Drilling Company, Inc. 250 N. Water Ste 300 Wichita, KS 67202

Re:

Drilling Pit Application

Eubank Trust Lease Well No. 1-7

SE/4 Sec. 07-32S-20W Comanche County, Kansas

Dear Mr. Doyel:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Department of Environmental Protection and Remediation

CC:

Steve Durrant

File