For KCC Use: 4-99-06
Effective Date: 4-99-06
District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	Shiloh	
Expected Spud Date		East
month day year	Sec. 25 Twp. 26S S. R. 17	West
PERATOR: License# 33583	2005 feet from N / ✓ S Line of Sect	ion
ame: Admiral Bay (USA) Inc.	505feet from ☐ E / ✓ W Line of Sect	ion
tdress: 14550 E Easter Ave, Ste. 1000	is SECTION ✓ Regular irregular?	
y/State/Zip: Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)	
entact Person: Steven Tedesco	County: Allen	
one: 303.671-7242	Lease Name: Quinn Well #: 40-25	5
_	Field Name: Humboldt-Chanute	
NTRACTOR: License# 5786		V No
me: McGowan Drilling , IAC	Target Formation(s): Riverton	•
Well Belled Form Well Oleven Tree Feet and the	Nearest Lease or unit boundary: 505 FWL	
Well Drilled For: Well Class: Type Equipment:	250	et MSL
Oil Enh Rec Infield Mud Rotary		V No V
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	V No ∫
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'+	
Seismic; # of Holes Other	Depth to bottom of usable water: 200'+	
Other	Surface Pipe by Alternate: 1	
WWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
	Length of Conductor Pipe required: None	
Operator:	Projected Total Depth: 1200	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
/	Water Source for Drilling Operations:	
ectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
es, true vertical depth:		
es, true vertical deptil.	- DWR Permit #:	
	DWR Permit #:	
ttom Hole Location:	(Note: Apply for Permit with DWR)	✓No
tom Hole Location:	(Note: Apply for Permit with DWR)	✓No
tom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	
ttom Hole Location:C DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	 VFD
tom Hole Location: C DKT #: AF e undersigned hereby affirms that the drilling, completion and eventual	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION	VED GN COM
AF e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	VED GN COM
AF e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1	VED GN COM
AF e undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1	VED en comi 2006
AF The undersigned hereby affirms that the drilling, completion and eventual	Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 Pach drilling rig; set by circulating cement to the top; in all cases surface pipe set.	VED en comi 2006
AF e undersigned hereby affirms that the drilling, completion and eventual s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 Pach drilling rig; set by circulating cement to the top; in all cases surface pipe set.	VED GN COMI 2006 LDIVISION
AF e undersigned hereby affirms that the drilling, completion and eventual s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases surface pipe set by circulating formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;	VED ON COMI 2006 UDIVISION KS Jung;
AFI a undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe set the underlying formation. If the underlying formation is district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud days.	VED GN COMI 2006 LDIVISION KS Glog; ate.
AFI a undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet bito 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe set on the underlying formation. district office on plug length and placement is necessary prior to plugging and placement on plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud days of spud days and surface within 120 days of spud days are #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the complex contents of the complex cont	VED GN COMI 2006 LDIVISION KS Glng; ate.
AFI e undersigned hereby affirms that the drilling, completion and eventual s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. PARE 2 1 Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe in the underlying formation. If the underlying formation is necessary prior to plugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud days of spud days in the plugged. In all cases, NOTIFY district office prior to any cemential be plugged. In all cases, NOTIFY district office prior to any cemential.	VED GN COMI 2006 LDIVISION KS Glng; ate.
AFI e undersigned hereby affirms that the drilling, completion and eventual s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. PARE 2 1 Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe in the underlying formation. If the underlying formation is necessary prior to plugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud days of spud days in the plugged. In all cases, NOTIFY district office prior to any cemential be plugged. In all cases, NOTIFY district office prior to any cemential.	VED GN COMI 2006 LDIVISION KS Glng; ate.
AFI c undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe switching the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud days of the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief.	VED GN COMI 2006 LDIVISION KS Glng; ate.
AFI a undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE il COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe switching the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud days of the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator	VED GN COMI 2006 LDIVISION KS Glng; ate.
AFI e undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best te: 4/20/016 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe switching the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud days of the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief.	VED GN COMI 2006 LDIVISION KS Glng; ate.
AFI a undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order 8. must be completed within 30 days of the spud date or the well shall 9. signature of Operator or Agent: 1. Signature of Operator or Agent: 1. Signature of Operator or Agent: 1. Notify the appropriate district office prior to spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the spud date or the well shall the properties of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe surface of the underlying formation. e district office on plug length and placement is necessary prior to plugs ugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud days ar #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator	VED GN COMI 2006 LDIVISION KS Glng; ate.
AF e undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best 1. Notify the appropriate district office will be notified before well is either pla 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best 1. Notify the appropriate district office prior to appendix the post of the spud date or the well shall 1. Notify the appropriate district office prior to appendix the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe switching the underlying formation. district office on plug length and placement is necessary prior to plugsed or production casing is cemented in; unted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	VED GN COMI 2006 LDIVISION KS Glng; ate.
AF e undersigned hereby affirms that the drilling, completion and eventual s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best te: 4/20/016 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD - 29402-0000 Gooductor pipe required Feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 each drilling rig; set by circulating cement to the top; in all cases surface pipe switching the underlying formation. district office on plug length and placement is necessary prior to plugsed or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cements of my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	VED GN COMI 2006 LDIVISION KS Glng; ate. nenting ng.
e undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best state. For KCC Use ONLY API # 15 - OD - 29 402 - ODX Conductor pipe required None feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 ach drilling rig; set by circulating cement to the top; in all cases surface pipe switched in the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cements of my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry	VED GN COMI 2006 LDIVISION KS Glng; ate. nenting ng.
AFI Be undersigned hereby affirms that the drilling, completion and eventual as agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best state: 4/20/016 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD - Q 9 402 - ODX Conductor pipe required None feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. 1/2	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 Beach drilling rig; set by circulating cement to the top; in all cases surface pipe surface of the underlying formation. If district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cert all be plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed;	VED GN COMI 2006 LDIVISION KS Glng; ate. nenting ng.
e undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into e. 4. If the well is dry hole, an agreement between the operator and the form the state of the strict office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best te: 4/20/016 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO - Q 9 4/O - OOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe set the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud days of the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	VED GN COMI 2006 LDIVISION KS Glng; ate. nenting ng.
AFI e undersigned hereby affirms that the drilling, completion and eventual agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best te: 4/20/016 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD - Q9402-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. Approved by: 24-24-06 This authorization expires: 10-24-06	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 Beach drilling rig; set by circulating cement to the top; in all cases surface pipe surface of the underlying formation. If district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cert all be plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed;	VED GN COMI 2006 LDIVISION KS Glng; ate. nenting ng.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best are: 4/20/016 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD - 29402-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. APR 2 1 each drilling rig; set by circulating cement to the top; in all cases surface pipe sequence of the underlying formation. district office on plug length and placement is necessary prior to plugs ugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Land Coordinator File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	VED GN COMI 2006 LDIVISION KS Glng; ate. nenting ng.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001 - 29402-000	Location of Well: County: Allen
Operator: Admiral Bay (USA) Inc.	•
Lease: Quinn	
Well Number:	Sec. 25 Twp. 26S S. R. 17 ✓ East Wes
Field: Humboldt-Chanute	
Number of Acres attributable to well: 40	Is Section: Regular or Irregular
QTR / QTR of acreage: NW SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Admiral Bay (USA) Inc.		License Number: 33583			
Operator Address: 14550 E Easter Ave., Ste. 100					
Contact Person: Janet Johnson		Phone Number: (303) 350 - 1255			
Lease Name & Well No.: Quinn /2-25		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW _ SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 25 Twp. 26S R. 17 V East West		
Settling Pit	If Existing, date constructed:		2005 North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		505 Feet from ☐ East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)			Allen County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	now to the presence in a place in the fact acces.		
Pit dimensions (all but working pits): 20 Length (feet) 20 Width (feet) N/A: Steel Pits					
Depth from ground level to deepest point: (feet)					
l			edures for periodic maintenance and determining		
material, thickness and installation procedure.		liner integrity, ii	ncluding any special monitoring.		
·		west fresh waterfeet.			
N/A / feet Depth of water wellfeet		Source of infor	mation: iredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
		Type of materia	Type of material utilized in drilling/workover: Fresh Water & Native mud		
Number of producing wells on lease: Number of w		ľ	king pits to be utilized: 2		
Barrels of fluid produced daily: Abar		Abandonment	procedure: Evaporation and back fill		
Does the slope from the tank battery allow all spilled fluids to		Drill nite must h	to closed within 255 days of any date.		
flow into the pit? Yes No			be closed within 365 days of spud date. KANSAS CORPORATION		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. APR 2 1 20					
4/2 6 /06		1 21 1	CONSERVATION DIV		
Date	A	James of	gnature of Applicant or Agent WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 4/21/06 Permit Number: Permit Date: 4/21/66 Lease Inspection: Yes X No					
Date Received: 7/2//OC Permit Num	ber:	Permi	it Date: 4/21/6CLease Inspection: Yes X No		