RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	4-29-06
Effective Date:	4-2700
District #	
0040 V	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 2 0 2006

Form C-1

December 2002

District #	Form must be Ty		
	TENT TO DRILL CONSERVATION DIVISION or must be Sign (5) days prior to commencing well WITA, KS All blanks must be Fig. (5)	ned lled	
April 26, 2006	5001 70' S. of		
Expected Spud Date April 26, 2006 month day year	Spot	ast	
		/est	
OPERATOR: License# 5056	leet nom v it / 3 Line of Section		
Name: F.G. Holl Company, L.L.C.	feet from E / W Line of Section Is SECTION Regular Irregular?		
Address: 9431 E. Central, Suite 100 City/State/Zip: Wichita, Kansas 67206			
City/State/Zip: Wishita, Narisas 67 200 Contact Person: Franklin R. Greenbaum	(Note: Locate well on the Section Plat on reverse side)		
Phone: (316) 684-8481	County: Barber Lease Name: STAATS-TRUST Well #: 1-22		
	Lease Name: STAATS-TRUST Well #: 1-22 Field Name: Wildcat	_	
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?	No	
Name: Duke Drilling Company, Rig #7	Target Formation(s): LKC, Viola & Arbuckle	JIVO	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'		
	Ground Surface Elevation: 1900feet M	//SL	
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:	No	
Gas Storage Pool Ext. Air Rotary CWWO Disposal Wildcat Cable	Public water supply well within one mile:	No	
OWWO Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 180'		
Other	Depth to bottom of usable water: 220'		
One:	Surface Pipe by Alternate:		
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:950'		
Operator:	Length of Conductor Pipe required: None	—	
Well Name:	Projected Total Depth: 4850'		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	_	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:		
If Yes, true vertical depth:	Well Farm Pond Other Pont		
Bottom Hole Location:	_	—	
KCC DKT #:	(Note: Apply for Permit with DWR)	1	
	Will Cores be taken? Yes ✓ If Yes, proposed zone:	NO	
	11 1es, proposed 2011e.		
	DAVIT		
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.		
It is agreed that the following minimum requirements will be met:			
 Notify the appropriate district office prior to spudding of well; 			
2. A copy of the approved notice of intent to drill shall be posted on ear			
through all unconsolidated materials plus a minimum of 20 feet into the	It by circulating cement to the top; in all cases surface pipe shall be set		
	istrict office on plug length and placement is necessary <i>prior to plugging</i>	7 :	
5. The appropriate district office will be notified before well is either plug		,	
	ed from below any usable water to surface within 120 days of spud date.		
	#133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing.	ang	
hereby certify that the statements made herein are true and to the best			
Fram	klin B. Greenbaum		
Date: April 20, 2006 Signature of Operator or Agent:	Title: Exploration Manager		
	Pamambas ta		
For KCC Use ONLY	Remember to:		
API # 15 - 007-230/2-0000	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; 	0	
A /	- File acreage attribution plat according to field proration orders;	8	
Conductor pipe required Nom feet	New York and the State of the S		
	 Notify appropriate district office 48 hours prior to workover or re-entry; 	7	
Minimum surface pipe required 240 feet per Alt. 1	 Submit plugging report (CP-4) after plugging is completed; 	1.	
Approved by: 2 (4) 4-24-06		1.	
ios, por rain () h	 Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 	1.	
Approved by: Pett 4-24-06	 Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	1.	
Approved by: P(H 4-24-06 This authorization expires: 10-24-06 (This authorization void if drilling not started within 6 months of approval date.)	 Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired 	1.	
Approved by: Pett 4-24-06 This authorization expires: 10-24-06	 Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	30 /5	

APR 2 0 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WIGHTA, KS


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 007-23012-0000	Location of Well: County: Barber
Operator: F.G. Holl Company, L.L.C.	2050 feet from V N / S Line of Section
Lease: STAATS-TRUST	feet from E / 🗾 W Line of Section
Well Number: 1-22	Sec. 22 Twp. 30 S. R. 14 East ✓ West
Field: Wildcat	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: C W/2 - SW NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED HANGAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 2 0 2006

Form CDP-1 April 2004

April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

ONSERVATION DIVISION

Submit in Duplicate						
Operator Name: F.G. Holl Comp	any, L.L.C.		License Number: 5056			
Operator Address: 9431 E. Central Suite 100, Wichita, Kansas 67206						
Contact Person: Franklin R. Greenbaum			Phone Number: (316) 684 - 8481			
	-TRUST 1-	22	Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>W/2</u> _ <u>SW</u> _ <u>NW</u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 22 Twp. 30S R. 14 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
	500	(bbis)	Barber County			
Is the pit located in a Sensitive Ground Water	Area? 🕢 Yes	No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes No	Yes V	No	From is the pictured in a plastic liner is not used?			
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet)						
material, thickness and installation procedure		liner integrity, ii	ncluding any special monitoring.			
		Depth to shallo Source of infor	west fresh water			
2796 feet Depth of water wellfeet		measu	redwell ownerelectric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling Worksyor and Haul-Off Pite ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Fresh Mud				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily: A		Abandonment	procedure: Backfill rotary pits, rip & smooth location			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure: Backfill rotary pits, rip & smooth location Drill pits must be closed within 365 days of spud date. Front in P. Croophaum				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
	_	Frank	lin R. Greenbaum			
April 20, 2006 Date	I.	s s	ignature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: ٢٠/ ٥٥ Permit Numl	oer:	Permi	t Date: Lease Inspection: 🔀 Yes 🗌 No			

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

April 24, 2006

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central Ste 100 Wichita, KS 67206

RE: Drilling Pit Application Staats-Trust Lease Well No. 1-22 NW/4 Sec. 22-30S-14W Barber County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the alternate location must be used with the pit located west of the stake. The reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and lined with bentonite. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant