## **RECEIVED**

For KCC Use:	4-30-06	
Effective Date:	9-30-06	
District #	3	
	(C)	

## Kansas Corporation Commission Oil & Gas Conservation Division

APR 2 4 2006

Form C-1

### NOTICE OF INTENT TO DRILL KCC WICHITA Form must be Signed

December 2002 Form must be Typed

Expected Spud Date	04	28	2006	Snot					7
,	month	day	year	Spot SE NW SE	Sec. 9	_ 16	:	L	/ East
220	,	,	,	4050		<u> </u>	_	_	West
OPERATOR: License# 3229	94 /			1650	feet from feet from			ine of Sec	
Name: OSBORN ENERGY, LL	LC			Is SECTION Regula				Line of Sec	Lion
Address: 24850 FARLEY City/State/Zip: BUCYRUS, F	KS 66013								
Contact Person: JEFF TAYLO	OR .			(Note: Locate v	well on the Sec	tion Plat or	n reverse	side)	
Phone: 913-533-9900				Lease Name: BROWN				. <sub></sub> 9-9	
				Field Name: LOUISBURG			vve	#:	
CONTRACTOR: License# 5	NG			Is this a Prorated / Spaced Target Formation(s): MARI	Field? MATON AND C	HEROKEE		Yes	√ No ~
				Nearest Lease or unit bour	ndary. 650'	_			
Well Drilled For:	Well Class	s: Type	Equipment:	Ground Surface Elevation:				fe	eet MSL
Oil Enh Re			Mud Rotary	Water well within one-quart				Yes	
✓ Gas ✓ Storage	=		Air Rotary	Public water supply well wit				Yes	= .
OWWO Disposa	_		Cable	Depth to bottom of fresh w					
Seismic;# of H	loles Othe	r		Depth to bottom of usable					
Other				Surface Pipe by Alternate:	1 🗸	2			
If OWWO: old well informati	ion as follows:			Length of Surface Pipe Pla	anned to be s	et:			
Operator:				Length of Conductor Pipe	required: NON	IE			
Well Name:				Projected Total Depth: 900					
Original Completion Date	e:	Original Tota	i Depth:	Formation at Total Depth:_	CHEROKEE				
			/	Water Source for Drilling O		, /	•		
Directional, Deviated or Hor			Yes ✓ No	Well Farm Por	nd Other	<u> </u>			
If Yes, true vertical depth:				DWR Permit #:					-
<b>-</b>								-	
Bottom Hole Location:					Apply for Perm	it with DWI	R 📋)		
Bottom Hole Location: KCC DKT #:				Will Cores be taken?			R 🔝)	Yes	<b>✓</b> No
							R	Yes	No
				Will Cores be taken?			R [])	Yes	✓No
KCC DKT #:			AF	Will Cores be taken? If Yes, proposed zone:				Yes	No
The undersigned hereby af	ffirms that the	drilling, compl	AF etion and eventual ill be met:	Will Cores be taken? If Yes, proposed zone:				Yes	<b>√</b> No
The undersigned hereby af It is agreed that the followin  1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appe	ffirms that the ng minimum re te district office yed notice of in nt of surface p idated materia e, an agreeme rict office will to COMPLETIOI endix "B" - Eas	drilling, complequirements we prior to spudentent to drill sippe as specified splus a minimant between the notified before, production stern Kansas s	etion and eventual will be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the proper shall be ceme surface casing order	Will Cores be taken?  If Yes, proposed zone:  DAVIT  gging of this well will comply	top; in all cand placement emented in; ter to surface the KCC Dis	ses surfa is neces: within 12	ice pipe sary <i>pric</i> 20 days ea, alter	shall be a	set gging; date. menting
The undersigned hereby af It is agreed that the followin  1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II Or pursuant to Appe must be completed with	ffirms that the ng minimum re e district office ved notice of int of surface pidated materia e, an agreement office will the COMPLETION and within 30 days atements made	drilling, complequirements we prior to spuntent to drill slipe as specifically plus a minimate between the entified before, production stern Kansas of the spud de herein are tr	etion and eventual will be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into the pripe shall be ceme surface casing order late or the well shall the best the standard of the best the standard of the best the surface and to the surface and t	Will Cores be taken?  If Yes, proposed zone:	top; in all cand placement emented in; ter to surface the KCC Dis	ses surfa is neces: within 1: strict 3 ar	ace pipe sary <i>pric</i> 20 days rea, alter prior to a	shall be a	set gging; date. menting
The undersigned hereby af It is agreed that the followin  1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appe must be completed to	ffirms that the ng minimum re e district office ved notice of int of surface pidated materia e, an agreement office will the COMPLETION and within 30 days atements made	drilling, complequirements we prior to spuntent to drill slipe as specifically plus a minimate between the entified before, production stern Kansas of the spud de herein are tr	etion and eventual will be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into the pripe shall be ceme surface casing order late or the well shall the best the standard of the best the standard of the best the surface and to the surface and t	Will Cores be taken?  If Yes, proposed zone:	top; in all cand placement emented in; ter to surface the KCC Dis	ses surfa is neces: within 12	ace pipe sary <i>pric</i> 20 days rea, alter prior to a	shall be a	set gging; date. menting
The undersigned hereby af It is agreed that the followin  1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II Or pursuant to Appe must be completed v I hereby certify that the sta	ffirms that the ng minimum re e district office ved notice of int of surface pidated materia e, an agreement office will the COMPLETION and within 30 days atements made	drilling, complequirements we prior to spuntent to drill slipe as specifically plus a minimate between the entified before, production stern Kansas of the spud de herein are tr	etion and eventual will be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into the pripe shall be ceme surface casing order late or the well shall the best the standard of the best the standard of the best the surface and to the surface and t	Will Cores be taken?  If Yes, proposed zone:	top; in all cand placement emented in; ter to surface the KCC Dis	ses surfa is neces: within 1: strict 3 ar	ace pipe sary <i>pric</i> 20 days rea, alter prior to a	shall be a	set gging; date. menting
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distriction of the first of the second of the seco	ffirms that the ng minimum ree district office ved notice of int of surface pidated materiae, an agreeme rict office will the COMPLETION and the made of the completion of the	drilling, complequirements we prior to sput the to drill slipe as specifically plus a minimate the notified before, production stern Kansas sof the spud de herein are trof Operator or	etion and eventual will be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into the pripe shall be ceme surface casing order late or the well shall the best the standard of the best the standard of the best the surface and to the surface and t	Will Cores be taken? If Yes, proposed zone:  DAVIT  gging of this well will comply  drilling rig; by circulating cement to the equal to	top; in all cand placement emented in; ter to surface the KCC Dispersion of the true of the true.  Title:  Orm CDP-1) w O-1 within 12: lat according office 48 hou CP-4) after plus	ses surfa is neces: within 1: strict 3 ar t office p	ace pipe sary <i>pric</i> 20 days rea, alter prior to a GIST to Drill; spud da roration of	shall be a cor to plug of spud of mate II ce my cemen of the corrections of the correctio	set gging; date. menting ting.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distriction of the interest of the appropriate of the appropriate distriction of the interest of the appropriate of the ap	ffirms that the ng minimum ree district office ved notice of int of surface pidated materiae, an agreeme crict office will the COMPLETION of Swithin 30 days atements made Surface of Surfa	drilling, complequirements we prior to spute the desired specification of the spute that the desired specification is the spute that the spute the	etion and eventual will be met: dding of well; thall be posted on e ed below shall be a mum of 20 feet into the operator and the properator and the properator and the surface casing order to the well sharp and to the best agent:	Will Cores be taken? If Yes, proposed zone:  DAVIT  gging of this well will comply  drilling rig; by circulating cement to the equipment of th	top; in all cand placement emented in; ter to surface the KCC Dispersion of the transfer of transf	ses surfa is neces: within 1: strict 3 ar t office p  GEOLOG ith Intent 0 days of to field pr rs prior to to field pr rs prior to togging is o ng or inject zed expira	ace pipe sary prid 20 days rea, alter prior to a GIST to Drill; spud da roration of to workove complete cting salt	shall be a cor to plug of spud of mate II ce my cemen of the correction of the corre	set gging; date. menting ting.
The undersigned hereby af It is agreed that the followin 1. Notify the appropriat 2. A copy of the approv 3. The minimum amour through all unconsoli 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Apper must be completed with the state of the provided of the provided in	ffirms that the ng minimum ree district office ved notice of int of surface pidated materiae, an agreement COMPLETION COMPLETION of the co	drilling, complete equirements we a prior to spuctent to drill slippe as specifically plus a minimant between the condition of the spud does not the spud does herein are transferored to the spud does h	etion and eventual will be met: dding of well; hall be posted on eled below shall be amount of 20 feet into the operator and the ore well is either plip in the surface casing order and to the best are and to the best Agent:	Will Cores be taken? If Yes, proposed zone:  DAVIT  gging of this well will comply  drilling rig; by circulating cement to the equipment of the production casing is completed or production and is completed or production and is completed or production	top; in all cand placement emented in; ter to surface the KCC Disport CDP-1) within 12 lat according office 48 hou CP-4) after pluefore dispositive for the kCC Dispositive fo	ses surfa is neces: within 1: strict 3 ar t office p  GEOLOG ith Intent 0 days of to field pr rs prior to to field pr rs prior to togging is o ng or inject zed expira	ace pipe sary prid 20 days rea, alter prior to a GIST to Drill; spud da roration of to workove complete cting salt	shall be a cor to plug of spud of mate II ce my cemen of the correction of the corre	set gging; date. menting ting.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 121-28194-0000	Location of Well: County: MIAMI
Operator: OSBORN ENERGY, LLC	1650 feet from N / V S Line of Section
Lease: BROWN	1650 feet from  E / W Line of Section
Well Number: 9-9	Sec. 9 Twp. 16 S. R. 25 ✓ East West
Field: LOUISBURG	
Number of Acres attributable to well:	Is Section: 🔽 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SE - NW - SE - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•		
	•		
		•	
	· ·		
			1650'
	•	: 0 <del>:</del>	<del> :</del> -
		· · ·   ·   · · ·	
		1650	
		1650 .	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## RECEIVED APR 2 4 2006

Form CDP-1 April 2004
Form must be Typed

# APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

Operator Name: OSBORN ENERGY, LLC			License Number: 32294		
Operator Address: 24850 FARLEY	BUCYR	US, KS	66013		
Contact Person: JEFF TAYLOR			Phone Number: ( 913 ) 533 - 9900		
Lease Name & Well No.: BROWN 9-9			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SENWSE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 16 R. 25 ✓ East West		
Settling Pit	If Existing, date co	onstructed:			
Workover Pit Haul-Off Pit	Pit capacity:		1650 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	550+/-	(bbls)	MIAMI County		
Is the pit located in a Sensitive Ground Water			Chloride concentration: N/A mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Ves No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  NATIVE CLAY LINED		
			NATIVE CLAT LINED		
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	eepest point: 4	(feet)		
			edures for periodic maintenance and determining including any special monitoring.		
•		24 HOUR	24 HOUR ON SITE MAINTENANCE WHILE		
			DRILLING		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water N/A 132 feet.		
N/A feet Depth of water well	290 foot	Source of information: KH K6 S			
			uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: N/A		Type of material utilized in drilling/workover: BENTONITE  Number of working pits to be utilized: 1			
Number of producing wells on lease:		Abandonment procedure: LET WATER EVAPORATE THEN USE			
	Lepilled fluids to	BULLDOZER TO BACKFILL PIT			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		BULLDOZER TO BACKFILL PIT  Drill pits must be closed within 365 days of spud date.  correct to the best of my knowledge and belief.			
I hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge and belief.		
Thorough containy and the above class		0011001101110100	A A		
04-20-06		W	Maria de la companya dela companya dela companya dela companya dela companya de la companya de la companya dela compa		
Date			Signature of Applicant or Agent		
	KCC	OFFICE USE O	DNLY		
المسا			4/-1/		
Date Received: 4/24/cc Permit Nun	nber:	Perm	nit Date: 4/24/06 Lease Inspection: Yes No		