#### For KCC Use: 5-2-06 Effective Date: District #\_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

Form C-1

Form must be Typed Form must be Signed KCC WICH Anks must be Filled NOTICE OF INTENT TO DRILL

	May	12	2006	Spot					1	East
	month	day	year	SESE_	SE	Sec. 5	Twp. 28	_ S. R. 24	🗀	West
OPERATOR: License# 3473	/			330		feet f	rom N/	S Line	of Secti	on
Name: William T. Wax				330			rom 🔽 E /	W Line	of Secti	on
Addrson, P. O. Box 276				Is SECTION	_ <b>✓</b> Regu	ar	rregular?			
City/State/Zip: McCune, KS	66753			,	Note: Locate	well on the	Section Plat on	reverse side	· <del>)</del>	
Contact Person: Bill Wax				County: Craw	ford					
Phone: 620-724-3400				Lease Name:	DeLange	_		Well #:	5-1	
	Tools			Field Name: \(\frac{1}{2}\)	Vildcat					
CONTRACTOR: License# Co	J. 100IS			Is this a Prora		d Field?			Yes	<b>✓</b> No
Name:				Target Format	ion(s): Mis	s Chat				
Well Drilled For:	Well Class:	Type	Equipment:	Nearest Lease	or unit bo	undary: 33	)' 			
	Infield		Mud Rotary	Ground Surface	e Elevation:	990			fee	t MSL
✓ Oil ✓ Enh Rec ✓ Gas Storage	Pool E		Air Rotary	Water well wit	hin one-qua	ter mile:			Yes	<b>✓</b> No⁄
OWWO Disposal	✓ Wildca	/ =	Cable	Public water s			, ./		Yes	<b>✓</b> No'
Seismic;# of Ho	$\vdash$	"	Jabie	Depth to botto			/00			
Other# of Fid	nes Other			Depth to botto	om of usable	water: 🟪	450'			
				Surface Pipe I	y Altemate:	1	2 2	/		
If OWWO: old well informatio	n as follows:			Length of Sur	face Pipe P	lanned to I	pe set: 20			
Operator: N/A				Length of Cor	nductor Pipe	required:	none			
Well Name:				Projected Total		11: 0	hat /			
Original Completion Date:		_Original Tota	I Depth:	Formation at						
Directional, Deviated or Horize	antal wallbara	2	Yes V No	Water Source	_	Operations	her AIR DR	IIIED /	/	
		ť	les 🕶 No	Weil [	Farm Po	nd Ot	her AIR DR	ILLED .		
If Yes, true vertical depth: N/A				DWR Permit #						
Bottom Hole Location: KCC DKT #:				well Occasion	•	: Apply for I	Permit with DWF	<b>'</b> □ /		
KGC DKT #:				Will Cores be				L	Yes	<b>✓</b> No
				If Yes, propos	ed 2011e					
			AFF	IDAVIT						
	44 44	rilling compl		luaging of this we	II will comp	v with K S	A 55 at coa			
The undersigned hereby affii	rms that the d	maning, compi	etion and eventual p			y willi 14.5	.A. 55 et. 5eq.			
The undersigned hereby affill It is agreed that the following	g minimum red	quirements w	ill be met:			y with K.S	.A. 55 et. Seq.			
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is dry hole,  5. The appropriate distric  6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi	g minimum red district office d notice of int of surface pij ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days	prior to spudent to drill side to drill side to drill side to as specific so plus a minimate between the notified before, production pern Kansas sof the spud d	ill be met:  dding of well;  hall be posted on ea ed below shall be s  mum of 20 feet into e operator and the ore well is either plu pipe shall be cemen surface casing order late or the well shall	ch drilling rig; et by circulating c he underlying for district office on p gged or production ted from below an #133,891-C, whi be plugged. In a	mation. lug length a n casing is ny usable w ch applies i	e top; in a and placen cemented ater to sur o the KCC	Il cases surface nent is necessin; face within 12 District 3 are	ce pipe <b>sha</b> sary <b>prior t</b> 20 <b>days</b> of s ea, altemate	o plugg spud da e II cem	i <b>ing;</b> te. enting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen	g minimum red district office d notice of int of surface pij ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days	prior to spudent to drill side to drill side to drill side to as specific so plus a minimate between the notified before, production pern Kansas sof the spud d	ill be met:  dding of well;  hall be posted on ea ed below shall be s  mum of 20 feet into e operator and the ore well is either plu pipe shall be cemen surface casing order late or the well shall	ch drilling rig; et by circulating c he underlying for district office on p gged or production ted from below an #133,891-C, whi be plugged. In a	mation. lug length a n casing is ny usable w ch applies i	e top; in a and placen cemented ater to sur o the KCC	Il cases surface nent is necessin; face within 12 District 3 are	ce pipe <b>sha</b> sary <b>prior t</b> 20 <b>days</b> of s ea, altemate	o plugg spud da e II cem	i <b>ing;</b> te. enting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state	g minimum red district office of d notice of int of surface pij ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days of ements made	puirements w prior to spuce tent to drill si pe as specific s plus a minir at between the notified before production ern Kansas so f the spud d herein are tr	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the ore well is either plu pipe shall be cemen surface casing order ate or the well shall the and to the best of	ch drilling rig; et by circulating c he underlying for district office on p gged or production ted from below an #133,891-C, whi be plugged. In a	mation. lug length a n casing is ny usable w ch applies i	e top; in a and placen cemented ater to sure the KCC COTIFY dis	Il cases surfacent is necessin; face within 12 District 3 are	ce pipe <b>sha</b> sary <b>prior t</b> 20 <b>days</b> of s ea, altemate	o plugg spud da e II cem	i <b>ing;</b> te. enting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state	g minimum red district office d notice of int of surface pij ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days	puirements w prior to spuce tent to drill si pe as specific s plus a minir at between the notified before production ern Kansas so f the spud d herein are tr	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the ore well is either plu pipe shall be cemen surface casing order ate or the well shall the and to the best of	ach drilling rig;  et by circulating c the underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a	mation. lug length a n casing is ny usable w ch applies i lit cases, N and belief.	e top; in a and placen cemented ater to sure the KCC COTIFY dis	Il cases surface nent is necessin; face within 12 District 3 are	ce pipe <b>sha</b> sary <b>prior t</b> 20 <b>days</b> of s ea, altemate	o plugg spud da e II cem	i <b>ing;</b> te. enting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state  Date: 4/25/06	g minimum red district office of d notice of int of surface pij ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days of ements made	puirements w prior to spuce tent to drill si pe as specific s plus a minir at between the notified before production ern Kansas so f the spud d herein are tr	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the ore well is either plu pipe shall be cemen surface casing order ate or the well shall the and to the best of	ch drilling rig; et by circulating c he underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a	mation. lug length a n casing is ny usable w ch applies i lit cases, N and belief.	e top; in a and placen cemented ater to sur o the KCC OTIFY dis	Il cases surface nent is necessin; face within 12; District 3 are trict office produces	ce pipe sha eary prior to ea, alternate ior to any c	o plugg spud da e II cem	i <b>ing;</b> te. enting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 4/25/06  For KCC Use ONLY	g minimum red district office d notice of int of surface pij surface pij an agreement office will be COMPLETION dix "B" - East thin 30 days of ements made	quirements w prior to spuctent to drill si oe as specific s plus a minir at between the e notified befor production ern Kansas s of the spud d herein are tr	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the ore well is either plu pipe shall be cemen surface casing order ate or the well shall the and to the best of	ch drilling rig; et by circulating c the underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a	nation. lug length a n casing is ny usable w ch applies i lit cases, N and belief.  Application	e top; in a and placen cemented ater to sure the KCC OTIFY dis	Il cases surfacement is necessin; face within 12; District 3 are strict office printing.	ce pipe sha eary prior to ea, alternate ior to any co	o plugg spud da e II cem	te. enting ng.
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state  Date: 4/25/06  For KCC Use ONLY  API # 15 - 37-2	g minimum red district office d notice of int of surface pi ated materials an agreement of office will be COMPLETION dix "B" - East thin 30 days of ements made _ Signature of	puirements we prior to spuce tent to drill side as specifies plus a minimat between the notified before, production ern Kansas sof the spud defended are to the spud defend	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the ore well is either plu pipe shall be cemen surface casing order ate or the well shall the and to the best of	ch drilling rig; et by circulating c the underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a	mation. lug length a n casing is ny usable w ch applies i lit cases, N and belief.  Application tion Form A	e top; in a and placen cemented ater to sure the KCC OTIFY dis	Il cases surfacement is necessin; face within 12; District 3 are strict office printing.	ce pipe sha eary prior to ea, alternate ior to any co o Drill; spud date;	o plugg spud da e II cem cementio	te. eenting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state  Date: 4/25/06  For KCC Use ONLY  API # 15 - 37-2	g minimum red district office of notice of int of surface pip ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days dements made	prior to spuctent to drill side as specifies plus a minimate between the notified before, production ern Kansas sof the spud defended herein are transpured to the spud defended by the spud defended	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into t e operator and the bore well is either plu pipe shall be cemen surface casing order late or the well shall true and to the best of	ch drilling rig; et by circulating c the underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a  Remember to File Drill Pit File Comple File acreage	nation. lug length a n casing is ny usable w ch applies i lil cases, N and belief.  Application tion Form A	e top; in a and placen cemented ater to sur the KCC COTIFY dis	Il cases surfacement is necessin; face within 12; District 3 are strict office printing.	ce pipe sha eary prior to ea, alternate ior to any co o Drill; spud date; oration orde	o plugg spud da e II cem ementii	te. eenting ng.
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is dry hole,  5. The appropriate distric  6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 4/25/06  For KCC Use ONLY  API # 15 - 37-2  Conductor pipe required  Minimum surface pipe requ	g minimum red district office d notice of int of surface pin fated materials an agreement office will be COMPLETION dix "B" - East thin 30 days of ements made Signature of	prior to spuctent to drill side as specific splus a minimate between the notified before, production ern Kansas sof the spud dispersion are transpuried to the spud dispersion	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into t e operator and the bore well is either plu pipe shall be cemen surface casing order late or the well shall true and to the best of	ch drilling rig; et by circulating c the underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a  Remember to File Drill Pit File Comple File acreage Notify appro	nation. lug length a n casing is n casing is ny usable w ch applies all cases, N and belief.  Application tion Form A a attribution priate district	e top; in a and placen cemented ater to sur the KCC OTIFY dis	Il cases surfacement is necessin; face within 12; District 3 are strict office printitle:  1) with Intent to 120 days of ing to field pro	ce pipe sha eary prior to ea, alternate ior to any co o Drill; spud date; pration orde workover or	o plugg spud da e II cem ementii	te. eenting ng.
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is dry hole,  5. The appropriate distric  6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 4/25/06  For KCC Use ONLY  API # 15 - 37-2  Conductor pipe required  Minimum surface pipe requ	g minimum red district office d notice of int of surface pit an agreement of office will be completion dix "B" - East thin 30 days ements made _ Signature of	prior to spuctent to drill side as specific splus a minimate between the notified before production ern Kansas sof the spud defended before are transpured by the spud defended b	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into t e operator and the bore well is either plu pipe shall be cemen surface casing order late or the well shall true and to the best of	ch drilling rig; et by circulating c the underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a  Remember to File Drill Pit File Comple File acreage Notify appro	mation. lug length a n casing is ny usable w ch applies i lit cases, N and belief.  Application tion Form A e attribution priate district ging report	e top; in a and placen cemented ater to sure the KCC COTIFY discorrection of the KCC COTIFY discorrection of the topic of the correction of the topic of the topi	Il cases surfacement is necessin; face within 12; District 3 are strict office printing.  1) with Intent to 120 days of ing to field prohours prior to	ce pipe sha eary prior to ea, alternate ior to any co o Drill; spud date; oration orde workover or completed;	o plugg spud da e II cem emention rs; r re-entr	te. eenting
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is dry hole,  5. The appropriate distric  6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 4/25/06  For KCC Use ONLY  API # 15 - 37 - 2  Conductor pipe required Minimum surface pipe required Approved by: 2000.	g minimum red district office d notice of int of surface pin fated materials an agreement office will be COMPLETION dix "B" - East thin 30 days of ements made Signature of	prior to spuctent to drill side as specific splus a minimate between the notified before production ern Kansas sof the spud defended before are transpured by the spud defended b	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into t e operator and the bore well is either plu pipe shall be cemen surface casing order late or the well shall true and to the best of	ch drilling rig; et by circulating c he underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a  Remember t - File Drill Pit - File Comple - Notify appro - Submit plug - Obtain writte - If this permi	mation. lug length a n casing is n casing is ny usable w ch applies i lit cases, N and belief.  Application tion Form A a attribution priate distric ging report en approval t has expire	e top; in a and placen cemented ater to sur to the KCC OTIFY discording to the cord to office 48 (CP-4) after to (See: au	Il cases surfacement is necessin; face within 12; District 3 are strict office printing it in 120 days of ing to field prohours prior to replugging is coosing or inject thorized expirate	ce pipe sha sary prior to co days of sea, alternate ior to any of o Drill; spud date; oration orde workover or completed; ting salt wa tion date) plo	o plugg spud da e II cem cemention rs; r re-entr	te. senting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed wi I hereby certify that the state  Date: 4/25/06  For KCC Use ONLY API # 15 - 37-2 Conductor pipe required Minimum surface pipe requ	g minimum red district office of notice of int of surface pip ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days dements made Signature of the completion of the	prior to spudent to drill side as specific so plus a minimate between the notified before production ern Kansas sof the spud dependent or the spudent are transpurent to the spudent are transpurent to the spudent are transpurent to the spudent transpurent to the spudent transpurent	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the tore well is either plu pipe shall be cemen surface casing order ate or the well shall true and to the best of Agent:  eet eet eet per Alt. 2	ch drilling rig; et by circulating c he underlying forr district office on p gged or productio ted from below ar #133,891-C, whi be plugged. In a of my knowledge a  Remember t - File Drill Pit - File Comple - Notify appro - Submit plug - Obtain writte - If this permi	mation. lug length a n casing is n casing is ny usable w ch applies i lit cases, N and belief.  Application tion Form A a attribution priate distric ging report en approval t has expire	e top; in a and placen cemented ater to sur to the KCC OTIFY discording to the cord to office 48 (CP-4) after to (See: au	Il cases surface nent is necessin; face within 12; District 3 are strict office print of the 12	ce pipe sha sary prior to co days of sea, alternate ior to any of o Drill; spud date; oration orde workover or completed; ting salt wa tion date) plo	o plugg spud da e II cem cemention rs; r re-entr	te. eenting
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is dry hole,  5. The appropriate distric  6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 4/25/06  For KCC Use ONLY  API # 15 - 37 - 2  Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	g minimum red district office of notice of int of surface pip ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days dements made Signature of the completion of the	prior to spudent to drill side as specific so plus a minimate between the notified before production ern Kansas sof the spud dependent or the spudent are transpurent to the spudent are transpurent to the spudent are transpurent to the spudent transpurent to the spudent transpurent	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the tore well is either plu pipe shall be cemen surface casing order ate or the well shall true and to the best of Agent:  eet eet eet per Alt. 2	ch drilling rig; et by circulating che underlying for district office on pigged or production ted from below an #133,891-C, which be plugged. In a first second of the control of the cont	mation. lug length a n casing is ny usable w ch applies in lit cases, N and belief.  Application tion Form A n attribution priate distric ging report en approval t has expire ox below ar ot Drilled - I	e top; in a and placen cemented ater to sur to the KCC OTIFY dis a correct of the	Il cases surface nent is necessin; face within 12; District 3 are strict office print of the 12 of the 14 of the 15	ce pipe sha sary prior to co days of sea, alternate ior to any of o Drill; spud date; oration orde workover of completed; ting salt wa tion date) plo	o plugg spud da e II cem cemention rs; r re-entr	te. senting
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state  Date: 4/25/06  For KCC Use ONLY API # 15 - 37 - 2 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	g minimum red district office of notice of int of surface pip ated materials an agreement office will be COMPLETION dix "B" - East thin 30 days dements made Signature of the completion of the	prior to spudent to drill side as specific so plus a minimate between the notified before production ern Kansas sof the spud dependent or the spudent are transpurent to the spudent are transpurent to the spudent are transpurent to the spudent transpurent to the spudent transpurent	ill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into the operator and the tore well is either plu pipe shall be cemen surface casing order ate or the well shall true and to the best of Agent:  eet eet eet per Alt. 2	ch drilling rig; et by circulating che underlying for district office on pigged or production ted from below an #133,891-C, while be plugged. In a first second of the control of the cont	mation. lug length a n casing is ny usable w ch applies in lit cases, N and belief.  Application tion Form A n attribution priate distric ging report en approval t has expire ox below ar ot Drilled - I	e top; in a and placen cemented ater to sur to the KCC OTIFY dis a correct of the	Il cases surface nent is necessin; face within 12; District 3 are strict office print of the 12 of the 14 of the 15	ce pipe sha sary prior to co days of sea, alternate ior to any of o Drill; spud date; oration orde workover of completed; ting salt wa tion date) plo	o plugg spud da e II cem cemention rs; r re-entr	te. senting ng.

RECEIVED

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

1/0015110111

Plat of acreage attributable to a well in a prorated or spaced field

**KCC WICHITA** 


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 037-2180/-00-00	Location of Well: County: Crawford
Operator: William T. Wax	330feet from N / S Line of Section
Lease: DeLange	330 feet from E / W Line of Section
Well Number: 5-1	Sec. 5 Twp. 28 S. R. 24 ✓ East Wes
Field: Wildcat	
Number of Acres attributable to well: SE SE SE	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SE _ SE _ SE _ SE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **APPLICATION FOR SURFACE PIT**



	Su	bmit in Duplicat	* KOCIMICHITA				
Operator Name: William T. Wax		License Number: 3473					
Operator Address: P. O. Box 276 McCune, KS 66753							
Contact Person: Bill Wax		Phone Number: ( 620 ) 724 - 3400					
Lease Name & Well No.: DeLange	5-1	Pit Location (QQQQ):					
Type of Pit:	Pit is:		<u>SE</u> . <u>SE</u> . <u>SE</u>				
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 5 Twp. 28 R. 24  East West				
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / 🗹 South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗹 East / 🗌 West Line of Section				
(If WP Supply API No. or Year Drilled)	80	(bbls)	<u>Crawford</u> County				
Is the pit located in a Sensitive Ground Water Area? Yes			Chloride concentration:mg/l				
			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes ✓	No	How is the pit lined if a plastic liner is not used?				
ies   No	l tes	140	Native Clay				
Pit dimensions (all but working pits): 2	Length (fe	eet)3	Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point: 6	(feet)				
			edures for periodic maintenance and determining ncluding any special monitoring.				
N/A		N/A					
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water unknown feet.					
N/A feet Depth of water well	feet	Source of information: measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized: 1					
Barrels of fluid produced daily:		Abandonment procedure: Backfill When Dry					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
1							
4/25/06 Bill Was							
Date		ignature of Applicant of Agent					
KCC OFFICE USE ONLY							
Date Received: 4/24/04 Permit Number: Permit Date: 4/24/04 Lease Inspection: Yes No							
Date Received: 4/26/04 Permit Num	ber:	it Date: You Lease Inspection: Yes No					