

RELEASED

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

CONFIDENTIAL

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

KCC

ORIGINAL

Operator: License # 6569  
Name: Carmen Schmitt Inc.  
Address: P.O. Box 47  
City/State/Zip: Great Bend, KS 67530  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Carmen Schmitt  
Phone: (620) 793 5100  
Contractor: Name: Shields Oil Producers, Inc.  
License: 5184  
Wellsite Geologist: Richard P. O'Donnell

SEP 02 2003

CONFIDENTIAL

RECEIVED

SEP 04 2003

KCC WICHITA

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

5-30-03 6-9-03 6-9-03  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 135-24222-0000  
County: Ness  
s2 SW SW Sec. 14 Twp. 19 S. R. 23  East  West  
430 FSL feet from (S) / N (circle one) Line of Section  
810 FWL feet from E / (W) (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW (SW)  
Lease Name: DM&M Well #: 1

Field Name: \_\_\_\_\_  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 2194 Kelly Bushing: 2199  
Total Depth: 4380 Plug Back Total Depth: 4380  
Amount of Surface Pipe Set and Cemented at 217 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan *FK'd w*  
(Data must be collected from the Reserve Pit)  
Chloride content 10,000 ppm Fluid volume 1,060 bbls  
Dewatering method used Removal of 160 barrels free water  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: Carmen Schmitt Inc.  
Lease Name: Gantz License No.: 6569  
Quarter SW Sec. 33 Twp. 17 S. R. 24  East  West  
County: Ness Docket No.: d-27,832

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Carmen Schmitt  
Title: Secretary Date: 9-2-03  
Subscribed and sworn to before me this 2 day of September,  
2003.  
Notary Public: Elaine Scheck  
Date Commission Expires: 12-13-2003

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

NOTARY PUBLIC - State of Kansas  
ELAINE SCHECK  
My Appt. Exp. 12-13-03

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: Carmen Schmitt Inc.

Lease Name: DM&M

Well #: 1

Sec. 14 Twp. 19 S. R. 23  East  West

County: Ness

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No (Submit Copy)

List All E. Logs Run:

Dual Induction, Dual compensated Porosity, Sonic

Log Formation (Top), Depth and Datum  Sample

Name Top Datum

Anhydrite 1476 723

Lansing 3704 -1505

Base K.C. 4031 -1832

Cherokee Shale 4226 -2027

Mississippian 4295 -2096

KCC SEP 02 2003 CONFIDENTIAL

RECEIVED SEP 04 2003 KCC WICHITA

CASING RECORD  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./ Ft., Setting Depth, Type of Cement, # Sacs Used, Type and Percent Additives. Row 1: Surface, 12.25", 8.625", 20, 217, 60/40 Poz, 150, 3% c.c. 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Rows for Perforate, Protect Casing, Plug Back TD, Plug Off Zone.

Table with 3 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth. Includes 'RELEASED FROM CONFIDENTIAL' watermark.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run  Yes  No

Table with 2 columns: Date of First, Resumerd Production, SWD or Enhr., Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Table with 7 columns: Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented  Sold  Used on Lease (If vented, Submit ACO-18.)  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

ALLIED CEMENTING CO., INC.  
CONFIDENTIAL

ALLIED CEMENTING CO., INC.

Federal Tax I.D.# [REDACTED]

ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Ness City

DATE 6-9-03	SEC. 14	TWP. 19	RANGE 23W	CALLED OUT 10:00 AM	ON LOCATION 11:30 AM	JOB START 2:30 PM	JOB FINISH 5:00 PM
LEASE O.M.+M	WELL #	# 1	LOCATION Ness City - 5 south			COUNTY Ness	STATE KS
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)			3 East 1 north into				

CONTRACTOR Shields Drlg	OWNER Carmen Schmitt
TYPE OF JOB Rotary plug	
HOLE SIZE 7 7/8	CEMENT
CASING SIZE	AMOUNT ORDERED 205 sx 60/40 6 Bagel
TUBING SIZE	SEP 02 2003 + 1/4 lb Flo. Seal
DRILL PIPE	
TOOL	
PRES. MAX	CONFIDENTIAL
MEAS. LINE	RELEASED
CEMENT LEFT IN CSG.	FROM
PERFS.	
DISPLACEMENT	CONFIDENTIAL

**EQUIPMENT**

PUMP TRUCK	CEMENTER Jack
# 224	HELPER Tim
BULK TRUCK	
# 260	DRIVER Don
BULK TRUCK	
#	DRIVER

COMMON	123 net	@ 7.15	879.45
POZMIX	82 net	@ 3.80	311.60
GEL	11 net	@ 10.00	110.00
CHLORIDE		@	
FLO SEAL	51 net	@ 1.40	71.40
		@	
		@	
		@	
		@	
HANDLING	218 net	@ 1.15	250.70
MILEAGE	218 net	MIN	<del>10.00</del> 135.-
<b>RECEIVED</b>			<b>TOTAL</b>
SEP 04 2003			1748.15

**REMARKS:**  
 1st plug @ 1500' with 30 sx cement  
 2nd plug @ 750' with 80 sx cement  
 3rd plug @ 230' with 40 sx cement  
 4th plug @ 40' with 10 sx cement  
 Rathole ——— 10 sx cement  
 Mouse hole ——— 10 sx cement

Thanks

CHARGE TO: Carmen Schmitt  
 STREET P.O. Box 47  
 CITY Great Bend STATE KS ZIP 67530

**KCC WICHITA SERVICE**

DEPTH OF JOB	1500'		
PUMP TRUCK CHARGE			520.00
EXTRA FOOTAGE		@	
MILEAGE	9	@ 3.50	31.50
PLUG 1 - 8 5/8 Wood		@ 23.00	23.00
		@	
		@	
			<b>TOTAL 574.50</b>

**FLOAT EQUIPMENT**

	@		
	@		
	@		
	@		
	@		
			<b>TOTAL</b>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE ~~574.50~~  
 DISCOUNT ~~574.50~~ IF PAID IN 30 DAYS

SIGNATURE Dono Granly

Dona Granly  
PRINTED NAME

CONFIDENTIAL

# ALLIED CEMENTING CO., INC.

15409

Federal Tax I.D.# [REDACTED]

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT  
At Bend

ORIGINAL

5-31-03

DATE <u>5-31-03</u>	SEC. <u>14</u>	TWP. <u>19</u>	RANGE <u>23</u>	CALLED OUT <u>10:00 PM</u>	ON LOCATION <u>12:30 AM</u>	JOB START <u>1:00 AM</u>	JOB FINISH <u>1:30 AM</u>
LEASE <u>DM+M</u>	WELL # <u>1</u>	LOCATION <u>New City 55, 3E, 1N into</u>			COUNTY <u>New York</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)				<b>RELEASED FROM</b>			

CONTRACTOR Shields Only KCC OWNER Some CONFIDENTIAL

TYPE OF JOB Surface  
HOLE SIZE 12 1/4" T.D. 220' CEMENT SEP 02

CASING SIZE 8 5/8" DEPTH 217' AMOUNT ORDERED 150.2m 60/40 370cc

TUBING SIZE DEPTH 2 3/8" 270' net

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13 bbls

EQUIPMENT

PUMP TRUCK CEMENTER Tom D

# 181 HELPER Bob B

BULK TRUCK DRIVER Steve T

# 341 DRIVER

BULK TRUCK DRIVER

COMMON	<u>90 net</u>	@	<u>7.15</u>	<u>643.50</u>
POZMIX	<u>60 net</u>	@	<u>3.80</u>	<u>228.00</u>
GEL	<u>3 net</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE	<u>SAL</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>150 net</u>	@	<u>1.15</u>	<u>181.70</u>
MILEAGE	<u>150 net</u>	@	<u>MIN</u>	<u>100.00</u>
				<u>125.00</u>

RECEIVED  
SEP 04 2003  
KCC WICHITA SERVICE

TOTAL 1358.20

REMARKS:

Ran 217' of 8 5/8" casing. Bore hole circ. mixed 150.2m 60/40 370cc 270' net. Released plug. Displaced with fresh H<sub>2</sub>O

Cement did circulate

Thanks

DEPTH OF JOB 217'

PUMP TRUCK CHARGE 520.00

EXTRA FOOTAGE @

MILEAGE 9 @ 3.50 31.50

PLUG 1-8 5/8" wooden @ 45.00 45.00

TOTAL 596.50

CHARGE TO: Carrin Schmitt Inc.

STREET

CITY STATE ZIP

FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX  
TOTAL CHARGE 1358.20  
DISCOUNT 100.00 IF PAID IN 30 DAYS

SIGNATURE X Burton Beery

X Burton Beery  
PRINTED NAME