

WELL RECORD

Blazier Unit Tract # Well #

Company Cities Service Oil Co. et al. Well No. 1 Farm Blazier "B"
 Location 990' South and 330' East of NW Cor. Sec. 27 T. 7 R. 25W
 Elevation 2515 (2513 Gr.) County Graham State Kansas
 Drlg. Comm. January 7, 1956 Contractor Barbour Drilling Company
 Drlg. Comp. January 17, 1956 Acid None
 T. D. 3875' Initial Prod. Dry Hole - Flugged and Abandoned Jan. 17, 1956

CASING RECORD:

8-5/8" @ 235' cem. 225 sx cement

FORMATION RECORD:

clay & sand	0-50
sand	215
shale	235
shale & shells	750
shale	1150
sand & shale	2000
shale & red bed	2130
anhydrite	2150
shale & shells	2660
shale & lime streaks	2820
shale & lime	2965
shale & sand	3055
sand, shale & pyrite	3130
lime & shale	3200
shale & lime	3315
sandy lime & shale	3420
shale & lime	3585
lime & shale	3660
lime	3705
lime & shale	3790
lime	3875 T. D.

Topeka	3423'
Heebner	3620'
Dodge	3641'
Lansing	3660'
Base Kansas City	3866'
Total Depth	3875'

o D. S. T. 3685-3705, open 1 hr., rec. 140' muddy water; B. H. P. 1160#/30 mins.
 G D. S. T. 3716-39, open 1 hr., rec. 90' slightly oil-cut mud and 60' heavily oil-cut mud; B. H. P. 1130#/30 mins.
 D. S. T. 3767-90, open 30 mins., rec. 30' mud; B. H. P. 420#/30 mins.
 D. S. T. 3812-40, open 30 mins., rec. 38' thin mud; B. H. P. 210#/30 mins.

SLOPE TESTS (SYFO):

235'	0°
500'	0°
1000'	1°
1500'	1°
2000'	1°
2500'	0°
3000'	0°

7-7/8" rotary hole.