

15-163-00271-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Lease Owner Shell Oil Company Address Box 744, Great Bend, Kansas
(Applicant)

Lease (Farm Name) H. J. STAMPER Well No. 1

Well Location SE NW SE Sec. 28 Twp. 8S Rge. 17 or (W)

County Rooks Field Name (if any) Stamper

Was well log filed with application? Yes. If not, explain:

Date and hour plugging is desired to begin Immediately

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired. (Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

H. C. Shipman Address Plainville, Kansas

Name of Plugging Contractor Duncan & Miller

Address Hoisington, Kansas

Invoice covering assessment for plugging this well should be sent to:

Shell Oil Company Address c/o S.S.Mabry, Box 744, Great Bend, Kansas

and payment will be guaranteed by applicant.

PLUGGING
NOV 28 1951
127

LB

RECEIVED
STATE CORPORATION COMMISSION

NOV 29 1951

CONSERVATION DIVISION
Wichita, Kan

S.S. Mabry
Applicant or Acting Agent

Date November 27, 1951

11-29-51



15-163-00271-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

November 29, 1951

Well No. 1
Lease H. J. Stamper
Description SE 1/4 SE 28-9-17W
County Rooks
File No. 127-12

Shell Oil Company
Box 744
Great Bend, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR

15-163-00271-00-00

SHELL-H. J. STAMPER #1
SE NW SE Section 28-8S-17W
Stamper Field
Rooks County, Kansas

Casing Record

8 5/8" cem 1328 with 650 sax
4 1/2" cem 3528 with 200 sax;
perforated 3394-3408.

- 0 - 120 shale
- 760 shale & shells
- 820 shale & sand streaks
- 860 shale & shells
- 1020 sand
- 1314 red rock, shale & shells
- 1351 anhydrite
- 2172 shale & shells
- 2535 lime
- 2900 lime & shale
- 2915 lime
- 2959 lime & shale
- 3385 lime
- 3411 lime & sand
- 3420 lime & shale
- 3489 lime, conglomerate & dolomite
- 3539 dolomite TD
- 3492 PB

Schlumberger Formation Tops

Topeka	2906
Heebner	3119
Toronto	3139
Lansing-Kansas City . .	3160
Marmaton Sand	3395
Sooy	3452
Arbuckle	3456

LB

PLUGGING

FILE NO. 3878 (17W)

DATE 12-7-1951

NOV 29 1951

CONSERVATION DIVISION

Wichita, Kansas

11-29-1951