Notice: Fill out COMPLETELY and return to Conservation Division at the address below within

60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

	hton Oil Company, In			,	189-30380-0			
	dway Sto 710 Wich	Lease Name: Tanner "A"						
Address: 221 S Broadway, Ste 710, Wichita KS 67202 Phone: (316) 264 - 7918 Operator License #: 5010					1 1.\\/			
		or License #: _	5010	APPARATE RATE	Well Number:			
Type of Well: ENHR		Doc			Spot Location (QQQQ): SE - SE - SE 330			
	R, Water Supply Well, Cathod	·	(If SW	/D or ENHR)	Feet from North / South Se	ction Line		
The plugging proposal was approved on: 2-8-06 (Date)				330 Feet from East / West Section Line				
_{by:} Durrant			_ (KCC District	Agent's Name)	Sec. 14 Twp. 25 S. R. 14 East West			
Is ACO-1 filed? Yes	s 🔽 No If not, is v	vell log attach	ed? ✓ Yes	No	County: Stafford			
Producing Formation(s): I	List All (If needed attach an	other sheet)			Date Well Completed:			
	Depth to Top:	Botto	m:	T.D	Plugging Commenced: 3/24/06			
	Depth to Top:	Botto	m:	T.D	Plugging Completed: 3/28/06			
	Depth to Top:	Botto	m:	T.D	Plugging Completed:			
Show depth and thickness	ss of all water, oil and gas	s formations		A				
	Water Records	1 .0		Casing Record (Surface Conductor & Production)			
Formation	Content	From	То	Size	Put In Pulled Out			
				8 5/8	865	į		
				4 1/2	4002 2030			
				7 1/2	1002 2000			
					olaced and the method or methods used in introduci	ng it into the		
nole. If cement or other Sand at 3800', bale	plugs were used, state th	e character of oped 2610',	same depth p 2430', 2210	placed from (bott	olaced and the method or methods used in introducion), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled	I to 390',		
hole. If cement or other Sand at 3800', bale	plugs were used, state thed 4 sacks cement, rip	e character of oped 2610',	same depth p 2430', 2210	placed from (bott	om), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled	I to 390',		
hole. If cement or other Sand at 3800', bale pumped 40 sack	plugs were used, state the d 4 sacks cement, ripks, pulled to 40', p	e character of oped 2610', oumped 1	same depth p 2430', 2210	olaced from (bott	om), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV	I to 390',		
hole. If cement or other Sand at 3800', bale pumped 40 sack	plugs were used, state the d 4 sacks cement, ripks, pulled to 40', pactor: Quality Well Se	e character of oped 2610', oumped 1 rvice, Inc.	same depth p 2430', 2210	olaced from (bott	com), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925	ED 2006		
Name of Plugging Contra	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	e character of oped 2610', oumped 1 rvice, Inc. 67554	f same depth p 2430', 2210 0 sacks.	olaced from (bott	om), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV	ED 2006		
Name of Plugging Contra	plugs were used, state the d 4 sacks cement, ripks, pulled to 40', pactor: Quality Well Se	e character of oped 2610', oumped 1 rvice, Inc. 67554	f same depth p 2430', 2210 0 sacks.	olaced from (bott	com), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925	ED 2006		
Name of Plugging Contra	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	e character of oped 2610', oumped 1 rvice, Inc. 67554 nighton C	f same depth p 2430', 2210 0 sacks.	olaced from (bott 0', 2030', pull ny Inc.	com), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925	ED 2006		
Name of Plugging Contra Address: 401 West Name of Party Responsil	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	f same depth p 2430', 2210 0 sacks.	ny Inc.	com), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925 KCC WIC	ED 2006		
Name of Plugging Contra Address: 401 West Name of Party Responsil	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	f same depth p 2430', 2210 0 sacks.	ny Inc. , ss(Employee o	om), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925 KCC WIC	ED 2006 CHITA		
Name of Plugging Contra Address: 401 West Name of Party Responsil	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	f same depth p 2430', 2210 0 sacks.	ny Inc. , ss(Employee o	com), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925 KCC WIC	ED 2006 CHITA		
Name of Plugging Contra Address: 401 West Name of Party Responsil State of KANSAS sworn on oath, says: Tha	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	f same depth p 2430', 2210 0 sacks.	ny Inc. , ss(Employee o	om), to (top) for each plug set. to 875', pumped 12 gel & 50 sacks, pulled RECEIV License #: 31925 KCC WIC	ED 2006 CHITA		
Name of Plugging Contra Address: 401 West Name of Party Responsil State of KANSAS sworn on oath, says: The same are true and correct	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	isame depth p 2430', 2210 0 sacks. Dil Compai	ny Inc, ss (Employee oers herein conta	Composition (Operator) on above-described well, be ned, and the log of the above-described well is as in the log of the above-described well in the log of the above-described well is as in the log of the log	ED 2006 CHITA		
Name of Plugging Contra Address: 401 West Name of Party Responsil State of KANSAS sworn on oath, says: Tha	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	isame depth p 2430', 2210 0 sacks. Dil Compai ents, and matte	ny Inc, ss (Employee oers herein conta	Composition (Operator) on above-described well, be ned, and the log of the above-described well is as in the log of the above-described well in the log of the above-described well is as in the log of the log	ED 2006 CHITA eing first duly filed, and the		
Name of Plugging Contra Address: 401 West Name of Party Responsil State of KANSAS sworn on oath, says: The same are true and correct	plugs were used, state the d 4 sacks cement, ripks, pulled to 40',	rvice, Inc. 67554 nighton C	isame depth p 2430', 2210 0 sacks. Dil Compai ents, and matte	ny Inc. (Employee of the series herein contains) (A) A A A A A A A A A A A A A A A A A A	Composition (Operator) on above-described well, be ned, and the log of the above-described well is as in the log of the above-described well in the log of the above-described well is as in the log of the log	ED 2006 CHITA		

Allied Cementing Co., Inc P.O. Box 31

Russell, KS 67665

************ * INVOICE *

* *

Invoice Number: 101565

Invoice Date: 03/30/06

Sold Knighton Oil Co., Inc.

To: 710 Petroleum Bldg.

221 S. Broadway

Wichita, KS

67202

Cust I.D....: Knight

P.O. Number..: Tanner A 1W

P.O. Date...: 03/30/06

Due Date.: 04/29/06 Terms...: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	72.00	SKS	9.6000	691.20	Т
Pozmix	48.00	SKS	5.2000	249.60	Т
Gel	18.00	SKS	15.0000	270.00	$\bar{ ext{T}}$
Handling	138.00	SKS	1.7000	234.60	T
Mileage min.	1.00	MILE	200.0000	200.00	$\bar{\mathrm{T}}$
Plug	1.00	JOB	650.0000	650.00	$\bar{ extsf{T}}$
Mileage pmp trk	18.00	MILE	5.0000	90.00	T
	t, Payable 30 Days Fol		total:	2385.40	
Date of Invoice.	1 1/2% Charged Thereaf	ter. Tax	:	150.28	
If Account CURREN	T take Discount of \$ 2	<i>38.5¥</i> Payı	ments:	0.00	

ONLY if paid within 30 days from Invoice Date Total...:

Prubbino Cement

2535.68

ALLIED CEMENTING CO., INC. 24134

REMIT TO P.O. B RUSS	OX 31 ELL, KAN	ISAS 6760	65		SER	RVICE POINT:	æ4Bena
DATE 7-28-CL	SEC. /2/	TWP. 353	RANGE 14 w	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASETANDER	WELL A	Iw		·		COUNTX	STATE
OLD OR NEW (Cir			LOCATION 23/4	50 Huy 754	in 12 n'info	STO Gorne	K.5
CONTRACTOR C	1	y Wed	10 Sen	OWNER			
TYPE OF JOB CO	Id H	T.D.	HO10.H	CEMENT			
CASING SIZE	43			CENTENT AMOUNT OR	DERED 120	10 /2 ml	
TUBING SIZE		DEF	TH			faction 5.	
DRILL PIPE		DEF					
TOOL PRES. MAX		DEF			70 .		4.0
MEAS. LINE	Anna and a second		IIMUM DE JOINT	COMMON POZMIX	CAL.	_@ <i>9.60_</i>	691,20
CEMENT LEFT IN	CSG.	DIIC	,L JOHNI	FOZMIX GEL	GOLL.	_@ <i>\$.20</i> _ _@ <i>\$.0</i> _	249,60
PERFS.				CHLORIDE	iong.	_ @ <i> _ Co</i>	G10,00
DISPLACEMENT				ASC			
	EQUI	PMENT				@	
				-		@	
4 49 47	EMENTE	R	Kie m			@	
# 1 30 H	IELPER	1.2	D. D.	-			
A (RIVER	Bick	0			@	
BULK TRUCK	TOTALIN	DIEK	don N.			@	
<u>#</u> D	RIVER			YY I IYD Y YY C	- 62	_ @	
				- HANDLING_	138 ref	_@_1.70_	234.60
	REM	ARKS:		MILEAGE	138A4 C		200.00
						TOTAL	1645,4
1. mix 12:38	50 af	Como	J if 575		SERVI	CE	
1. Mix Ho sh 3. 10 of Bomes Topoff w.	Comsec	Hay	390 1	7		<u> </u>	
3. 10 M Gener	I of	40 /		_ DEPTH OF JOI		4	
Top off wi	Th 20 -	of C	prost				650.00
	,			EXTRA FOOTA	AGE	@	
				MILEAGE			90.00
				- MANIFOLD		_ @ _ @ _	
(/		_ (// 🔿				
CHARGE TO: K	righto	of ace	Company	Inc.			
STREET				-		TOTAL	74000
CITY	STAT	`E	ZIP			TO THE STATE OF	_
			A (r	LUG & FLOAT	EQUIPMENT	ı'
		\mathcal{A}	hank				
		/1.	hank	DECEN	Special Special	_@	
To Allied Cementin	g Co., Inc	.	or He	RECEIV	EU	_ @ _ @	
You are hereby requ	ested to r	ent ceme	nting equipment	APR 3	2006	@	
and furnish cemente	er and hel	per to ass	ist owner or	1/00 14110		@	
contractor to do wo	rk as is lis	sted. The	above work was	KCC WIC	HITA		
done to satisfaction	and super	rvision of	owner agent or			TOTAL.	
contractor. I have re	ead & und	lerstand t	he "TERMS AND	ጥል እን			· _
CONDITIONS" list	ed on the	reverse s	ide.	TAX			
				TOTAL CHARG	Е		
-				DISCOUNT		IE DA ID	INI 20 D ANG
\mathcal{A}	γ	_1	\ 1				IN SU DAYS
SIGNATURE	Jac	_ · 1V	VNC			WELL	
/ \					DDINITE	D NIANAT	