### **RECEIVED**

For KCC Use: Effective Date	5-3-06
District #	3
SGA?	es X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 2 7 2006

Form C-1 December 2002

## NOTICE OF INTENT TO DRILL KCC WICHITA Form must be Signed a pengroyed by KCC five (5) days print to commencing well

OPERATOR: Licenses \$1902 Name: Jennes & Black Development Name: Johns & Black Development Name: Johns & Black Development Name: Johns & Black Development Name: More of Section Plat on reverse sides City/Stata/Pip. Sedan: Names 67361 Contract Person; P. J. Black Phone: (EG0) 725 - 3636 CONTRACTOR: Licenses 6831 Name: MORAT Drilling New Drilled For: Well Class: Type Equipment: OOWD   Seponsal   Wildcat   Jud. Rotary   Gas   Storage   Dop Det.	must be approved by KCC five	(5) days prior to commencing well
OPERATOR: Licenses \$1902 Name: Jennes & Black Development Name: Johns & Black Development Name: Johns & Black Development Name: Johns & Black Development Name: More of Section Plat on reverse sides City/Stata/Pip. Sedan: Names 67361 Contract Person; P. J. Black Phone: (EG0) 725 - 3636 CONTRACTOR: Licenses 6831 Name: MORAT Drilling New Drilled For: Well Class: Type Equipment: OOWD   Seponsal   Wildcat   Jud. Rotary   Gas   Storage   Dop Det.	Expected Spud Date	
Address: P.O. Box 63  Contact Person: P.J. Buck	month day year	
Name Jones & Buck Development Address P.O. Box 68 City/State/Jp; Sedan. Kanasa 67361 City/State/Jp; Sedan. Kanasa 67361 City/State/Jp; Sedan. Kanasa 67361 Contract Person. P. J. Buck Phone: (820) 725 - 3836 CONTRACTOR: Licenses 5831 Name: MORAT Ortiling Well Drilled For: Well Class: Type Equipment:   OWN	OPERATOR: License# 31302	- ioot nom - it / iv o zino di occion
CollyState/25p. Sedan. Kansas 67361 Contact Person. P.J. Buck Contact	Name: Jones & Buck Development	
County: Chautauqua  Lease name. Capps  Field Name: Part-Sadan Oil & Gas  Is his a Portaed / Speed Field?  Target Formation(s): Wayaido Sandstone  Nearest Lease or nutri bourdary: 6355  Ground Surface Eye Piel Piel Nearest  County: Chautauqua  Lease Name: Capps  Provided Field Name: Part-Sadan Oil & Gas  Is his a Portaed / Speed Field?  Target Formation(s): Wayaido Sandstone  Nearest Lease or nutri bourdary: 6355  Ground Surface Eye Piel Piel Nearest  Corunty: Chautauqua  Lease Name: Capps  Provided Chautauqua  Lease Name: Capps  Pried Name: Part-Sadan Oil & Gas  Is his a Portaed / Speed Field?  Target Formation(s): Wayaido Sandstone  Nearest Lease or nutri bourdary: 6355  Ground Surface Eye Britino	Address: P.O. Box 68	Is SECTION _▼RegularIrregular?
Lease Name: C8pps   Well #.JBD-05/8	City/State/Zip: Sedan, Kansas 67361	
Field Name. PerU-Sedan Oil & Gas   Street   Separation	Contact Person: P. J. Buck	
Scont Field?  Name. MOKAT Offiling  Well Drilled For:  Well Crises: Type Equipment:  Well Well C	Phone: (620) 725 - 3636	Lease Name: Capps Well #: JBD-05/8
Name: WORAT Drilling   Weil Class: Type Equipment:   Wayside Sandstone   Warset Lease or unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place the sease of unit boundary. 635   Ground Surface place place the sease of unit boundary. 635   Ground Surface place pl	CONTRACTOR: License# 5831	
Well Drilled For:   Well Class:   Type Equipment:   Security   S	Name: MOKAT Drilling	Is this a Prorated / Spaced Field?
Ground Surface Elevation, 955 estimated   Ground Surface   Ground Surfac		
Water well within one-quarter mile:	Well Drilled For: Well Class: Type Equipment:	· • • • • • • • • • • • • • • • • • • •
Gas Storage Pool Ext.	✓ Oil  Enh Rec  Infield  Mud Rotary	
Depth to bottom of fresh water. 200* Depth to bottom of usable water. 200* Depth to bottom of treat to be at the placemen to be set. 200* Depth to bottom of treat. 200* Depth to bottom of usable water. 200* Depth to bottom of usable water. 200* Depth to bottom of usable water. 200* Depth to bottom of surface placemen. 200* Depth to bottom of surface placemen. 200* Depth to bottom of surface placemen. 200* Dep	Gas Storage Pool Ext. ✓ Air Rotary ✓	
Seismic: # of Holes   Other	OWWO Disposal Wildcat Cable	
Surface Pipe by Alternate:	Seismic;# of Holes Other	
If OWWO: old well information as follows: Operator: Operator: Original Completion Date: Original	Other	
Operator: Well Name: Original Completion Date: Directional, Deviated or Horizontal wellbore? If Yes, Irue vertical depth: Bottom Hole Location:  KCC DKT #:  Well Cores be taken?  Well Not Devator of Permit with DWR Development of the bed of	if OWWO: old well information as follows:	
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion		Length of Conductor Pipe required: none
Original Completion Date: Original Total Depth: Sirve vertical depth: Original Total Depth: Yes No  If Yes, true vertical depth: Other Source for Drilling Operations: Water Source of Drilling Operations: Water Source Operation Source on Source Water Source Operation So	•	
Water Source for Drilling Operations:  Water Source for Drilling Operation Operations:  Water Source for Drilling Operation Operation one:  Water Source for Drilling Operation Operation one:  Water Source for Drilling Operation Operation one:  Water Source for Drill Plan DWA    Water Source for Drilling Operation Operation one one:  Water Source for Drilling Operation Operation one one:  Water Source for Drilling Operation operation one one:  Water Source for Drilling Operation ope		Formation at Total Depth: Altamont Limestone
If Yes, true vertical depth:		Water Source for Drilling Operations:
Will Cores be taken?   Yes   No   Will Cores be taken?   Yes   Yes   No   Will Cores be taken?   Yes   Yes   No   Will Cores be taken?   Yes	Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
Will Cores be taken? If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approval notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-C; which applies to the KCC District 3 area, atternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  For KCC Use ONLY  API # 15	•	DWR Permit #:
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix *B** - Eastern Kansas surface casing order *I33.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: April 26, 2006 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 019 - 26 79 4 000  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Title: Geologist  For KCC Use ONLY  API # 15 - 019 - 26 79 4 000  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File		(Note: Apply for Permit with DWR )
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or prusuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: April 26, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	KCC DKT #:	Will Cores be taken? Yes ✓ No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shalf be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: April 26, 2006 Signature of Operator or Agent:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; File acreage attribution plat according to field proration orders; Notify appropriate district office approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent		If Yes, proposed zone:
For KCC Use ONLY  API # 15	<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified before and the continuous of the surface of the s</li></ol>	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggling; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY  API # 15	Date: April 26, 2006 Signature of Operator or Agent:	
Spud date: Agent: Signature of Operator or Agent: Date:	API # 15 - 019 - 26 72 4-0000  Conductor pipe required None feet  Minimum surface pipe required 40 feet per Alt. 1(2)  Approved by: 2144 4-28-06  This suthorization expires: 10-28-06	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
	Spud date:Agent:	Signature of Operator or Agent:
		Date:

# RECEIVED APR 2 7 2006 KCC WICHITA

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26724-0000	Location of Well: County: Chautauqua
Operator: Jones & Buck Development	635 feet from N / ✓ S Line of Section
Lease: Capps	4221 feet from 🗸 E / W Line of Section
Well Number: JBD-05/8	Sec. 5 Twp. 34 S. R. 12 Fast Wes
Field: Peru-Sedan Oil & Gas	
Number of Acres attributable to well: 10	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: CE - SW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•		<u>'13</u>	245				1	
					•		:	}	
٠.									
	· ·		· · ·		· · ·		· · ·		
			· ·				:		
	•	•	: : 1		•	· ·	: :	R 12	EXAMPLE
:			. <i>'</i>	, 	•		· ·	=	1986
		· · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · ·	· · · · · ·	· · · · · · · · · · · · · · · · · · ·		1980
			·		·		·		
:	\ J.J.	BO-051	.8	:			:		
•	<b>*</b> <	<del>; · · · · ·</del>	:	ļ · · · · ·	422		•		: :
	635								SEWARD CO.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## **RECEIVED**

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 2 7 2003

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

		- apriout				
Operator Name: Jones & Buck Do	evelopment		License Number: 31302			
Operator Address: P.O. Box 68 Sedan, Kansas 67361						
Contact Person: P. J. Buck			Phone Number: ( 620 ) 725 - 3636			
Lease Name & Well No.: Capps	JBD-05/8		Pit Location (QQQQ):			
Type of Pit:	Pit is:		CN SE SW SW			
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 5 Twp. 34 R. 12 ✓ East West			
Settling Pit	If Existing, date or	onstructed:	Feet from North / 🗹 South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		4221 Feet from 🗸 East / West Line of Section			
(If WP Supply API No. or Year Drilled)	400	(bbls)	Chautauqua County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
	Autostatica		(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?			
140	165		Native Clays			
Pit dimensions (all but working pits):	Length (fe	eet) 12_	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	5 (feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
· · · · · · · · · · · · · · · · · · ·	25					
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water 35 feet. mation:			
3800 feet Depth of water well 100 est. feet		measu	uredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:			
Producing Formation:			al utilized in drilling/workover: Fresh & Salt Water			
Number of producing wells on lease:		Number of working pits to be utilized: 1				
Barrels of fluid produced daily:		Abandonment procedure: Remove and dispose of Fluids, Cover Pits, Restore Location				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
April 26, 2006 / W Oat						
			ignature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: \ 27 66 Permit Num	ber:	Perm	it Date: 4/27/0% Lease Inspection: Yes 🕢 No			
1						