#### For KCC Use: Effective Date: District #\_ SGA? ☐ Yes 📈 No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **RECEIVED**

### **NOTICE OF INTENT TO DRILL**

APR 2 7 2006 December 2002 Form must be Typed KCC WICHI Tanks must be Filled

DEFANTOR: Licensee 5399	No MSL
OPERATOR: License# 3999  Name: American Energies Corporation  Name: American Energies Corporation  Address: 155 North Market, Suite 710  Sec. Typ, Wichtal, KS 67202  Contact Person: Karen Houseberg  Phone: 316:283-5785  CONTRACTOR: License# 32701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:  Gas Storage Pool Ext. Air Rotary  Gaw Disposal Wildcat Cable  Sesimic; # of Holes Other  Original Completion Date: Original Total Depth: Depth to bottom of usable water: 3000  Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Hunton  Directional, Deviated or Horizontal wellbore? Yes Volume Horizontal wellbore? Yes It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rigg:  5. The appropriate district office prior to ppluggi of the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to ppluggi.  5. The appropriate district office will be sell is cemelted in.  6. The proportion of the plugged or providen and district office on plug length and placement is necessary prior to pluggi.  6. The appropriate district office or prior to ppluggi of the district office on plug length and placement is necessary prior to pluggi.  6. The appropriate district office will be understand the district office on plug length and placement is necessary prior to pluggi.  6. The appropriate district office will be understand the district office on plug length and placement is necessary prior to pluggi.  6. The appropriate district office will be understand the district office on plug length and placement is necessary prior to pluggi.  6. The appropriate district office will be notified before well is either plugging of the provious casing is cemented in;  6. The appropriate district office will be notified before well is either plugging of the plugging o	No d
OPERATOR: Licenses 3500  Address: 155 North Market, Suite 710  Address: 155 North Market, Suite 710  Contract Person: Karen Houseberg  Phone: 316-263-5785  CONTRACTOR: Licenses 32701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:    Oil	No MSL
Name: American Energies Corporation  Address: 155 North Market, Suite 710  Lontact Person: Karen Houseberg  Contract Person: Karen Houseberg  CONTRACTOR: License# 32701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Wown Disposal Wildcat Cable  Saismic; # of Holes Other  Other  Other  Other  Offinal Completion Date: Original Total Depth:  Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: Propertor Total Depth: Well Source for Drilling Operations:  Directional, Deviated or Horizontal wellbore?   Yes   No    If Yes, true vertical depth: Bottom Hole Location:   Well Class but the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.    It is agreed that the following minimum requirements will be melt:   Nolity the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of suradise plus a minimum of 20 feet into the underlying formation. 4. If the well is office will be semel to the well is office well is even the operator and the district office or plugged some propriate district office whole is certified beginning of the propriated istrict office will be well is element to the complex of the plugged or providence and the district office or plugged some propriated district office will be well is element of the complex of the plugged or providence and the district office or plugged or providence and the plugged or providence and the distr	No MSL
City/State/Zip: Wichita, KS 67202  Contact Person: Karen Houseberg  Contract Person: Karen Houseberg  County: Wabaunsee  Lease Name: Stice   Well #: 1-2  Field Name:   Is this a Prorated / Spaced Field?   Target Formation(s):   Hunton   Nearest Lease or unit boundary: 990'   Ground Surface Elevation: 1475' estimated   fee   Water well within one mile:   Yes   Target Formation   Target Format	MSL No •
Contract Person: Karen Houseberg Phone: 116-263-5785  CONTRACTOR: Licensex 32701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Oil	MSL No •
Phone: 316-263-5785  CONTRACTOR: License# 32701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Mell Class: Type Equipment:  Gas Storage Pool Ext. Air Rotary  Other Gas Storage Pool Ext. Air Rotary  Other Other  Other Other  Other Original Completion Date: Original Total Depth: Projected Total Depth: Pr	MSL No •
CONTRACTOR: License# 32701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:    Oil	MSL No •
CANTRACTOR: License# 35/701  Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:  Oil	MSL No •
Name: C & G Drilling  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Ground Surface Elevation: 1475' estimated feet Water well within one-quarter mile: Yes [ Water well within one mile: Yes [ Depth to bottom of tresh water: 100 [ Depth to bottom of usable water: 100 [ Depth	MSL No •
Well Drilled For:   Well Class:   Type Equipment:   Nearest Lease or unit boundary.   990'     Ground Surface Elevation: 1475' estimated   feet   Vas   Storage   Paol Ext.   Air Rotary   QuwO   Disposal   Wildcat   Cable   QuwO   Disposal   Wildcat   Cable   QuwO   Disposal   Wildcat   Cable   QuwO   Disposal   Wildcat   Cable   QuwO   Disposal   Wildcat   QuwO	No 🗲
Ground Surface Elevation: 1475 estimated   feet   Value   Va	No 🗲
Volume   Conductor   Conduct	No 🗲
Gas	=
Composed	
Depth to bottom of usable water:   300	
Surface Pipe by Alternate:	
Length of Surface Pipe Planned to be set: 300'   None	
Directional, Deviated or Horizontal wellbore?  Well Name:  Original Completion Date:  Original Completion Date:  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  Length of Conductor Pipe required:  Projected Total Depth:  Hunton  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging of this well will comply with K.S.A. 55 et. seq. It is a proper to plugging of this well will comply with K.S.A. 55 et. seq. It is a proper to plugging of this well will comply with K.S.A. 55 et. seq. It	
Well Name: Original Completion Date: Original Completion Date: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other  DWR Permit #:  Will Cores be taken? If Yes, proposed zone:  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
Original Completion Date:Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other Other DWR Permit #:	
Water Source for Drilling Operations:    Yes   No   Well   Farm Pond Other	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
If Yes, true vertical depth:	
Bottom Hole Location:	
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggit</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	' No
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggit</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggit</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggit</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggi</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> </ol>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged.</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> </ol>	
<ol> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged.</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> </ol>	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggi</i> .  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> </ol>	
<ol><li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li></ol>	g;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements.	otina
must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementin	
I hereby certify that the statements made herein are true and to the best of my knówledge and belief.	
Was to the sales	
Date: 4/26/06 Signature of Operator or Agent: 1000 HOUDED Title: Tech. Asst.	
For KCC Use ONLY  - File Drill Pit Application (form CDP-1) with Intent to Drill;	
API # 15 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -	Z
Conductor pipe required feet feet Notify appropriate district office 48 hours prior to workover or re-entry	•
Minimum surface pipe required feet per Alt Submit plugging report (CP-4) after plugging is completed;	
Approved by: 244 4-28-36 - Obtain written approval before disposing or injecting salt water.	1
This authorized expires: 10-23-06 - If this permit has expired (See: authorized expiration date) please	
(This authorization void if drilling not started within 6 months of effective date.)	14
Well Not Drilled - Permit Expired	19
Spud date: Agent: Signature of Operator or Agent:  Date:	19

## APR 2 7 2006 KCC WICHITA

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 197-20267-0000	Location of Well: County: Wabaunsee
Operator: American Energies Corporation	1320' fsl feet from N / V S Line of Section
Lease: Stice	990' fwl feet from E / 🗸 W Line of Section
Well Number: 1-2	Sec. 2 Twp. 14 S. R. 8 East West
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: E2 - W2 - SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

: :	:   :		
: :			
: :		:	
	. 2 .	•	•
	· ·		•
		•	•
		•	
990! :		•	•
110	: :	•	
· 🔥 ·		•	•
1 1 1000	1 1 1	:	
1	. TSI		
1320			
: 1 :	:   :	•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## RECEIVED APR 27.27

Form CDP-1 April 2004
Form must be Typed

# APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

		<u>-</u>			
Operator Name: American Energ	ies Corporati	on	License Number: 5399		
Operator Address: 155 North Market, Suite 710, Wichita, KS 67202					
Contact Person: Karen Houseberg			Phone Number: ( 316 ) 263 - 5785		
Lease Name & Well No.: Stice 1-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 2 Twp. 14 R. 8 East West		
Settling Pit	If Existing, date constructed:				
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / 🔽 West Line of Section		
(If WP Supply API No. or Year Drilled)	800	(bbls)	Kingman wabaunsee County		
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l		
	· —		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	_	How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓ I	No .	Clay and Bentonite on bottom of pit		
Pit dimensions (all but working pits): 50 Length (feet) 75			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 3	(feet)		
If the pit is lined give a brief description of the liner Describe proce			dures for periodic maintenance and determining		
material, thickness and installation procedure.			ncluding any special monitoring.		
		Depth to shallo Source of infor	west fresh water <u>そら</u> feet. mation: ドルドもら ((う)		
1476 feet Depth of water well <u>۱ ရပ</u> feet			iredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Chemical mud		
			king pits to be utilized: 3		
,		Abandonment	procedure: Pump to reserve pit, allow to dry and		
Does the slope from the tank battery allow all spilled fluids to		backfill			
flow into the pit? Yes No		Drill pits must l	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
	( /		// /		
4/26/06 RAIN HOWSEN					
Date Signature of Applicant of Agent					
	KCC (	OFFICE USE O	NLY		
ROC OFFICE USE ONLY					
Date Received: 4 27 06 Permit Num	ber:	Perm	it Date: 4/27/06 Lease Inspection: Yes Vo		