| For KCC Use: | | <i>p</i> -1 -1: |
|--------------|--------|-----------------|
| Effective | Date:_ | 5-6-06 |
| District # | _3 | |
| SGA? | Yes | ≯ No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled Mound Valley

| Expected Spud Date 5/04/06 | Spot √ Eas | st |
|--|---|-----|
| month day year | 5E NW SE Sec. 14 Twp. 33 S. R. 18 We | |
| OPERATOR: License# 33583 | 1965feet from N / S Line of Section | ٠. |
| Name: Admiral Bay (USA) Inc. | 1905 feet from VE / W Line of Section | |
| Address: 14550 E Easter Ave, Ste. 1000 | Is SECTIONRegularIrregular? | |
| Contouriel CO 00110 | | |
| City/State/Zip: Centermal, CO 80112 Contact Person: Steven Tedesco KANSAS CORPORATION COMMISS | (Note: Locate well on the Section Plat on reverse side) | |
| | Lease Name: Ware Well #: 10-14 | _ |
| MAI 0 1 2000 | Field Name: Wildcat | |
| CONTRACTOR: License# 5786 CONSET/ATION DIVISION Name: McGown Drilling Inc. | Is this a Prorated / Spaced Field? Target Formation(s): Mississippian | 10 |
| WICHITA, KS | Nearest Lease or unit boundary: 1905 FEL | |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 810 feet MS | SI. |
| Oil Enh Rec / Infield / Mud Rotary | Water well within one-quarter mile: Yes ✓ N | |
| Gas Storage Pool Ext. Air Rotary | Public water supply well within one mile: Yes ✓ N | • |
| CWWO Disposal Wildcat Cable | Depth to bottom of fresh water: 100' | _ |
| Seismic; # of Holes Other | Depth to bottom of usable water: 200' | |
| Other | Surface Pipe by Alternate: | _ |
| If CIARALCE and well information as follows: | Length of Surface Pipe Planned to be set: 20' | |
| If OWWO: old well information as follows: | Length of Conductor Pip Sourced: None | |
| Operator: | Projected Total Depth: | |
| Well Name:Original Total Depth: | Formation at Total Depth: Mississippian | |
| Original Completion Date:Original Total Depth: | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Well ✓ Farm Pond Other | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR 🔲) | |
| KCC DKT #: | | No |
| | If Yes, proposed zone: To be determined | - |
| | | |
| AFF | IDAVIT | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual p | | |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: | | |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough is dry hole, an agreement between the operator and the setherough is district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order</i> | olugging of this well will comply with K.S.A. 55 et. seq. such drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; | |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be sethiough all unconsolidated materials plus a minimum of 20 feet into the sething of the sething of the sething the sething the sething of the s</i> | ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. | |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be sethinough</i> all unconsolidated materials plus a minimum of 20 feet into the sethin to the sethin the se | ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. | |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead in the minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the well is district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall is hereby certify that the statements made herein are true and to the best of the second of the spud to the best of the second of | ch drilling rig; Let be circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. | |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the second | ch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; | |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set. 5. The appropriate district office will be notified before well is either plus for the appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set o | ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. | ng |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second second shall be sufficient of the well is dry hole, an agreement between the operator and the second shall be completed. If the well is district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the second state of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 23950 - Signature of Operator or Agent: Minimum surface pipe required | ch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; | ng |
| The undersigned hereby affirms that the drilling, completion and eventual points agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eat 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be sufficient to the second shall be | ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Land Coordinator Title: Land Coordinator File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | ng |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second second shall be sufficient of the well is dry hole, an agreement between the operator and the second shall be completed. If the well is district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the second state of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 23950 - Signature of Operator or Agent: Minimum surface pipe required | ich drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Land Coordinator File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: | ng |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

MAY 0 1 2006

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a WiGhth, Sepaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 099-23950-0000 | Location of Well: County: Labette |
|--|--|
| Operator: Admiral Bay (USA) Inc. | feet fromN / ✓ S Line of Section |
| Lease: Ware | 1905 feet from 🗸 E / _ W Line of Section |
| Well Number: 10-14 | Sec. 14 Twp. 33 S. R. 18 Fast West |
| Number of Acres attributable to well: 40 | Is Section: 🕢 Regular or 🔲 Irregular |
| QTR / QTR of acreage:NWSE | If Section is irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION FOR COP-1 OIL & GAS CONSERVATION DIVISION

MAY 0 1 2006 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

F/_CEIVED

| Operator Name: Admiral Bay (USA) Inc | | | License Number: 33583 | | | |
|--|--|---|--|--|--|--|
| Operator Address: 14550 E Easter Ave., Ste. 100 | | | | | | |
| Contact Person: Steven Tedesco | | | Phone Number: (303) 227 - 7016 | | | |
| Lease Name & Well No.: Ware 10-14 | | | Pit Location (QQQQ): | | | |
| Type of Pit: Emergency Pit Bum Pit Settling Pit Prilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits): | Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) Chloride concentration: Feet from Fits and Settling Pits only) Artificial Liner? Yes No Chloride if a plastic liner is not used? Post Sec. 14 Twp. 33S R. 18 Feat West Investigate Inv | | | | | |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. | | | | | | |
| Source of inf | | | west fresh waterfeet. | | | |
| N/A feet Depth of water well | feet | measuredwell owner electric log KDWR . | | | | |
| Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: | | Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: 2 Abandonment procedure: air dry and back fill | | | | |
| Does the slope from the tank battery allow at flow into the pit? Yes No | Il spilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. ### Supporture of Applicant or Agent KCC OFFICE USE ONLY | | | | | | |
| Date Received: 5/1/06 Permit Nur | nber: | Регл | it Date: 5/1/06 Lease Inspection: Yes 🗚 No | | | |