For KCC Use: Effective Date: 5 SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

widst be approved by NOO live	(a) days prior to commencing well
Expected Spud Date 5 8 2006	Spot ✓ East
month day year	NW - NW - SW Sec. 8 Twp. 33 S. R. 17 West
OPERATOR: License# 5150	2240 feet from N / VS Line of Section
Name: COLT ENERGY, INC.	4880 feet from Feet from E / W Line of Section
Address: POBOX 388	ls SECTIONRegular _✓_ Irregular?
City/State/Zip: IOLA, KS 66749	(Note: Locate well on the Section Plat on reverse side)
Contact Person: DENNIS KERSHNER	County: MONTGOMERY
Phone: 620-365-3111	Lease Name: C PETERSON Well #: 12-8 Field Name: COFFEYVILLE- CHERRYVALE
CONTRACTOR: License# 33072	
Name: WELL REFINED DRILLING COMPANY, INC	Is this a Prorated / Spaced Field? Target Formation(s): MISSISSIPPI
	Nearest Lease or unit boundary: 400
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 750feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No ✓
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 100
Seismic; # of Holes Other Other	Depth to bottom of usable water: 175
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 1100 Formation at Total Depth: MISSISSIPPI
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq. MAY 11 3000
It is agreed that the following minimum requirements will be met:	3 1 2000
1. Notify the appropriate district office <i>prior</i> to spudding of well;	ch drilling rig;
2. A copy of the approved notice of intent to drill shall be posted on each	
The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	et by circulating cement to the top; in all cases surface pipe shall be set
	listrict office on plug length and placement is necessary <i>prior to plugglng</i> ;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
. ,,	be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Cli	On R+Han
Date: 4-27-06 Signature of Agent: Signature of Agent:	Title: PRODUCTION CLERK
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 125-31056-0000	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders:
l Niona	
Conductor pipe required reel	, , ,
20 11	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 40 feet per Alt. 1/2	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required QO feet per Alt. Y(2) Approved by: 244 5-2-06	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required 40 feet per Alt. 1/2	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Minimum surface pipe required 40 feet per Alt. 12 Approved by: Pett 5-2-06 This authorization expires: 1+2-06	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Minimum surface pipe required 40 feet per Alt. 12 Approved by: Pett 5-2-06 This authorization expires: 1+2-06	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31056-0000	Location of Well: County: MONTGOMERY
Operator: COLT ENERGY, INC.	feet fromN / 🗸 S Line of Section
Lease: C PETERSON	4880 feet from Z E / W Line of Section
	Sec. 8 Twp. 33 S. R. 17 ✓ East West
Field: COFFEYVILLE- CHERRYVALE	
Number of Acres attributable to well: N/A	Is Section: Regular or 🗸 Irregular
QTR / QTR / QTR of acreage: NW - NW - SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

RECEIVE MAY # 1 20 KCC WICHI						
EXAMPLE : :		 ?	: : :	· ·	•	
1980		 				X-
3390'	 	 	·	•		
SEWARD CO.	 			· · · · ·		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		•					
Operator Name: COLT ENERGY	, INC	License Number: 5150					
Operator Address: POBOX 388, IOLA, KS 66749							
Contact Person: DENNIS KERSH	NER	Phone Number: (620) 365 - 3111					
Lease Name & Well No.: C PETERS	SON 12-8	Pit Location (QQQQ):					
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	✓ Proposed		Sec8Twp33R17				
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		4880 Feet from 🗸 East / West Line of Section				
(If WP Supply API No. or Year Drilled)		(bbls)	MONTGOMERY County				
Is the pit located in a Sensitive Ground Water	Area? Yes	Chloride concentration: mg/l					
	A different lines of	(For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? Ves No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?				
			NATIVE CLAY SOIL				
			Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:5 (feet)							
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. **RECEIVED**					
			MAY // 4 200				
			MAY // 4 200				
Distance to nearest water well within one-mile	e of pit		MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet.				
	·	Source of infor	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation:				
NONE KNOWN feet Depth of water well	feet	Source of infor	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation: ured well owner electric log KDWR				
	feet	Source of informeasu	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY:				
NONE KNOWN feet Depth of water well	feet	Source of inform measu Drilling, Work Type of materia	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL				
NONE KNOWN feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of inform measurements Drilling, Work Type of materia Number of wor	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL king pits to be utilized: 1				
NONE KNOWN feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of inform measurements Drilling, Work Type of materia Number of wor	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL				
NONE KNOWN feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of informeast Drilling, Work Type of materia Number of wor Abandonment	MAY 0 1 2006 KCC WICHITA west fresh water UNKNOWN feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL king pits to be utilized: 1				
NONE KNOWN feet Depth of water well	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must in	MAY 0 1 2006 KCC WICHITA Inwest fresh water UNKNOWN feet. Invention: Inven				
NONE KNOWN feet Depth of water well	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must in	MAY 0 1 2006 KCC WICHITA Inwest fresh water UNKNOWN feet. Invention: Inven				
NONE KNOWN feet Depth of water well	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must in	MAY 0 1 2006 KCC WICHITA Inwest fresh water UNKNOWN feet. Invention: Inven				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must in	MAY 0 1 2006 KCC WICHITA Inwest fresh water UNKNOWN feet. Invention: Inven				
NONE KNOWN feet Depth of water well	spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must in	MAY 0 1 2006 KCC WICHITA Inwest fresh water UNKNOWN feet. Invention: Inven				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 4-27-06 Date	spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must becorrect to the bes	MAY 0 1 2006 KCC WICHITA Inwest fresh water UNKNOWN feet. Invention: Inven				