For KCC Use: Effective Date:_ District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	May 23 2006	Spot East
	month day year	E2 - NW - NW Sec. 15 Twp. 19 S. R. 33
ODEDATOR: None of	5214	660 feet from \sqrt{N} S Line of Section
OPERATOR: License#	io Oil & Gas Co.	990feet from E / V W Line of Section
301	South Market	Is SECTION Regular Irregular?
Address: Wid	chita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip:Jay	/ G. Schweikert	County: Scott
Contact i cison,	S-265-5611	Lease Name: Feiertag "A" Well #: 7-15
		Field Name: Millrich Southeast
CONTRACTOR: License#		Is this a Prorated / Spaced Field? Yes ✓ No
Name: Murfir	n Drilling Co., Inc.	Target Formation(s): Lansing, Marmaton & Mississippian
IAI-II Dollard Form	Mall Olace Time Equipment	Nearest Lease or unit boundary: 660
Well Drilled For:	Well Class: Type Equipment:	Ground Surface Elevation: 2950 est feet MSL
Oil Enh R		Water well within one-quarter mile: Yes ✓ No.
Gas Storag		Public water supply well within one mile:
OWWO Dispos		Depth to bottom of fresh water: 200
Seismic; # of	Holes Other	Depth to bottom of usable water:1300
Other		Surface Pipe by Alternate: 1 2
If OWWO: old well informa	ation as follows:	Length of Surface Pipe Planned to be set: 380
Operator:		Length of Conductor Pipe required: None
Well Name:		Projected Total Depth: 4800 ft.
Original Completion Da	ate:Original Total Depth:	Formation at Total Depth: Mississippian
	<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Ho		Well 🗸 Farm Pond Other
If Yes, true vertical depth:_		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
KCC DKT #:		Will Cores be taken? Yes ✓ No
		If Yes, proposed zone:
	AEE	IDAVIT
The undersigned hereby s	n I a	lugging of this well will comply with K.S.A. 55 et seg. MAY
It is careed that the follow	vina minimum requirements will be met:	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. MAY 1 2006
il is agreed that the follow	ing minimum requirements will be met.	KCa
		70(A).
Notify the appropria	te district office <i>prior</i> to spudding of well;	sh deilling sign
Notify the appropria A copy of the appro The minimum amounts	nte district office <i>prior</i> to spudding of well; nved notice of intent to drill <i>shall be</i> posted on ear	ch drilling rig;
 Notify the appropria A copy of the appro The minimum amou 	ate district office <i>prior</i> to spudding of well; oved notice of intent to drill <i>shall be</i> posted on ea out of surface pipe as specified below <i>shall be se</i> didated materials plus a minimum of 20 feet into t	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be top; he underlying formation.
Notify the appropria A copy of the appro The minimum amouthrough all unconso	olidated materials plus a minimum of 20 feet into t	he underlying formation.
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol 	olidated materials plus a minimum of 20 feet into t	he underlying formation. Jistrict office on plug length and placement is necessary <i>prior to plugging</i> ;
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry holing The appropriate dist If an ALTERNATE II 	olidated materials plus a minimum of 20 feet into to le, an agreement between the operator and the co trict office will be notified before well is either plug I COMPLETION, production pipe shall be cement	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry holing The appropriate distinction If an ALTERNATE II Or pursuant to Appropriate of the appr	olidated materials plus a minimum of 20 feet into to le, an agreement between the operator and the co trict office will be notified before well is either plug I COMPLETION, production pipe shall be cement bendix "B" - Eastern Kansas surface casing order	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appropriate do 	olidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the cutrict office will be notified before well is either plug I COMPLETION, production pipe shall be cemented in "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appropriate do 	olidated materials plus a minimum of 20 feet into to le, an agreement between the operator and the co trict office will be notified before well is either plug I COMPLETION, production pipe shall be cement bendix "B" - Eastern Kansas surface casing order	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist I hereby certify that theyst	olidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the contrict office will be notified before well is either pluging to COMPLETION, production pipe shall be cemented in "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall tatements made herein are true and to the best of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist I hereby certify that theyst	olidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the cutrict office will be notified before well is either plug I COMPLETION, production pipe shall be cemented in "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Engineer
 Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appropriate do 	olidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the contrict office will be notified before well is either pluging to COMPLETION, production pipe shall be cemented in "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall tatements made herein are true and to the best of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist I hereby certify that the st Date: 4/28/06 For KCC Use ONLY	blidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the contrict office will be notified before well is either plus I COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of the Signature of Operator or Agent:	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Jay G. Schweikert Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate description of the completed I hereby certify that the st Date: 4/28/06 For KCC Use ONLY	blidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the contrict office will be notified before well is either plus I COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of the Signature of Operator or Agent:	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Engineer Jay G. Schweikert Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist hereby certify that the st Date: 4/28/06 For KCC Use ONLY API # 15 - 171-6	blidated materials plus a minimum of 20 feet into the an agreement between the operator and the contrict office will be notified before well is either plus I COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent:	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases are a sternate in the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief are a schementer to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate december of the completed hereby certify that the st Date: 428 06 For KCC Use ONLY	blidated materials plus a minimum of 20 feet into the an agreement between the operator and the contrict office will be notified before well is either plug I COMPLETION, production pipe shall be cement within 30 days of the spud date or the well shall be tatements made herein are true and to the best of Signature of Operator or Agent:	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; alled from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Jay G. Schweikert Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate of the completed hereby certify that the st Date: 4/28/06 For KCC Use ONLY API # 15 - 171-6 Conductor pipe required Minimum surface pipe re-	blidated materials plus a minimum of 20 feet into the an agreement between the operator and the contrict office will be notified before well is either plus in COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent: COLOSTOCO None feet Get G	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; alled from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Engineer Jay G. Schweikert Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to expense to the completed of the complete of the complet	blidated materials plus a minimum of 20 feet into the an agreement between the operator and the contrict office will be notified before well is either plus in COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent: COLOSTOCO None feet Get G	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; alled from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Jay G. Schweikert Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to approve that they st Date: 4/28/04 For KCC Use ONLY API # 15 - 171-6 Conductor pipe required Minimum surface pipe re- Approved by: 44-55	blidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the contrict office will be notified before well is either plug I COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent: 20625-0000	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Jay G. Schweikert Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist thereby certify that theyst Date: 42806 For KCC Use ONLY API # 15 - 171-6 Conductor pipe required Minimum surface pipe re Approved by: Part 5	blidated materials plus a minimum of 20 feet into the le, an agreement between the operator and the contrict office will be notified before well is either plug I COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent: 20625-0000	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Jay G. Schweikert Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist hereby certify that theyst Date: ### Date: ### 15 - 17 - 6 Conductor pipe required Minimum surface pipe re Approved by: #### 57 This authorization expires	le, an agreement between the operator and the contrict office will be notified before well is either plug I COMPLETION, production pipe shall be cement within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent: Obstacle	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Jay G. Schweikert Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist thereby certify that theyst Date: 42806 For KCC Use ONLY API # 15 - 171-6 Conductor pipe required Minimum surface pipe re Approved by: Part 5	le, an agreement between the operator and the of the an agreement between the operator and the of the contrict office will be notified before well is either plug I COMPLETION, production pipe shall be cement endix "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall statements made herein are true and to the best of Signature of Operator or Agent: Obstacle	district office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Jay G. Schweikert Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 171-20625-0000	Location of Well: County: Scott
Operator: Lario Oil & Gas Co.	660feet from VN/ S Line of Section
Lease: Feiertag "A"	990 feet from E / V Line of Section
Well Number: 7-15	Sec. 15 Twp. 19 S. R. 33 East ✓ Wes
Field: Millrich Southeast	
Number of Acres attributable to well: 40	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: E2 - NW -	NW
QIN/QIN/QIN 01 acteage.	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
Lease (Show location of the well and	I shade attributable acreage for prorated or spaced wells.)
(Show location of the well and	to the nearest lease or unit boundary line.)
(Show lootage	to the hearest lease of unit boundary line.
. 660° .	
	, , ,
$\longrightarrow \odot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot $	
990' · 7-15 · 1-15 ·	
	; ; ;
2-15	
· · · · O · · · · · • · · · · · · · ·	
	· · · · <u> </u>
15	EXAMPLE
	
	· · ·
3-15	· · · · · · · · · · · · · · · · · · ·
	3390'
5.15 4-15	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company			License Number: 5214		
Operator Address: 301 Sol	uth Market	Vichita, KS 67202			
Contact Person: Jay G. Schweikert			Phone Number: (316) 265 - 5611		
Lease Name & Well No.: Feiertag "A" #7-15			Pit Location (QQQQ):		
Type of Pit:	Pit is:		C _ E2 _ NW _ NW		
Emergency Pit Burn Pit	✔ Proposed Existing		Sec. 15 Twp. 19 R. 33		
Settling Pit	If Existing, date constructed:		Feet from 🗾 North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		990 Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)	7100	(bbls)	Scott		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	DO Length (fe	et) 100	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	4 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining ncluding any special monitoring.		
			KCC WID 1 2006		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water 200 110 feet. mation: KH KKO (E)		
4488_ feet Depth of water well140 feet		measu	<u> </u>		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	at utilized in drilling/workover: Bentonite Mud		
Number of producing wells on lease: Numb			king pits to be utilized:2		
Barrels of fluid produced daily: Aba			procedure: Allow for evaporation.		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Fill in & cover pits. Drill pits must be closed within 365 days of spud date. Driver to the best of my knowledge and belief.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
4/28/06 Date Jay Sefweikert Signature of Applicant or Agent Jay G. Schweikert					
KCC OFFICE USE ONLY					
Date Received: \$\langle 1/oc Permit Number: Permit Date: 5\langle 1/oc Lease Inspection: Yes No					