# For KCC Use: Effective Date: District # SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

5/11/06	ENLALDED S	
Expected Spud Date	Spot 50' W 4 120'S	t
month day year	NW - NE - NW Sec. 18 Twp. 32 S. R. 20 Wes	st
OPERATOR: License# 30606	450 feet from N/ S Line of Section	
Name: Murfin Drilling Company, Inc.	1600 feet from E / _/ W Line of Section	
Addrson, 250 N. Water, Suite 300	Is SECTIONRegular Irregular?	
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: David Doyel	County: Wildeat Comanchy	
Phone: 316-267-3241	Lease Name: GAL Well #: 1-18	
	Field Name: Wildcat	
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field? Yes ✓ N	10
Name: Murfin Drilling Company, Inc.	Target Formation(s): Viola	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 450'	
	Ground Surface Elevation: 1901 feet MS	L
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ N	10/
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	lo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	_
Seismic;# of Holes Other	Depth to bottom of usable water: 180'	-
Other	Surface Pipe by Alternate: 🗸 1 🗌 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600'	_
Operator:	Length of Conductor Pipe required: none	_
Well Name:	Projected Total Depth: 6300'	_
Original Completion Date:Original Total Depth:	Formation at Total Depth: Viola	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
	Well Farm Pond Other X	_
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply lor Permit with DWR )	
KCC DKT #:	Will Cores be taken? Yes ✓ N	10
	If Yes, proposed zone:	_
AFFI	DAVIT KANSAS CORPORATION COMMISSION	
The undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 et. seq.	
	APR 2 8 2006	
It is agreed that the following minimum requirements will be met:	51 11 E 0 2000	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;		
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>	h drilling rig; CONSERVATION DIVISION	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i></li> </ol>	h drilling rig;  CONSERVATION DIVISION  t by circulating cement to the top; in all cas Wilshit Apk 3 pe shall be set	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	h drilling rig; t by circulating cement to the top; in all case the constant of the set of the constant of the	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the discounting the surface of the surface of</li></ol>	h drilling rig;  to by circulating cement to the top; in all cast to the set e underlying formation.  strict office on plug length and placement is necessary prior to plugging;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the di</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	th drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cast the production of the set of th	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Karisas surface casing order</li> </ol>	th drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cast to be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to</li> </ol>	th drilling rig;  CONSER:/ATION DIVISION  It by circulating cement to the top; in all case to enderlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of</li> </ol>	th drilling rig;  CONSER:/ATION DIVISION  to by circulating cement to the top; in all case with the plugging of shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of</li> </ol>	th drilling rig;  CONSER:/ATION DIVISION  to by circulating cement to the top; in all case with the plugging of shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of</li> </ol>	th drilling rig;  CONSER:/ATION DIVISION  It by circulating cement to the top; in all case to enderlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of</li> </ol>	th drilling rig;  CONSER:/ATION DIVISION  to by circulating cement to the top; in all case with the plugging of shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the displayments. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Karisas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date:    Al28/06	conservation division  the drilling rig;  the by circulating cement to the top; in all castifications of the set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on eac.</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the displayment.</li> <li>The appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/28/06</li> <li>Signature of Operator or Agent: House ONLY API # 15 - 033 - 21470-0000</li> </ol>	th drilling rig;  CONSERVATION DIVISION  It by circulating cement to the top; in all castillating persons and the set  e underlying formation.  It is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  It is a sea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If it is a sea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	ng
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the displayments. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date:    Alternative	th drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all castillating persons and the set  e underlying formation.  In all castillating persons and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If the completion form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all through a second thr	th drilling rig;  CONSERVATION DIVISION  It by circulating cement to the top; in all cast the properties of the set of the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	ng
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of the surface well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:    Alternative of Operator or Agent:   Alternative of Op	th drilling rig;  CONSER:/ATION DIVISION  It by circulating cement to the top; in all case with the property of the production of the set of the underlying formation.  It is not office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It is a sea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  It is a sea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	ng /&
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of the surface well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:    Approved the surface of Operator or Agent:   Approved by:   Approved by:	th drilling rig;  CONSER:/ATION DIVISION  It by circulating cement to the top; in all case with the property of the production of the set of the underlying formation.  It is not office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It is a sea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  It is a sea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	ng /& &
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of the surface of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:    Approved by: 4/28/06	th drilling rig;  CONSER:/ATION DIVISION  It by circulating cement to the top; in all case with the property of the production of the top; in all case with the production of the top; in all case with the prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It is a specific to the the thing of the prior to any cementing of the plugged. In all cases, NOTIFY district office prior to any cementing.  It is a specific to the thing of the prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	ng /&
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of the surface well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:    Approved the surface of Operator or Agent:   Approved by:   Approved by:	th drilling rig;  to by circulating cement to the top; in all castilitating the set of the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ng /8 3A
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of the surface of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:    Approved by: 4/28/06	th drilling rig;  to by circulating cement to the top; in all castilitating the set of the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ng /& &

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County: Wildcat
Operator: Murfin Drilling Company, Inc.	450 feet from VN/ S Line of Section
Lease: GAL	feet from Feet from F / N / S Line of Section  1600 feet from E / V W Line of Section
Well Number: 1-18 Field: Wildcat	Sec. 18 Twp. 32 S. R. 20 East V Wes
Number of Acres attributable to well:  OTR / OTR / OTR of acreage: NW - NE - NW	Is Section: ☐ Regular or ✓ Irregular
QTR / QTR / QTR of acreage: NW - NE - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

<u>←</u> 16	,00'-	450		·	
:			 	·	
		•	8	·	•
:					
				·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Murfin Drilling Company, Inc.		License Number: 30606		
Operator Address: 250 N. Water, Suite 300, Wichita,		KS 67202		
Contact Person: David Doyel		Phone Number: ( 316 ) 267 - 3241		
Lease Name & Well No.: GAL #1-18			Pit Location (QQQQ):	
Type of Pit:	Pit is:		app NW NE NW	
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 18 Twp. 32 R. 20 ☐ East	
Settling Pit	If Existing, date constructed:		450 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1600 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	600	(bbls)	Comanche	
Is the pit located in a Sensitive Ground Water	Area? Ves	No	Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	N0	Bentonite & solids from drlg. oper. self seal pits	
Pit dimensions (all but working pits):	DO Length (fe	eet) 100	Width (feet) N/A N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 4	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determining ncluding any special manifering. RECEIVED WAS CORPORATION COMMISSION  APR 2 8 2006	
			CONSERVATION DIVISION	
		owest fresh water 10 feet.		
	Source of info		rmation:  uredwell owner electric log KDWR	
		Drilling, Work	over and Haul-Off Pits ONLY:	
		Type of materi	erial utilized in drilling/workover: Bentonite	
		orking pits to be utilized: 4		
Barrels of fluid produced daily:	allow nits to avaporate until day the		procedure: allow pits to evaporate until dry then	
Does the slope from the tank battery allow all	spilled fluids to	backfill whe	en conditions allow.	
flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
		M	hadan	
4/28/06		phau	na Droglman	
Date			Signature of Applicant or Agent	
	КСС	OFFICE USE O	NLY nove location 150' south. Steel PITS.	
Date Received: 4 28 C5 Permit Num	ber:	Perm	nit Date: 5 2 06 Lease Inspection: 🗶 Yes 🗌 No	

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

May 2, 2006

Mr. David Doyel Murfin Drilling Company, Inc. 250 N. Water Ste 300 Wichita, KS 67202

Re: Drilling Pit Application

GAL Lease Well No. 1-18 NW/4 Sec. 18-32S-20W Comanche County, Kansas

Dear Mr. Doyel:

District staff has inspected the location and has determined that the location needs to be moved 150' to the south of the stake. District also has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (620) 225-8888. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: <a href="https://www.kcc.state.ks.us/conservation/forms">www.kcc.state.ks.us/conservation/forms</a>.

Sincerely.

Kathy Havnes

**Environmental Protection and Remediation Department** 

Cc: S Durrant