# For KCC Use: Effective Date: District # SGA? Yes X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date 5/4/06 month day year  DPERATOR: License# 30606 Itame: Murfin Drilling Company, Inc.  Address: 250 N. Water, Suite 300	5-1 40'W + 75'5 of
OPERATOR: License# 30606	Spot
lame: Murfin Drilling Company, Inc.	SE NW SE Sec. 9 Twp. 15 S. R. 29 West
lame: Murfin Drilling Company, Inc.	1575 feet from N / V S Line of Section
250 N. Water Suite 300	reet from V E / W Line of Section
iddress: 255 W. Water, Salte 555	Is SECTIONRegular _ ✓ Irregular?
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: David Doyel	County: Gove
Phone: 316-267-3241	Lease Name: Hanna Well #: 1-9
30606	Field Name: Wildcat
CONTRACTOR: License# 30606  lame: Murfin Drilling Company, Inc.	Is this a Prorated / Spaced Field? Yes ✓ No
iame: Marini Brining Company, inc.	Target Formation(s): LKC, Marmaton, Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 950'
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2525 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 220'
Other	Depth to bottom of usable water: 1020'
	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4350 / May 1 2000
Original Completion Date:Original Total Depth:	Tomation at Total Depth.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other X / KCC WICHITA
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well:	lugging of this well will comply with K.S.A. 55 et. seq.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon</li></ol>	et by circulating cement to the top; in all cases surface pipe shalt be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
hands and the third the state of the state o	
hereby certify that the statements made herein are true and to the best of	ma Bunglman Title: Agent
	Daniel and Anna
	Remember to:
	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY  API # 15 - 063 - 21626-0000  Conductor pipe required None feet  Minimum surface pipe required 240 feet per Alt. X(2)	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY API # 15 - D63 - 21626-CCCC  Conductor pipe required None feet Minimum surface pipe required 340 feet per Alt. X (2)  Approved by: Put 5-2-06	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
For KCC Use ONLY  API # 15 - 063 - 21626-0000  Conductor pipe required None feet  Minimum surface pipe required 240 feet per Alt. X(2)	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
For KCC Use ONLY  API # 15 - 063 - 21626-0000  Conductor pipe required None feet per Alt. X(2)  Approved by: Put 5-3-06  This authorization expires: 11-2-06	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shalt be set the underlying formation.  district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent
	Samuel and Ana
	1 Hemember to:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 063 - 21626-0000	Location of Well: County: Gove
Operator: Murfin Drilling Company, Inc.	
Lease: Hanna	1575 feet from N / S Line of Section 1690 feet from F E / W Line of Section
Well Number: 1-9	Sec. 9 Twp. 15 S. R. 29 East ✓ Wes
Field: Wildcat	
Number of Acres attributable to well:	Is Section: Regular or 🗸 Irregular
QTR / QTR / QTR of acreage: SE NW SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	-
	-
	•
<i>q</i>	
· · · · · · · · · · · · · · · · · · ·	
	•
<b>9</b> ─1690 <del>*</del>	_
	<b>&gt;</b>
	<del>&gt;</del>
	<del>&gt;</del>
	<del>?</del>
	<del>&gt;</del>
	<del>&gt;</del>
	<del>?</del>
	<del>?</del>
1575	<del>&gt;</del>
	<del>?</del>
	<del>?</del>
	<del>&gt;</del>
	<del>&gt;</del>
	<del>&gt;</del>
	<del>&gt;</del>
	<del>?</del>



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

		- Dupnout		
Operator Name: Murfin Drilling C	ompany, Inc.		License Number: 30606	
Operator Address: 250 N. Water, Suite 300, Wichita, KS 67202				
Contact Person: David Doyel		Phone Number: ( 316 ) 267 - 3241		
Lease Name & Well No.: Hanna #1-	.9		Pit Location (QQQQ):	
Type of Pit:	Pit is:		Appr. SE NW SE	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 9 Twp. 15 R. 29 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:			
Workover Pit Haul-Off Pit	Pit capacity:		1690 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	600	(bbls)	Gove	
Is the pit located in a Sensitive Ground Water Area? Yes V.No		Chloride concentration: mg/i		
		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Ves No	Artificial Liner?  ☐ Yes		How is the pit lined if a plastic liner is not used?  Bentonite & solids from drlg. oper. self seal pits.	
		400	N1/A	
Pit dimensions (all but working pits):Length (feet)Width (feet)N/AN/A: Steel Pits				
	Depth from ground level to deepest point: 4			
If the pit is lined give a brief description of the liner Describe procedure.  Describe procedure.  Describe procedure.		ncluding any special monitoring.		
			MAY (14 A)	
			1 2006	
			MAY 1 2006 KCC WICHITA	
			west fresh waterteet.	
Source of infe			mation:  uredwell owner electric log✓KDWR	
			over and Haul-Off Pits ONLY:	
		Type of materi	al utilized in drilling/workover: Bentonite	
		king pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment procedure: allow pits to evaporate until dry then		
Does the slope from the tank battery allow all spilled fluids to backfill wh		backfill whe	n conditions allow.	
		Drill pits must	Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
		. /	4 /	
5/1/06		Shaw	ignature of Applicant or Agent	
Date			nightature of Applicant of Agent	
KCC OFFICE USE ONLY				
Date Received: 5/1/06 Permit Num	nher:	Derm	it Date: 5/1/06 Lease Inspection: Yes 4 No	
Date Necesses 17 Fermit Num		rem	Totale. 1 - 1 - 2 Cease Hispection. 163 140	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202