For KCC Use:	
Elfective Date: 5	10-06
District #	
SGA? Vac V	No

Kansas Corporation Commission Oil & Gas Conservation Division

APR 2 8 2006

Form C-1 December 2002 m must be Typed

NOTICE OF INTENT TO DRILL KCC

KCC WICHTA Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

SE_SE_NO_Sec: 32 Top 15 s. R. 21 West	Expected Spud Date	
DEPARTOR: Licensee 32218 2270 1270		Spot X East
Section Sect	ı/ ´ ´	SE - SE NW Sec 32 Twp. 15 S. R. 21 West
SECTION X Regular Well Cases No expenses sides		feel from N / XX S Line of Section
Country Frank1 in Country Country Frank1 in Country Country Frank1 in Fr		
County Franklin County Franklin Frankl		is SECTION X Hegular Irregular?
See Name: COORS See		
Same	/	County.
South Act Order Season S	Phone: (913) 837-2708 or 710-5400	
Serial Events Second Serial Second Seria	CONTRACTOR: Licenser 8509	
Well Drilled For	Fyone Francy Davidonment Inc	Is this a Prorated / Spaced Field?
Gold Self Rec Infield Mod Rotary Good Surface Elevation Good Self Starge Good Surface Elevation Good Self Starge Good Surface Elevation Good Self Starge Self Starge Good Self Starge		
Water well within one-quarter rine:	Well Drilled For: Well Class: Type Equipment:	
Gas Grorage Pool Ext Waldcat Cable	Oil X Enh Rec X Infield Mud Rotary	
Depth to bottom of tresh water 100 Depth to bottom of tresh water 200 Depth to bottom of usable water 200 Surface Pipe by Alternate: 1	Gas Storage Pool Ext. XX Air Rotary	
Selsimic: it ol Holes Other	OWWO Disposal Wildcat Cable	100
Work Continue Competence	Seismic;# of Holes Other	200
Length of Surface Pipe Planned to be set:	Other	
Deparator:	If OMMO and well information and it	
Projected Total Depth:		zonger or contact ripe riamics to be set.
Original Completion Date:	· ·	Projected Total Depth: 750'
Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other X DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix *B* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC district 3 area, alternate if cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pale #15 - OS9 - OS 126-000 For KCC Use ONLY API # 15 - OS - OS 126-000 In this authorization expires: IF 5-010 This authorization expires: IF 5-010 This authorization rould it drilling riot started within 6 months of effective date.) Spud date: Agent Submit plugging report (CP-4) after plugging is completed. Obtain writen approval before disposing or injecting salt water. If this permit has expired 6 deservablenced expiration da		
If Yes, true vertical depth:	Original Completion Date:Original Total Depth:	
DWR Permit #: DWR Permit #:	Directional, Deviated or Horizontal wellbore?	
Note: Apply for Permil with DWR Note: Apply for Permil with Note: Apply for Permil Explanation Note: Apply for Permil Permit Permit Explanation Note: Apply for Permit P	If Yes, true vertical depth:	
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production reging is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: #17-06 Signature of Operator or Agent: Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized e	Bottom Hole Location:	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix *B* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all eases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: #II - O6 Signature of Operator or Agent: Solution Solutio	KCC DKT #:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order 'B' 33.891-C, which applies to the KCC District 3 area, alternate It cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: ##17-06 Signature of Operator or Agent: Palesta Tourn CDP-1) with Intent to Drill; File Completion Form ACD-1 within 120 days of spud date; File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed: Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: Signature of Operator or Agent: Date: Signa	•	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: ### 15 - OS9 - 25 12 6 - ODD For KCC Use ONLY API # 15 - OS9 - 25 12 6 - ODD I feet per All. ** Approved by: *Put 5 - 506* This suthorization expires: ** If suthorization expires: ** If suthorization expires: ** If suthorization expires: ** If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: ** Date: ** Date: ** Date: ** Title: ** Spud date: ** Agent: ** This suthorization expires: ** Agent: ** But a conding to fis	AFEI	DAVIT
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: ##IT-06 Signature of Operator or Agent: Policy II with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit pluggling report (CP-4) after pluggling is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: Date:		
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: #17-06		ogging of the ten time comply with the st. 55 ct. 55q.
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: #17-06	Notify the appropriate district office prior to spudding of well:	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: #17-06 Signature of Operator or Agent: Title: Agent For KCC Use ONLY API # 15 - OS9 - QS 126-COOD Approved by: PUB 5-5-06 feet per All. KQ Approved by: PUB 5-5-06 This authorization expires: If 5-0b (This authorization void if drilling riot started within 6 months of effective date.) Spud date: Agent Signature of Operator or Agent: Date: Date: Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	, , , , , , , , , , , , , , , , , , , ,	ch drilling rig;
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: ##17-06 Signature of Operator or Agent: Policy III Agent For KCC Use ONLY API # 15 - OS9 - 25126 - 0000 Approved by: Put 5-506 feet per Alt. Conductor pipe required Approved by: Put 5-506 This authorization void if drilling fiot started within 6 months of effective date.) Spud date: Agent Agent Agent Date: Agent Well Not Drilled - Permit Expired Signature of Operator or Agent Well Not Drilled - Permit Expired Signature of Operator or Agent Date: Date: Date: Well Not Drilled - Permit Expired Signature of Operator or Agent Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Agent Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Dat		· · · · · · · · · · · · · · · · · · ·
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: ##17-06 Signature of Operator or Agent: Polecular Title: Agent For KCC Use ONLY API # 15 - OS9 - 25126-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. **(2) Approved by: Put 5-5-06 This authorization expires: **/IF5-06** (This authorization void if drilling riot started within 6 months of effective date.) Spud date: Agent: Operator or Agent: Date: Date: **Date: Date: D	·	, •
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:		7
I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 4-17-06 Signature of Operator or Agent: Solution Title: Agent For KCC Use ONLY API # 15 - 059-25126-0000 Conductor pipe required None feet per All. 120 Approved by: Put 5-5-06 This authorization expires: 1+5-06 Signature of Operator or Agent: Solution for the date: Spud date: Agent of Operator or Agent: Signature of Operator or Ag		
Pale: 4-17-06 Signature of Operator or Agent: Signature of Operator or Agent: Signature	•	
For KCC Use ONLY API # 15 - O59 - 25126-CXXX Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Pur 5-5-06 This authorization void if drilling riot started within 6 months of effective date.) Spud date: Agent: Signature of Operator or Agent: Date:	•	, , ,
For KCC Use ONLY API # 15 - O59 - 25126-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 120 Approved by: Put 5-506 This authorization expires: It 5-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Date: Bemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	I hereby certify that the statements made herein are true and to the best of	of my knowledge and belief.
For KCC Use ONLY API # 15 - O59 - 25126-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 120 Approved by: Put 5-506 This authorization expires: It 5-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Date: Bemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	H-17-06 Simon 10 10	to Town
File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 059 - 25 12 6 - 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per All. 12 Approved by: Pur 5-5-06 This authorization void if drilling riot started within 6 months of effective date.) Spud date: Agent: Spud date: Da	Signature of Operator or Agent:	Inte: Agent
API # 15 - OS9 - 25 12 6 - COOD Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Put 5-5-06 This authorization expires: // 5-Ob (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Date: Da		Remember to:
Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 2 Approved by: PIH 5-506 This authorization expires: // 5-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Date: Dat	For KCC Use ONLY	l ·
Conductor pipe required None feet Minimum surface pipe required 20 feet per All. 2 Approved by: Put 5-5-06 This authorization expires: // 5-06 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Date: D	API # 15 - 059-25/20-000	1
Minimum surface pipe required 20 feet per Alt. (2) Approved by: Pur 5-5-06 This authorization expires: // 5-06 (This authorization void if drilling riot started within 6 months of effective date.) Spud date: Agent:	Conductor pipe required None feet	, and the second of the second
Approved by: Put 5-5-06 This authorization expires: // 5-06 This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Agent: Date:	20	
This authorization expires: /- 5-016 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Agent: Date:		
(This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Signature of Operator or Agent: Date:	11 - 36	- If this permit has expired (See: authorized expiration date) please
Spud date: Agent: Signature of Operator or Agent: Date: Date:		
Spud date: Agent: Signature of Operator or Agent: Date:	(This authorization void it driving that stated within 6 months of effective date.)	
	Spud date: Agent:	Signature of Operator or Agent:
		H

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

							Loc	ation of We	ell: County	y:		
operator:										feet from	N / S Line o	Section
.ease:	·									feet from	E / W Line o	Section
Vel! Number:					Sec	Sec Twp S. R East Wes						
ield:												
Number of A		lable to well:					ls S	Section:	Regula	ar or 🔲 Irre	gular .	
		_									•	
QTR/QTR/	OTH OF ACE	eage:			-					_	om nearest corner bo	undary.
		(Show l	ocation o	of the we	ll and sh		PLAT	acreage for	r prorated	or spaced well	ls.)	
								or unit bo				
							<u>. </u>	. 				
		· .	-		•	•	<u>-</u>			1		
		- - -	- - -		· ·					1		
		· · · · · · · ·			· ·					ì		,
			- - - - - -							ı		,
										1		
										ì		,
										t .		
										1		
									29	70'		
				· · · · ·					29	70'		7
				32					29	70' EXAMPLE	· · · · · · · · · · · · · · · · · · ·	
				32					29			
				32					29		-1980	

NOTE: In all cases locate the spot of the proposed drilling locaton.

2970'

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

3390

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

RECEIVED APR 2 0 2006 orm must be Typed KCC WICHITA

Submit in Duplicate

Operator Name: T.D.R. Constru	ction, Inc.	License Number: 32218					
Operator Address: 1207 N. 1st Street East Louisburg, Kansas 66053							
Contact Person: Lance Town		Phone Number: (913) 837–2708					
Lease Name & Well No.: Coons W-20			Pit Location (QQQQ):				
Type of Pit: Pit is:			* C - SE - SE - NW				
Emergency Pit Burn Pit	XX Proposed	Existing	Sec. 32 Twp. 15 R. 21 X East West				
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	Feet from North / X South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:						
(IT M Copply ALTHO: Officer Difficult	100	(bbls)	FranklinCounty				
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
X Yes No	Yes X	10	Pits not lined unless not holding fluid				
Pit dimensions (all but working pits):	8 flength (fe	et) 12	Width (feet) N/A: Steel Pits				
	rom ground level to de		5				
If the pit is lined give a brief description of the material, thickness and installation procedure	I		edures for periodic maintenance and determining ncluding any special monitoring.				
S S			owest fresh water 13feet. rmation:				
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: fresh water					
			of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure: Pits filled as soon as well					
sees the slope north the tark battery allow an opined hards to			mpleted.				
flow into the pit? Yes No Drill pits mu			st be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
<u>4-17-06</u> Date		Robert	Signature of Applicant of Agent				
KCC OFFICE USE ONLY							
Date Received: 4 20 06 Permit Nu	mber:	nit Date: 4/20/6 Lease Inspection: Yes No					