For KCC Use: 5-10-06 Effective Date: 5-7 District # 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date May 11, 2006 month day year	Spot SW NW SW_ Sec. 7 Twp. 30 S. R. 15E West
	Sec. Twp. S R. Sec. West 1950 FSL feet from N / S Line of Section
OPERATOR: License# 33074	4650 FEL
Name: Dart Cherokee Basin Operating Co. LLC	Is SECTION Regular Irregular?
Address: 211 W. Myrtle	is SECTIONnegularIrregular?
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson
Phone: 620-331-7870	Lease Name: Graff TrustsWell #: C1-7 Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# Unknown	
Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field? Yes
	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 630 feet
Oil _ Enh Rec Infield Mud Rotary	Ground Surface Elevation: 946
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic;# of Holes Other	Depth to bottom of fresh water: Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 / 2
	Length of Surface Pipe Planned to be set: 40'
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1469 feet
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	Ugging of this well will comply with K.S.A. KANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	
	t by circulating cement to the top; in all cases sconserios shall be set
 If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	strict office on plug length and placement is necessary prior or plugging;
 If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugi If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of 	strict office on plug length and placement is necessary prior bigging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	strict office on plug length and placement is necessary phore plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugi If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of 	strict office on plug length and placement is necessary prior bigging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: The May 1, 2006 Signature of Operator or Agent:	strict office on plug length and placement is necessary phore plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: The May 1, 2006 Signature of Operator or Agent:	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26 599-0000	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26 599-0000 Conductor pipe required None feet	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26 599-0000 Conductor pipe required None feet Minimum surface pipe required 1 feet Minimum surface pipe required 1 feet per Alt. Yell Ye	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26 599-0000 Conductor pipe required None feet Minimum surface pipe required Approved by: Left 5-5-00	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26 599-0000 Conductor pipe required None feet Minimum surface pipe required 1 feet Minimum surface pipe required 1 feet per Alt. Yell Ye	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 26 599 - Oxoo Conductor pipe required None feet Minimum surface pipe required feet Approved by: Left 5-5-06 This authorization expires: //-5-06	strict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: May 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 26 599 - Oxoo Conductor pipe required None feet Minimum surface pipe required feet Approved by: Left 5-5-06 This authorization expires: //-5-06	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26599-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	1950 FSL feet from N / S Line of Section
Lease: Graff Trusts	4650 FEL feet from ✓ E / W Line of Section
Well Number: <u>C1-7</u>	Sec. 7 Twp. 30 S. R. 15E ✓ East West
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SW - NW - SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


T30S

FACEIVED KANSAS CORPORATION COMMISSION

MAY 0 4 2006

CONSERVATION DIVISION WICHTA, KS

R15E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin	Operating Co. Ll	LC	License Number: 33074
Operator Address: 211 W. Myrtle		Inde	ependence KS 67301
Contact Person: Tony Williams			Phone Number: (620) 331 - 7870
Lease Name & Well No.: Graff Trusts	C.	1-7	Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>SW_NW_SW</u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 7 _{Twp.} 30 _{R.} 15E
Settling Pit	If Existing, date co	onstructed:	1950 FSL Feet from North / V South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		4650 FEL Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	926	(bbls)	Wilson County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes 🗸	No	Natural Clays
Pit dimensions (all but working pits):	S5 Length (fe	eet)30	Width (feet) N/A: Steel Pits
	om ground level to de		(feet)
If the pit is lined give a brief description of the	tiner	Describe proce	edures for periodic maintenance and determining EIVED
material, thickness and installation procedure).	liner integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMMIS
			MAY 0 4 2006
			CONSERVATION DIVISION
Distance to nearest water well within one-mile	e of pit	Depth to shallo	
Na	•	Source of infor	west fresh waterfeet.
N/A feet Depth of water well_	feet	Source of infor	west fresh waterfeet. mation: uredwell ownerelectric logKDWR
NA feet Depth of water well	feet	Source of informeasu	west fresh waterfeet. mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY:
N/A feet Depth of water well_	feet	Source of inform measurements Drilling, Work Type of materia	west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: _Air
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of informers. Drilling, Work Type of materia Number of wor	west fresh waterfeet. mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY:
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of informed measurement	CONSERVATION DIVISION WIGHTA, KS west fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air king pits to be utilized: One
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet spilled fluids to	Source of informers. Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WIGHTA, KS west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air king pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet spilled fluids to	Source of informers. Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WIGHTA, KS west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air king pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet spilled fluids to	Source of informed measurement Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WIGHTA, KS west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air king pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state May 1, 2006	spilled fluids to	Source of informed measurement Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION WIGHTA, KS west fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: ONE procedure: Air dry, fill be closed within 365 days of spud date. It of my knowledge and belief. Julian ignature of Applicant or Agent