# Effective Date: 5-10-06 District #\_\_\_\_3

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

**RECEIVED** 

MAY 0 4 2006 December 2002 Form must be Typed Form must be Signed Anks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date	Spot YE East
	W2 - SE - NW Sec. 8 Twp. 16 S. R. 21 West
OPERATOR: License# 6142	3300 feet from N / XXS Line of Section
Name: Town Oil Company, Inc.	
Address: 16205 W. 287th St.	Is SECTION _XX_Regular Irregular?
City/State/Zip: Paola, Kansas 66071	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lester Town	County: Franklin
Phone: 913-294-2125	Lease Name: S. Fiehler Well #: CW-6
CONTRACTOR: License# Company Tools	Field Name: Paola-Rantoul
CONTRACTOR: License# Company 10015	Is this a Prorated / Spaced Field?
Name:	Target Information(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:1650
Oil X Enh Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 XX 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth:
Original Completion Date:Original Total Depth:	Formation at Total Depth: <u>Bartlesville</u>
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
	(Note: Apply for Perfill With OVA )
KCC DKT #:	
•	
KCC DKT #:	Will Cores be taken?  Yes XXNo  If Yes, proposed zone:
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken?  If Yes, proposed zone:  IDAVIT
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken?  If Yes, proposed zone:  IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the surface pipe as specified below the set into the definition of the surface pipe as specified below the set into the set into the surface pipe as specified below the set into the surface pipe as specified below the set into the surface pipe as specified below the set into the surface pipe as specified below the set into the surface pipe as specified below the set into the surface pipe as specified below the set into the surface pipe as specified below the surface pipe as surface pipe as specified below the surface pipe as specified below t	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this initial cases is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the seco	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this proposed zone:  Idage of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the sec	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this initial cases is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In the underlying formation is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the well shall be completed within 30 days of the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl  4. If the well is dry hole, an agreement between the operator and the of  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl  4. If the well is dry hole, an agreement between the operator and the of  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the well shall be completed within 30 days of the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interest of the appropriate district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interest of the set of the set of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the set of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the plate.  Signature of Operator or Agent:  For KCC Use DNIX	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the se	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this trict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug certify that the statements made herein are true and to the best of Date:  5. The appropriate district office will be notified before well is either plug for the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9-25129-0000	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  In this trict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  In this trict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an infimitum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into II 4. If the well is dry hole, an agreement between the operator and the decrease of the surface district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  5. In an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  5. In an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  5. In an ALTERNATE II COMPLETION, production pipe shall be cement or production pipe required production pipe required production pipe required production pipe required production feet per Alt. (2)	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  In this trict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the suppropriate district office will be notified before well is either plus of the suppropriate of the spund date or the well shall of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spund date or the well shall hereby certify that the statements made herein are true and to the best of Date:  5 - 1 - 06 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 129 - OXX  Conductor pipe required None feet per Alt. (2)  Approved by: Put 5 - 5 - 06	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Inugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the underlying formation in the top; in all cases surface pipe shall be set the underlying formation.  Institute office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  Itel from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  If Itel:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the copy of the appropriate district office prior and the copy of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  5 - 1 - 06 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 129 - OXX  Conductor pipe required None feet per Alt. (2)  Approved by: 4 - 5 - 06  This authorization expires: 11 - 5 - 06	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spund of the set of the spund date or the well shall be completed within 30 days of the spund date or the well shall hereby certify that the statements made herein are true and to the best of the spund of the spu	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the copy of the appropriate district office prior and the copy of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  5 - 1 - 06 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 129 - OXX  Conductor pipe required None feet per Alt. (2)  Approved by: 4 - 5 - 06  This authorization expires: 11 - 5 - 06	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

	·	
API No. 15	Location of Well: County:	
Operator:	feet from N / S Line of Section feet from E / W Line of Section	
Lease:	feet from E / W Line of Section	
Well Number:	Sec Twp S. R East [ ] West	
Field:		
Number of Acres attributable to well:	Is Section: Regular or Irregular	
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.	
	Section comer used: NE NW SE SW	

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

# 3 3 00 In plotting the proposed location of the well, *you must show*:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### RECEIVED

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## MAY 0 4 2006

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PITKCC WICHITA

Submit in Duplicate

Operator Name: Town Oil Company, Inc.			License Number: 6142	
Operator Address: 16205 W. 287th St. Paola, Kansas				
Contact Person: Lester Town		Phone Number: (913 ) 294 - 2125		
Lease Name & Well No.: S. Fiehler CW-6		Pit Location (QQQQ):		
Type of Pit:	Pit is:		CW2SENW_	
Emergency Pit Workover Pit	X Proposed Existing		Sec. 8 Twp. 16 R. 21 X East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		3300 Feet from North / X South Line of Section	
Burn Pit Haul-Off Pit	Pit capacity:		3630 Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)	100	(bbis)	FranklinCounty	
Is the pit located in a Sensitive Ground Water	Area? Yes X		Chloride concentration:mg/l	
	To the procedure in a definitive dround water Alea?		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
XX Yes No	Yes X	No 	Pits not lined unless not holding flui	
Pit dimensions (all but working pits): 8 Length (feet) 12 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:(feet)				
Distance to nearest water well within one-mile of pit  Depth to shall Source of info		owest fresh waterfeet.		
.11.4			measured well owner electric log KDWR	
		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of		Type of materi	ype of material utilized in drilling/workover: <u>fresh water</u>	
Number of producing wells on lease: Number		Number of wo	rking pits to be utilized:	
Barrels of fluid produced daily: Abandonment procedure: Pits filled as soon a		procedure: Pits filled as soon a well		
boes the slope from the tank battery allow all spilled fiducials to			must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
5-1-06  Solveta Journ  Date  Signature of Applicant of Agent				
KCC OFFICE USE ONLY				
Date Received: 5406 Lease Inspection: Yes X No				