#### For KCC Use: Effective Date: 5-10-06 District #\_\_\_3 SGA? Yes X No

# KANSAS CORPORATION COMMISSION

## OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

**RECEIVED** 

December 2002 Form must be Typed MAY 0 4 2006 Form must be lyped Form must be Signed

Must be approved by KCC five	(5) days prior to commencing well KCC WICHITA
Expected Spud Date	Spot East
month day year	C - SE - NW Sec. 8 Twp. 16 S. R. 21 West
OPERATOR: License# 6142	3300 feet from N / XXS Line of Section
Name: Town Oil Company, Inc.	3300feet from XX E / W Line of Section
Address: 16205 W. 287th St.	Is SECTION XX_RegularIrregular?
City/State/Zip: Paola, Kansas 66071	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lester Town	County: Franklin
Phone: 913-294-2125	Lease Name: S. Fiehler Well#: CW-7
	Field Name: Paola-Rantoul
CONTRACTOR: License# Company Tools /	Is this a Prorated / Spaced Field?
Name:	Target Information(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:1650
	Ground Surface Elevation:feet MSL
Oil X Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one milé:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 XX 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe required:None
Well Name:	Projected Total Depth:
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
51. 11. 12. 11. 12. 11. 12. 11. 12. 11. 12. 12	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	olugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	and defilient electric
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each of the minimum amount of surface pine as specified below <b>shall be</b>	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into	tet by circulating comen to the top, in an cases surface pipe shan be set
4. If the well is dry hole, an agreement between the operator and the	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either plu	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; ugged or production casing is cemented in;
<ol><li>The appropriate district office will be notified before well is either plu</li><li>If an ALTERNATE II COMPLETION, production pipe shall be cemer</li></ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date.
<ol> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing orde</li> </ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; need from below any usable water to surface within <i>120 days</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The appropriate district office will be notified before well is either plus.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; inted from below any usable water to surface within <i>120 days</i> of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate <i>II</i> cementing if be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  of my knowledge and belief.
<ol> <li>The appropriate district office will be notified before well is either plus.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Il be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; inted from below any usable water to surface within <i>120 days</i> of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate If cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.
<ol> <li>The appropriate district office will be notified before well is either plue.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.</li> <li>Date: 5-1-06 Signature of Operator or Agent:</li></ol>	the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.
<ol> <li>The appropriate district office will be notified before well is either plue.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.</li> <li>Date: 5-1-06 Signature of Operator or Agent:</li></ol>	the underlying formation.  district office on plug length and placement is necessary prior to plugging; tagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:  5-1-06 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 059-25130-0000	the underlying formation.  district office on plug length and placement is necessary prior to plugging; tagged or production casing is cemented in; noted from below any usable water to surface within 120 days of spud date.  For #133,891-C, which applies to the KCC District 3 area, alternate II cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:  5-/-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 059-25130-0000  Conductor pipe required  None  feet	the underlying formation.  district office on plug length and placement is necessary prior to plugging; tagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate II cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  In the surface prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: 5-1-06 Signature of Operator or Agent: For KCC Use ONLY  API # 15 - 059-25130-0000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2)	the underlying formation.  district office on plug length and placement is necessary prior to plugging; tagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate II cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  If the surface prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: 5-1-06 Signature of Operator or Agent: 90  For KCC Use ONLY API # 15 - 059-25130-0000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. 120  Approved by: Put 5-5-00	the underlying formation. district office on plug length and placement is necessary prior to plugging; tagged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate II cementing If be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: 5-1-06 Signature of Operator or Agent: 90  For KCC Use ONLY API # 15 - 059-25130-0000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. X 2  Approved by: Put 5-5-06  This authorization expires: 15-06	the underlying formation.  district office on plug length and placement is necessary prior to plugging; tagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate II cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  If the File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: 5-1-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059-25130-0000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. 120  Approved by: Put 5-5-00	the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best  Date: 5-1-06 Signature of Operator or Agent: 90  For KCC Use ONLY API # 15 - 059-25130-0000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. X 2  Approved by: Put 5-5-06  This authorization expires: 1/-5-06	the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing if be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed;   Obtain written approval before disposing or injecting salt water.   If this permit has expired (See: authonized expiration date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ADING 45	Location of Walls County		
API No. 15	Location of Well: County:		
Operator:	feet from N / S Line of Section feet from E / W Line of Section		
Lease:			
Well Number:	Sec Twp S. R East Wes		
Field:			
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 35් රට In plotting the proposed location of the well, *you must show*:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## **RECEIVED**

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 0 4 2006

Form CDP-1

# KCC WICHITA Form must be Typed APPLICATION FOR SURFACE PIT

Submit in Duplicate

		Trin Dupindate	
Operator Name: Town Oil Comp.	any, Inc.		License Number: 6142
Operator Address: 16205 W. 287t		Kansas	
Contact Person: Lester Town			Phone Number: (913 ) 294-2125
Lease Name & Well No.: S. Fiehler	CW-7		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>C - SE - NW</u>
Emergency Pit Workover Pit	X Proposed Existing		Sec8Twp16R21X East \ West
Settling Pit X Drilling Pit	If Existing, date constructed:		3300 Feet from North / X South Line of Section
Burn Pit Haul-Off Pit	D'11		
(If WP Supply API No. or Year Drilled)	Pit capacity: 100 (bbls)		Franklin County
Is the pit located in a Sensitive Ground Water			
is the pit located iii a Sensitive Ground Water	niea: ites in N		Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
XX Yes No	Yes X No		Pits not lined unless not holding flui
Pit dimensions (all but working pits):Depth for	8 Length (feet) om ground level to deep		
If the pit is lined give a brief description of the material, thickness and installation procedure	I	•	dures for periodic maintenance and determining actualing any special monitoring.
Source of info		west fresh waterfeet. mation:	
1/0		measu	redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of material u		al utilized in drilling/workover: <u>fresh water</u>	
Number of producing wells on lease: Number of we		Number of wo	king pits to be utilized: 2
Barrels of fluid produced daily:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		leted the closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and cor	rrect to the bes	t of my knowledge and belief.
<u>5-1-06</u> Date		Zoli	eta Journal  Signature of Applicant of Agent
	KCC OF	FFICE USE O	NLY
Date Received: 5/4/06 Permit Num	nber:	Pern	nit Date: 5/4/06 Lease Inspection: Yes X No