| For KCC Use: Effective Date: | 5-14-06 |
|---------------------------------|-------------|
| District # | 3 |
| SGA? Yes | ∑ No |

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

| must be approved by Noo me | (a) adjo prior to commone in grand | | | | | |
|--|--|--|--|--|--|--|
| Expected Spud Date 5 12 2006 | Spot ✓ East | | | | | |
| month day year | SW - SW - NW Sec. 35 Twp. 31 S. R. 17 West | | | | | |
| OPERATOR: License# 5150 V | 2560 feet from V N / S Line of Section | | | | | |
| OPERATOR: License# 5150 V Name: COLT ENERGY, INC. | 100 feet from E / W Line of Section | | | | | |
| Address: P O BOX 388 | Is SECTIONRegularIrregular? | | | | | |
| City/State/Zip: IOLA, KS 66749 | (Note: Locate well on the Section Plat on reverse side) | | | | | |
| Contact Person: DENNIS KERSHNER | County: LABETTE | | | | | |
| Phone: 620-365-3111 | Lease Name: KING Well #. 5-35 SWD | | | | | |
| | Field Name: COFFEYVILLE - CHERRYVALE | | | | | |
| CONTRACTOR: License# 33072 | Is this a Prorated / Spaced Field? | | | | | |
| Name: WELL REFINED DRILLING COMPANY, LLC | Target Formation(s): ARBUCKLE | | | | | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: | | | | | |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 847feet MSL | | | | | |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: Yes ✓ No → | | | | | |
| OWO Disposal Wildcat Cable | Public water supply well within one mile: Yes No | | | | | |
| Seismic; # of Holes V Other | Depth to bottom of fresh water: 100 | | | | | |
| Other SALT WATER DISPOSAL | Depth to bottom of usable water: 175 | | | | | |
| | Surface Pipe by Alternate: 1 2 2 | | | | | |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20 Length of Conductor Pipe required: NONE | | | | | |
| Operator: | Projected Total Depth: 1500 | | | | | |
| Well Name: | Formation at Total Depth: ARBUCKLE | | | | | |
| Original Completion Date:Original Total Depth: | Water Source for Drilling Operations: | | | | | |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other X | | | | | |
| If Yes, true vertical depth: | DWR Permit #: | | | | | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR 🔲) | | | | | |
| KCC DKT #: | Will Cores be taken? | | | | | |
| | If Yes, proposed zone: | | | | | |
| ΔFF | IDAVIT | | | | | |
| The undersigned hereby affirms that the drilling, completion and eventual p | | | | | | |
| It is agreed that the following minimum requirements will be met: | and a sum of the sum o | | | | | |
| Notify the appropriate district office <i>prior</i> to spudding of well; | | | | | | |
| 2. A copy of the approved notice of intent to drill shall be posted on ea | ch drilling rig; | | | | | |
| 3. The minimum amount of surface pipe as specified below shall be se | et by circulating cement to the top; in all cases surface pipe shall be set | | | | | |
| through all unconsolidated materials plus a minimum of 20 feet into the | | | | | | |
| | district office on plug length and placement is necessary prior to plugging; | | | | | |
| The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. | | | | | | |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order | #133,891-C, which applies to the KCC District 3 area, alternate II cementing | | | | | |
| , | be plugged. In all cases, NOTIFY district office prior to any cementing. | | | | | |
| I hereby certify that the statements made herein are true and to the best o | f my knowledge and belief. | | | | | |
| Date: 5-5-06 Signature of Signature Agent: | La Stolle Title: PRODUCTION CLERK | | | | | |
| olgitative of Garage Agent. | | | | | | |
| | Remember to: | | | | | |
| For KCC Use ONLY ADJ. # 15 0 99 - 2395 3 - 0000 | - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; | | | | | |
| AFI # 15 | - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; | | | | | |
| Conductor pipe required None feet | - Notify appropriate district office 48 hours prior to workover or re-entry; | | | | | |
| Minimum surface pipe required feet per Alt. (2) | - Submit plugging report (CP-4) after plugging is completed; | | | | | |
| Approved by: 25-9-06 | - Obtain written approval before disposing or injecting salt water. | | | | | |
| This authorization expires: 11-9-00 | - If this permit has expired (See: authorized expiration date) please | | | | | |
| (This authorization void if drilling not started within 6 months of effective date.) | check the box below and return to the address below. | | | | | |
| | Well Not Drilled - Permit Expired | | | | | |
| Spud date: Agent: | | | | | | |
| | Signature of Operator or Agent: | | | | | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| erator: COLT ENERGY, INC. ase: KING Il Number: 5-35 SWD | | | | 2560 feet from ✓ N / ☐ S Line of 100 sec. 35 Twp. 31 S. R. 17 ✓ Eas | | |
|---|-------------------|---|------------------|---|--|--|
| | | | | | | |
| COFFEYVILLE | - CHERRYVALE | | | | <u> </u> | |
| r of Acres attribu | table to well: | | ls \$ | Section: Regu | lar or ✔ Irregular | |
| QTR / QTR of ac | 0144 | _ SW _ N | W | Coation is Irrogular | locate well from nearest corner bou | |
| | | | | | NE NW SE SW | |
| | | | | | | |
| | | | | | | |
| 2560 | | | PLAT | | | |
| 256 | (Show location | on of the well and sh | | acreage for prorated | or spaced wells.) | |
| | | | | or unit boundary lin | | |
| | | | | | | |
| | | • | • | | | |
| | | : | : | | | |
| | • • • • • • | | | | | |
| | | | : | | | |
| | | | | · | | |
| | | | | | | |
| | | | : | . | | |
| • • • | | | | | | |
| | | : | : | : _ | | |
| X · | | <u> 35 </u> | • | · | EXAMPLE : : | |
| | | ÷ | : | | <u></u> | |
| | | | • | • | 1980 | |
| | | | | | | |
| | | | | . | | |
| | | | | · · · · } | 3390' | |
| | | | : | | | |
| | | | | | | |
| | | | | | : : : ! | |
| | | | : | . - | SEWARD CO. | |
| | | | • | • | | |
| | | | | | 1.4 | |
| NOTE: In ai | l cases locate th | e spot of the propo | sed drilling loc | aton. | SEWARD CO. MAY KCC W section with 8 surrounding sections, | |

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: COLT ENERGY | , INC | | License Number: 5150 | | | |
|--|--------------------------|---|--|--|--|--|
| Operator Address: P O BOX 388, IOLA, KS 66749 | | | | | | |
| Contact Person: DENNIS KERSHNER | | | Phone Number: (620) 365 - 3111 | | | |
| Lease Name & Well No.: KING 5-3 | 5 SWD | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | <u>SW _ SW _ SW</u> | | | |
| Emergency Pit Burn Pit | ✓ Proposed Existing | | Sec. 35 _{Twp.} 31 _{R.} 17 | | | |
| Settling Pit | If Existing, date of | onstructed: | Feet from 🗸 North / 🗌 South Line of Section | | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | Feet from East / 🗸 West Line of Section | | | |
| (If WP Supply API No. or Year Drilled) | | (bbls) | LABETTE County | | | |
| Is the pit located in a Sensitive Ground Water | Area? ☐ Yes ✓ | No | Chloride concentration: mg/l | | | |
| | | | (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? ✓ Yes No | Artificial Liner? ✓ Yes | No | How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL | | | |
| | | | | | | |
| Pit dimensions (all but working pits):30 Length (feet)15 Width (feet) N/A: Steel Pits | | | | | | |
| Depth fr | om ground level to de | epest point: | 5 (feet) | | | |
| If the pit is lined give a brief description of the | | 1 | edures for periodic maintenance and determining | | | |
| material, thickness and installation procedure | • | illier illiegrity, il | ncluding any special monitoring. | | | |
| | | | | | | |
| | | | | | | |
| District the second section of the section of the second section of the section o | | Do-th to shallo | | | | |
| Distance to nearest water well within one-mile of pit | | Depth to shallowest fresh water UNKNOWN feet. Source of information: | | | | |
| NONE KNOWN feet Depth of water wellfeet | | measu | redwell owner electric logKDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: NATIVE SOIL | | | | |
| Number of producing wells on lease: Number | | l . | Number of working pits to be utilized: | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: PUMP OUT PUSH IN | | | | |
| Does the slope from the tank battery allow all spilled fluids to | | | | | | |
| flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Sign | | | | | | |
| MAY 04 2000 | | | | | | |
| 5-5-06 | | Shir | lay Statler KCC 1448 | | | |
| Date Signature of Agent WCHITA | | | | | | |
| KCC OFFICE USE ONLY | | | | | | |
| Date Received: 5/8/06 Permit Num | ber: | Perm | it Date: 5/8/06 Lease Inspection: Yes 1 No | | | |



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.