For KCC Use: 5-/4-06
Effective Date: 9
District # 9
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Must be approved by KCC fiv	re (5) days prior to commencing well
Commercial Commercia	Expected Spud Date	
Address: 67601 Contact Person. to Dozzweller Person. 1862-5394 Contact Person. to Dozzweller	Name: Cattleman's Oil Control Control	feet from N / S Line of Section 2310 feet from E / W Line of Section
Contact Person. 160 Doizveller Prone. 786-925394 CONTRACTOR: Licenser 31548 Contractor 31548	Address: 2200 Catherine Rd	
ContractOrie: Licenseer 31548	City/State/Zip: Hays, NO 07001	
Field Name: Discovery Drilling Prost Provided Provent Pr	Contact Person: <u>Leo Dolzweiler</u> 785-625-5394	Loose Name: Kraus B Well #-4
Is this a Prorated (Spaced Fleid? Target Formation(s): LEC, Arbuckle Target Formation (s): LEC, Arbuckle Target Formation(s): LEC, Arbuckle Target Formation (s): LEC, Arbuckle Target		
Name Discovery Well Class: Type Equipment: Well Class: Well Will Class: Well Yes	CONTRACTOR: License# 31548 V	
Nearest Lease or unit boundary. 330	Name: Discovery Drilling	
Commonstration Comm	Well Delle d Service Well Closes Type Equipment:	Nearest Lease or unit boundary: 330'
Gas Storage Pool Ext Air Rotary Public water supply well within one mile: Test Pool Pool Ext Public water supply well within one mile: Test Pool Public water supply well within one mile: Test Pool Public water supply well within one mile: Test Pool Public water supply well within one mile: Test Pool Public water supply well within one mile: Test Pool		
Selsamic: # of Holes Other		Water well within one-quarter mile:
Seismic: if of Holes Other		
Other		
If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment in the complete within 20 days of the spured conflict office will be notified before well is either plugged or production casing is comented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cerement from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 . OST - QS S AG - CACH Minimum surface pipe required		
Length of Conductor Pipe required. None	Ottlet	Surface Pipe by Alternate: 1 2
Projected Total Depth: 3850	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date: Original Total Depth:	Operator:	Length of Conductor Pipe required:
Directional, Deviated or Horizontal wellbore?	Well Name:	
If Yes, true vertical depth:: West Yes No West Farm Pond Other	Original Completion Date:Original Total Depth:	Tomation at Total Deptin.
Bottom Hole Location: DWR Permit #: (Note: Apply for Permit with DWR DWR Permit #: (Note: Apply for Permit with DWR Permit #: Note: Apply for Permit with DWR Permit #: Permit #: Note: Apply for Permit with DWR Permit Perm	Directional Deviated or Herizontal wallhors?	
Bottom Hole Location: Will Cores be taken? Yes No No No No No No No N		The Figure 5 and 5
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drillling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 0 4 2006 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "8" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5/4/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OST - OS SOGO	·	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 0.4 2006 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating coment to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C; which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5/4/2006 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plate according to field proration orders; - Notify appropriate district office desposing or injecting salt water. - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plate district office as Abours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13,3891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5/4/2006 Signature of Operator or Agent: For KCC Use ONLY API #15 - OS5 - OS Sobo	KCC DK1 #;	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 0 4 2006 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be set by circulating cement to the kCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API #1 15		If Yes, proposed zone:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5/4/2006 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workwore or re-entry; Submit plaging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: D	AF	FIDAVIT
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5/4/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OST - 2S Salo- approved by: Put 5 - 9 Ob Minimum surface pipe required	The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5/4/2006 Signature of Operator or Agent: Submit plugging report (CP-4) after plugging is completed; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. I		MAT U 4 2006
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the dall passed of the shall be set by circulating cement to the dall passed of spud date. For KCC Use ONLY API # 15 - OSI - QS 5 26 - QCC Approved by Put 5 - 9 06 This authorization expires: (This authorization expires: (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Agent: Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: Date: Date: Signature of Operator or Agent: Date: Date: Date: Date: Signature of Operator or Agent: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date		Vo.
Title: Agent	 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	set by circulating cement to the top; in all cases surface pipe shall be set IA the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing
For KCC Use ONLY API # 15 - OSI - 2S 526- OCC Conductor pipe required None feet per Alt. XC2 Approved by: Put 5-9-06 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Agent:	I hereby certify that the statements made herein are true and to the best	of my knowledge and belief.
For KCC Use ONLY API # 15 - OSI - 2S 526- OCC Conductor pipe required None feet per Alt. XC2 Approved by: Put 5-9-06 This authorization expires: 11-9-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Pagent: Date: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	- 5/4/2006	Agent
For KCC Use ONLY API # 15 - O51-25526-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. X2 Approved by: Put 5-9-06 This authorization expires: 11-9-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	Date: 3/4/2006 Signature of Operator or Agent: / GV	
API # 15 - OSI-2S 526-0000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. XC2 Approved by: Putt 5-9-06 This authorization expires: 11-9-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Spud date: Da	For KCC Use ONLY	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Minimum surface pipe required	API # 15 - 051-25526-000	File Completion Form ACO-1 within 120 days of spud date;
This authorization expires:	Minimum surface pipe required 200 feet per Alt. Y 2	Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Date: Date: Date:	11-4-1212	
Spud date: Agent: Signature of Operator or Agent: Date:	This authorization expires.	\
	Soud date:	
	Spud date:Agent:	
	Mail to: KCC - Conservation Division, 13	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 051-25526-0000	Location of Well: County: Ellis
Operator: Cattleman's Oil	
Lease: Kraus B	
Well Number: 4	Sec. 20 Twp. 14 S. R. 19 ☐ East ✓ Wes
Field: Kraus	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: 10' N _ sw ww _ SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · · · · · · · · · · · · · · · · · ·	
: .		
:		<i>p</i>
1		-m·o
	: : :	

RECEIVED MAY 0 4 2006 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, $you\ must\ show$:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cattleman's Oil			License Number: 7064	
Operator Address: 2260 Catherin	ne Rd Hay	s, KS 676	601	
Contact Person: Leo Dorzweiler			Phone Number: (785) 625 - 5394	
Lease Name & Well No.: Kraus B #4	 1		Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 20 Twp. 14 R. 19 ☐ East ✓ West	
Settling Pit	If Existing, date of	onstructed:	1660 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2310 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	3,000	(bbls)	Ellis	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l	
Is the bettern below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Yes	No	native clay and drilling mud	
Bit dimensions (all but working nits):	5 Longth (fc			
Pit dimensions (all but working pits):65 Length (feet)65 Width (feet) N/A: Steel Pits Depth from ground level to deepest point:5 (feet)				
l		Received May 84 2006 KCC WICHITA		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
feet Depth of water well	feet	measu	redwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		al utilized in drilling/workover: drilling mud		
		king pits to be utilized: 3		
		procedure: allow to dry by evaporation and		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must to		n dry be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
KCC OFFICE USE ONLY				
Date Received: 5/8/04 Permit Number: Permit Date: 5/8/04 Lease Inspection: Yes & No				