For KCC Use: Effective Date: District

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

KANSAS CORPORATION COMMISSION Form C-1

December 2002 MAY 1 0 2006Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL

X Yes No Must be approved by KCC five (5) days prior to commencing well CONSERVATION DIVISION WICHITA, KS Expected Spud Date Fast Spot _ Twp. _32 day vear Дрр. S. R. 35 **√** West feet from VN/S Line of Section
feet from E/VW Line of Section 1250 OPERATOR: License# 5208 feet from Name: ExxonMobil Oil Corporation Address: P O Box 4358 Is SECTION ✓ _Regular ____Irregular? City/State/Zip: Houston, TX 77210-4358 (Note: Locate well on the Section Plat on reverse side) Contact Person: Roy Springfield County: Stevens Phone: 281-654-1932 Lease Name: Newby Well #: 2-29 Field Name: Panoma CONTRACTOR: License# 33545 Is this a Prorated / Spaced Field? ✓ Yes Name: Pioneer Drilling Services Target Formation(s): Council Grove Nearest Lease or unit boundary: 1250 Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 3025 feet MSL ✓ Infield ✓ Mud Rotary ✓ Oil Enh Rec Water well within one-quarter mile: $]_{\mathbf{N}c}$ ✓ Gas Storage Pool Ext. Air Rotary Public water supply well within one mile: OWWD Disposal Wildcat Cable Depth to bottom of fresh water: 561 Seismic: Other Depth to bottom of usable water: 501 600 Other Surface Pipe by Alternate: ✓ 1 Length of Surface Pipe Planned to be set: 631 If OWWO: old well information as follows: Length of Conductor Pipe required: NA Operator: Projected Total Depth: 3600' Well Name: ____ Formation at Total Depth: Council Grove Original Completion Date:_ Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes ✓ No Hauled Well Farm Pond If Yes, true vertical depth:__ DWR Permit #: . Bottom Hole Location:_ (Note: Apply for Permit with DWR) KCC DKT #-Will Cores be taken? Yes ✓ No Prorated & spaced Hugoton & Panoma If Yes, proposed zone: **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. 55 et. 55 et. 56 (CORPORATION COMMISSION It is agreed that the following minimum requirements will be met: MAY 0 4 2006 1. Notify the appropriate district office prior to spudding of well; CONSERVATION PAYISION 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOT/FY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best Title: Staff Regulatory Specialist Date: 05/02/2006 Signature of Operator or Agent Remèmber to: File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 189-22 527-00 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Conductor pipe required ___ Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Minimum surface pipe required__ Obtain written approval before disposing or injecting salt water. Approved by: Put 5-10-06 This authorization expires: 1/-10-06 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. (This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired Signature of Operator or Agent:_ Spud date:__

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 189-22527-0000	Location of Well: County: Stevens
Operator: ExxonMobil Oil Corporation	1250 feet from VN/ S Line of Section
Lease: Newby	1250 feet from E / W Line of Section
Well Number: 2-29	Sec. 29 Twp. 32 S. R. 35 East West
Field: Panoma	
Number of Acres attributable to well: 640	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	12	50					
1.52	٠ . د	•	· · · ·				· · · · · · ·
			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		· • • •
		· ·	•	: 	:	:	
				· · · ·			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

CONSERVATION DIVISION

Form CDP-1

April 2004

CONSERVATION DIVISION

WICHITA, KS

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: ExxonMobil Oil Corporation			License Number: 5208		
Operator Address: P O Box 4358		TX 7721			
Contact Person: Roy Springfield	<i>y</i> 110001011,	177 772	Phone Number: (281) 654 - 1932		
	Newby	2-29	Pit Location (QQQQ):		
Lease Name & Well No.: Jennings Gas Unit 3-30 Type of Pit: Pit is:		NW NW			
	Pit is: Proposed	Existing			
Emergency Pit Burn Pit	If Existing, date constructed:		Sec. 29 _{Twp.} 32 _{R.} 35		
Settling Pit ✓ Drilling Pit	ii Existing, date of	oristracted.	Feet from V North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1250 Feet from East / West Line of Section		
		(bbls)	<u>Stevens</u> County		
Is the pit located in a Sensitive Ground Water	Area? Ves ✓] No	Chloride concentration: <3000 mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes V	No	NA		
Pit dimensions (all but working pits):	BO Length (fe	eet) 80	Width (feet) N/A: Steel Pits		
	om ground level to de	_	(feet)		
If the pit is lined give a brief description of the		1	edures for periodic maintenance and determining		
material, thickness and installation procedure			ncluding any special monitoring.		
NA		NA	KANSAS CORPORATION COMMISSION		
			MAY 0 4 2006		
			7 7 7		
			CONSERVATION DIVISION		
Distance to nearest water well within one-mile	e of pit		CONSERVATION DIVISION west fresh water 210 featign, KS		
	e of pit	Source of info	CONSERVATION DIVISION west fresh water 210 feath Childra, KS		
1400	561 _{feet}	Source of info	CONSERVATION DIVISION owest fresh water 210 fee MCLITA, KS rmation:		
1469feetDepth of water well	561 _{feet}	Source of info	CONSERVATION DIVISION owest fresh water 210 feetical KS rmation: ured well owner electric log KDWR		
	561 _{feet}	Source of information measurements Drilling, Work Type of materi	CONSERVATION DIVISION west fresh water 210 feetical KS rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY:		
1469 / feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	561 _{feet}	Source of informal measurements Drilling, Work Type of materi Number of work	CONSERVATION DIVISION owest fresh water 210 fee fee fee fee fee fee fee fee fee fe		
1469 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	561 feet	Source of information measurements Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION owest fresh water 210 fee Franciscon. owest fresh water 210 fee Franciscon. ower and well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FW Gel Mud orking pits to be utilized: 2		
	561 feet	Source of information measurements Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION west fresh water 210 feetical, KS rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FW Gel Mud rking pits to be utilized: 2 procedure: Remove clear water, air dry and backfill be closed within 365 days of spud date.		
	561 feet	Source of information measurements Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION owest fresh water 210 feetical, KS rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FW Gel Mud rking pits to be utilized: 2 procedure: Remove clear water, air dry and backfill be closed within 365 days of spud date.		
	561 feet	Source of information measurements Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION west fresh water 210 feetical, KS rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FW Gel Mud rking pits to be utilized: 2 procedure: Remove clear water, air dry and backfill be closed within 365 days of spud date.		
	561 feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION west fresh water 210 feeting, KS rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FW Gel Mud rking pits to be utilized: 2 procedure: Remove clear water, air dry and backfill be closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 05/02/2006	561 feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION Invest fresh water 210 fee fee fee fee fee fee fee fee fee fe		
	561 feet I spilled fluids to ements are true and	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION Invest fresh water 210 fee fee fee fee fee fee fee fee fee fe		

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN I. MOLINE, CHAIR POBERT E RREHBIEL, COMMISSIONER MICHAEL C. MOFFET, FORMICCIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.