For KCC Use: 5-/5-06

Effective Date: 5-/5-06

District # 3

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date May 11 2006	
month day year	Spot NW SE SE Sec. 12 Twp. 33 S. R. 20 West
OPERATOR: License# 9684	990' feet from N / V S Line of Section 990' Feet from V E / W Line of Section
Name: M S Drilling	Is SECTION Regular Irregular?
Address: P. O. Box 87	is SECTIONRegularTregular?
City/State/Zip: St. Paul, KS 66771	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Mark Smith	County: Labette Lease Name; Swanwick
Phone: 620/449-2200	Lease Name: Wildcat Well #: 12-4
CONTRACTOR: License# Will Advise on ACO-1	
Name: ADVISE ON ACO-1: MUST	Is this a Prorated / Spaced Field?
	Target Formation(s): Bartlesville Nearest Lease or unit boundary: 990'
Well Drilled BE LICEWING WITH KGQ ipment:	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL Water well within one-quarter mile: Yes V No
Gas Storage Pool Ext. Air Rotary —	Water well within one-quarter mile: Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 120
Seismic;# of Holes Other	Depth to bottom of usable water: 220
Other	Surface Pipe by Alternate: 1 2
K ONNICO AND AND A COMPANY	Length of Surface Pipe Planned to be set: 20'
If OWWO: old well information as follows: Operator: N/A	Length of Conductor Pipe required: None
	Projected Total Depth: 500'
Well Name:Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi
Original Completion DateOriginal Iotal Deptin	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AF	FIDAVIT RECEIVED
The undersioned hereby affirms that the drilling completion and eventual	olugging of this well will comply with K.S.A. 55 et. seg A444
The allesting for hereby annual tree annual, completion and overhead	
It is agreed that the following minimum requirements will be met:	MAY U 9 2006
	olugging of this well will comply with K.S.A. 55 et. seq. MAY 0 9 2006
1. Notify the appropriate district office prior to spudding of well;	KCC MICHIE
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e The minimum amount of surface pipe as specified below <i>shall be</i>: 	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 	ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the 	Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus 	Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in;
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be ceme 	Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date.
 Notify the appropriate district office prlor to spudding of well; A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Consider the un
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plushed. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Considering the district office on plug length and placement is necessary prior to plugging; length or production casing is cemented in; leted from below any usable water to surface within 120 days of spud date. The state of the sta
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 5 - 5 - 0 U Signature of Operator or Agent: For KCC Use ONLY	Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plucified. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: For KCC Use ONLY API # 15 - 099-23969-0000	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; goged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface prior to any cementing. Let a surface prior to plugging; Let a surface prior
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plushed. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 5 - 5 - 0 L Signature of Operator or Agent: Date: 15 - 5 - 0 L Signature of Operator or Agent: Date: 15 - 0 L Signature of Operator or Agent	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; length of production casing is cemented in; let district office on plug length and placement is necessary prior to plugging; length of rom below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing let be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plucified. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: 5 - 5 - 0 U Signature of Operator or Agent:	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; goged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date; Let a surface within 120 days of spud date; Let a surface within 120 days of spud date; Let a surface within 120 days of spud date; Let a surface within 120 days of spud date; Let a surface within 120 days of spud date; Let a surface within 120 days of spud date; Let a surface pipe shall be set to plugging; Let a surface pipe shall be set to
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plucified. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: 5 - 5 - 0 U Signature of Operator or Agent: 10 Signature of Operator or Agent: 11 Signature of Operator or Agent: 12 Operator of Agent: 13 Operator of Agent: 14 Operator of Agent: 15 Operator of Agent: 15 Operator of Agent: 15 Operator of Agent: 16 Operator of Agent: 16 Operator of Agent: 17 Opera	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; goged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date. Let a surface within 120 days of spud date; Let a surface w
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 5-5-04 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099-23969-0000 Conductor pipe required Now feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. X 2 Approved by: 24+5-10-06	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; in it district office on plug length and placement is necessary prior to plugging; in it district office on plug length and placement is necessary prior to plugging; in it district office within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate It cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: 5 - 5 - 0 U Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099 - 23969 - 0000 Conductor pipe required Now feet per Alt. X 2 Approved by: 24 - 5 - 10 - 06 This authorization expires: 11-10-06	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; length of production casing is cemented in; length of the kcc place within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 5 - 5 - 0 U Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099 - 23969 - 0000 Conductor pipe required	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; length or production casing is cemented in; length of the from below any usable water to surface within 120 days of spud date. Let a 133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Let a 15 mile prior to any cementing. Let a 16 mile prior to any cementing. Let a 17 mile prior to any cementing. Let a 18 mile prior to any cementing. Let a 19 mile prior to any cementi
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent: Date: 5 - 5 - 0 Signature of Operator or Agent: Signature of Operator or Agent:	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ingged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate It cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: 5 - 5 - 0 U Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099 - 23969 - 0000 Conductor pipe required Now feet per Alt. X 2 Approved by: 24 - 5 - 10 - 06 This authorization expires: 11-10-06	Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; length or production casing is cemented in; length of the from below any usable water to surface within 120 days of spud date. Let a 133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Let a 15 mile prior to any cementing. Let a 16 mile prior to any cementing. Let a 17 mile prior to any cementing. Let a 18 mile prior to any cementing. Let a 19 mile prior to any cementi

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-23969-0000	Location of Well: County: Labette
Operator: M S Drilling	990'feet from N / V S Line of Section
Lease: Swanwick	990' feet from E / W Line of Section
Well Number: 12-4	Sec. 12 Twp. 33 S. R. 20 East West
Field: Wildcat	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - SE - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		RECEIVED MAY 0 9 2006 KCC WICHITA
: :	· 12 — · · ·	EXAMPLE
: :		1980
· · · · · · · · · · · · · · · · · · ·	·	3390
	· · · · · · · · · · · · · · · · · · ·	
: :		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

990

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate					
Operator Name: M S Drilling	Operator Name: M S Drilling		License Number: 9684		
Operator Address: P. O. Box 87, St. Paul, KS 66771					
Contact Person: Mark Smith		Phone Number: (620) 449 - 2200			
Lease Name & Well No.: Swanwick #12-4		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NW</u> . SE . SE		
Emergency Pit Bum Pit	✔ Proposed Existing		Sec. 12 Twp. 33 R. 20 Fast West		
Settling Pit Drilling Pit	If Existing, date constructed:		990' Feet from North / 🗹 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		990' Feet from 🗹 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	80	(bbls)	Labette county		
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No 	Native Clay		
The difficulties (all but working pits).	5 Length (fe	· _	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 6	(feet)		
1 ' ' '		edures for periodic maintenance and determining nocluding any special monitoring.			
N/A N/A		MAY 0 9 2006			
		KCC WICHITA			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water Unknown feet.		
N/A feet Depth of water well	feet	measu	ired well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
Producing Formation:			al utilized in drilling/workover: Air		
Number of producing wells on lease:			rking pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment procedure: Backfill when dry		procedure: Backfill when dry			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
5-5-06 Date Date					
KCC OFFICE USE ONLY					
Date Received: 5/9/06 Permit Number: Permit Date: 5/1/06 Lease Inspection: Ves V No.					
Date Received: 5/9/06 Permit Num	iber:	Perm	it Date: 5/1/06 Lease Inspection: Yes 🗷 No		