# RECEIVED

For KCC		5-16-06
Effective	Date:	5 1000
District #	ق	<b>3</b>
SGA?	Yes	No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 0 1 2006

Form C-1 December 2002

Form must be Typed

KCC WICHIT form must be Signed blanks must be Filled NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well NW-SE-SE-NE Expected Spud Date may 1 2006 ✓ East Spot ₩<del>1/</del>2 N / ✓ S Line of Section 3195 feet from 4226 OPERATOR: License#. 560 feet from 🗸 E / W Line of Section Name: galemore oil Address: 305 east rutledge Is SECTION \_ Regular \_\_\_ \_\_\_Irregular? City/State/Zip: yates center ks 66783 (Note: Locate well on the Section Plat on reverse side) Contact Person: matt galemore County: wilson Phone: 620-625-2621 Lease Name: payne Field Name: cattleman CONTRACTOR: License# 5661 Is this a Prorated / Spaced Field? Yes / No Name: kelly down drilling co. inc Target Formation(s): cattleman Nearest Lease or unit boundary: 555 Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: ✓ Oil Enh Rec Infield / ✓ Mud Rotary Water well within one-quarter mile: Yes V No Gas Storage Pool Ext. Air Rotary Public water supply well within one mile: Yes 🗸 No 100 CWWD Disposal Wildcat Cable Depth to bottom of fresh water: none Seismic: # of Holes Other Depth to bottom of usable water: none Other Surface Pipe by Alternate: 1 1 2 Length of Surface Pipe Planned to be set: 40-60 feet If OWWO: old well information as follows: Length of Conductor Pipe required: Operator:\_ Projected Total Depth: 950-980 Well Name: Formation at Total Depth: Original Completion Date: Original Total Depth: Water Source for Drilling Operations: \_\_Yes ✓ No Directional, Deviated or Horizontal wellbore? Well ✓ Farm Pond If Yes, true vertical depth:\_ DWR Permit #: Bottom Hole Location:\_\_ (Note: Apply for Permit with DWR ) KCC DKT #:\_ Yes ✓ No Will Cores be taken? If Yes, proposed zone: RECEIVED **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 1 0 2006 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall it through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 4-27-06 Title: owner Signature of Operator or Agent: Remember to: For KCC Use ONLY File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 205-26613-000 File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Mone Conductor pipe required\_ Notify appropriate district office 48 hours prior to workover or re-entry; Minimum surface pipe required.... Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. Approved by: Ptt 5-11-06 If this permit has expired (See: authorized expiration date) please This authorization expires: 11-11-06

(This authorization void if drilling not started within 6 months of approval date.)

Agent:

Spud date:\_

check the box below and return to the address below.

Well Not Drilled - Permit Expired Signature of Operator or Agent:

# RECEIVED MAY 0 1 2006 KCC WICHITA

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries

API No. 15 - 205-26 613- 0000	Location of Well: County: wilson
Operator: galemore oil	3195 feet from N / ✓ S Line of Section
Lease: payne	feet from N / S Line of Section  Section Leet from E / W Line of Section
Well Number: 12	Sec. 14 Twp. 27 S. R. 15 ✓ East West
Field: cattleman	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: WHO SE - SE-NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		:																	-	
			•		:	 •		•		•	•	•	•			•				
•		· •		•	•			•		•	•	•		•		•				'n
•			•		:	 •		•			•				· ·	•	•		*	13
	_	•	_		:				- /	4					· ·			·		
	•					 •					٠			٠						
						 •	•			١.	•						•			
		:			:															

NOTE: In all cases locate the spot of the proposed drilling locaton.

MAY 1 n 200e

KCC WICHITA

# In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

of the proposed acreage attribution unit for oil wells.

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

RECEIVED MAY 0 1 2006

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

# KCC WICHITA

Submit in Duplicate

Operator Name: galemore oil			License Number: 4226
Operator Address: 305 east rutled	ge yates cent	er ks 6678	3
Contact Person: matt galemore			Phone Number: ( 620 ) 625 - 2621
Lease Name & Well No.: payne #12			Pit Location (QQQQ):
Type of Pit:	Pit is:		_w/2 _ ne/4 _ se/4 _ ne/4
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 14 Twp. 27 R. 15
Settling Pit	If Existing, date co	onstructed:	3195 Feet from North / V South Line of Section
Workover Pit Haul-Off Pit			560
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Feet from  East / West Line of Section wilson
			County
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes ✓	<del>  N8</del>	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	BO Length (fe	et) 10	Width (feet) N/A: Steel Pits
, , , , ,	rom ground level to de		(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining notuding any special monitoring.
	<b></b>	liner integrity, i	RECEIVEL MAY 1 0 2006  West fresh water none feet.
material, thickness and installation procedure	e of pit	Depth to shallo Source of infor	RECEIVEL MAY 1 0 2006  West fresh water none feet.
material, thickness and installation procedure  Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	MAY 1 0 2006  West fresh water none feet.
Distance to nearest water well within one-mile	e of pitfeet	Depth to shallo Source of infor measu	MAY 1 0 2006  KCC WICHIT  mest fresh water none feet.  mation:  ured well owner electric log KDWR
Distance to nearest water well within one-mile none feet Depth of water well   Emergency, Settling and Burn Pits ONLY:	e of pitfeet	Depth to shallo Source of informeasu  Drilling, Work Type of materia	MAY 1 0 2006  KCC WICHIT  west fresh water none feet.  mation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: natural mud  rking pits to be utilized: 2
Distance to nearest water well within one-mile none feet Depth of water well Emergency, Settling and Burn Pits ONLY:  Producing Formation:	e of pitfeet	Depth to shallo Source of informeasu  Drilling, Work Type of materia	West fresh water none feet. That well owner electric log KDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: natural mud
Distance to nearest water well within one-mile  none feet Depth of water well	e of pitfeet	Depth to shallo Source of informeas.  Drilling, Work Type of materia Number of wor	MAY 1 0 2006  KCC WICHIT  west fresh water none feet. mation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: natural mud  rking pits to be utilized: 2  procedure: evaporate and back fill
Distance to nearest water well within one-mile  none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	e of pitfeet	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of work Abandonment  Drill pits must	MAY 1 0 2006  KCC WICHIT  west fresh water none feet. mation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: natural mud  rking pits to be utilized: 2  procedure: evaporate and back fill
Distance to nearest water well within one-mile none feet Depth of water well Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state	e of pitfeet	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of work Abandonment  Drill pits must	RECEIVED  MAY 1 0 2006  KCC WICHIT  Invest fresh water none feet.  Traction:  Ured well owner electric log KDWR  Over and Haul-Off Pits ONLY:  all utilized in drilling/workover: natural mud  rking pits to be utilized: 2  procedure: evaporate and back fill  be closed within 365 days of spud date.
Distance to nearest water well within one-mile none feet Depth of water well   Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit? Yes No	e of pitfeet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	RECEIVED  MAY 1 0 2006  KCC WICHIT  Invest fresh water none feet.  Traction:  Ured well owner electric log KDWR  Over and Haul-Off Pits ONLY:  all utilized in drilling/workover: natural mud  rking pits to be utilized: 2  procedure: evaporate and back fill  be closed within 365 days of spud date.
Distance to nearest water well within one-mile none feet Depth of water well Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state 4-27-06	e of pit  feet  spilled fluids to  ements are true and o	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	RECEIVED  MAY 1 0 2006  KCC WICHING  Traction:  Lived well owner electric log KDWR  Lover and Haul-Off Pits ONLY:  Lal utilized in drilling/workover: natural mud  Liking pits to be utilized: 2  Liprocedure: evaporate and back fill  Libe closed within 365 days of spud date.  It of my knowledge and belief.
Distance to nearest water well within one-mile none feet Depth of water well Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state 4-27-06	e of pit  feet  I spilled fluids to  ements are true and co	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the best Source Office USE Office	RECEIVED  MAY 1 0 2006  KCC WICHIT  Invest fresh water none feet.  Traction:  Ured well owner electric log KDWR  Over and Haul-Off Pits ONLY:  all utilized in drilling/workover: natural mud  rking pits to be utilized: 2  procedure: evaporate and back fill  be closed within 365 days of spud date.