# For KCC Use: 5-16-06 Effective Date: 5-16-06 District # 4 SGA? Yes X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	(5) days prior to commercing well
Expected Spud Date May 15 2006 month day year	Spot APPX  NE NW SE Sec. 10 Twp. 15 S. R. 21 West
OPERATOR: License# 5086	2130 feet from N / S Line of Section
Name: PINTAIL PETROLEUM, LTD.	1835 feet from F / W Line of Section
Address: 225 N. MARKET, STE. 300	Is SECTION _✓ _RegularIrregular?
City/State/Zip: WICHITA, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: FLIP PHILLIPS	County: TREGO
Phone: 316-263-2243	Lease Name: WITTHUHN 'VM' Well #: 1-10
30/0/0	Field Name: WILDCAT
CONTRACTOR: License# 30606  Name: MUREIN DRUG	Is this a Prorated / Spaced Field?  Target Formation(s): CHEROKEE SAND
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 510'
	Ground Surface Elevation: 2223 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal V Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water: 180'
Other	Depth to bottom of usable water: 700' 770'
	Surface Pipe by Alternate: 1 / 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 4300'
Original Completion Date:Original Total Depth:	Formation at Total Depth: MISSISSIPPIAN
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other trucked
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR )
ROC DRT #	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq. MAY 1 0 2006
It is agreed that the following minimum requirements will be met:	
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It is is to office on plug length and placement is necessary prior to plugging;
I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.
Date: 5 9 2006 Signature of Operator or Agent: Bett	- a. Joer Title: GEOLOGIST
	Remember to:
For KCC Use ONLY  API # 15	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
This authorization expires: 1/-11-06	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of effective date.)	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22363-0000	Location of Well: County: TREGO
Operator: PINTAIL PETROLEUM, LTD. Lease: WITTHUHN 'VM'	2130 feet from N / ✓ S Line of Section 1835 feet from ✓ E / W Line of Section
Well Number: 1-10 Field: WILDCAT	Sec. 10 Twp. 15 S. R. 21 East ✓ Wes
Number of Acres attributable to well:  OTR / OTR / OTR of acreage: N/2 NW SE	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: N/2 - NW - SE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	7	u w	
			Dr.
			RECEIVED MAY 10 2006 KCC WICHITA
	·		EXAMPLE EXAMPLE
		10	
			1980
_	· · · · · · · · · · · · · · · · · · ·		SEWARD CO.

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: PINTAIL PET	ROLEUM. I	LTD.	License Number: 5086
Operator Address: 225 N. MAF			WICHITA, KS 67202
Contact Person: FLIP PHILLIPS	•		Phone Number: (316)263 -2243
Lease Name & Well No.: WITTHU		<i>‡</i> 1-10	Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>NE . NW/4 . SE/4</u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 10 <sub>Twp.</sub> 15S <sub>R.</sub> 21 ☐ East ✓ West
Settling Pit	If Existing, date co	onstructed:	2130 Feet from North / ✓ South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1835 Feet from 🗸 East / 🗀 West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	TREGO
Is the pit located in a Sensitive Ground Water	r Area? Yes	]No	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
Yes No	Yes V	No	mud and bentonite
Pit dimensions (all but working pits):		eet) 80	Width (feet) N/A: Steel Pits
	from ground level to de	•	
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner		edures for periodic maintenance and determining ncluding any special monitoring.
If the pit is lined give a brief description of the	e liner		ncluding any special monitoring.
If the pit is lined give a brief description of the	e liner e.	liner integrity, i	west fresh water 180 relations relations and special monitoring.  RECEIVED  MAY 1 0 2006  KCC WICHIT
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e. le of pit	liner integrity, i  Depth to shallo Source of infor	west fresh water 180 relations relations and special monitoring.  RECEIVED  MAY 1 0 2006  KCC WICHIT
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-miles.	e liner e.  le of pit feet	Depth to shallo Source of infor	west fresh water 180 feet.  mation:  well owner electric log KDWR  well-over and Haul-Off Pits ONLY:
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil	e liner e.  le of pit  feet	Depth to shallo Source of infor measu	west fresh waterfeet.  mation:  well owner electric log KDWR
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  North feet Depth of water well.  Emergency, Settling and Burn Pits ONLY	e liner e.  le of pit  feet	Depth to shallo Source of infor measu  Drilling, Work Type of materia	west fresh water 180 feet.  west fresh water electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Normal feet Depth of water well.  Emergency, Settling and Burn Pits ONLY Producing Formation:	e liner e.  le of pit  feet	Depth to shallo Source of infor measu  Drilling, Work Type of materia	west fresh water 180
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Note: The pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Depth of water well.  Emergency, Settling and Burn Pits ONLY Producing Formation:  Number of producing wells on lease:	e liner e.  le of pit feet ':	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of wor	west fresh water 180 feet.  mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3  procedure: evaporate and backfill  be closed within 365 days of spud date.
Distance to nearest water well within one-mil  Note: The pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil  Note: The pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil  Depth of water well  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed.	le of pit  feet  :  Il spilled fluids to	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of wor Abandonment  Drill pits must	west fresh water 180 feet.  mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3  procedure: evaporate and backfill  be closed within 365 days of spud date.
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Note: Depth of water well.  Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	le of pit  feet  :  Il spilled fluids to	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	west fresh water 180
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Note: Depth of water well.  Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allow into the pit?  Yes: No  I hereby certify that the above state.  May 9, 2006	le of pit  feet  Il spilled fluids to	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	west fresh water 180 feet.  west fresh water 4 lectric log 4 kDWR  west fresh water 4 lectric log 5 kDWR  west fresh water 6 lectric log 6 kDWR  west fresh water 7 feet.  well owner 6 lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water  king pits to be utilized: 3 feet lectric log 7 kDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: mud and fresh water