For KCC Use:	5-16-06
Effective Date: _	
District #	4
	V

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

SGA? Tes No		Must be app	proved by KCC five	(5) days prior to commencing well	All blanks must be Filled
Expected Spud Date May		26th	2006	Spot	☐ East
	month	day	year	30' N - 360' E - C-NE/4 Sec. 8 Twp. 13	
9292				1290 feet from V N /	
OPERATOR: License# 9292 Name: Scheck Oil Operations					W Line of Section
Address: 225 Main Street				Is SECTION ✓ Regular rregular?	_
City/State/Zip: Russell, Kansas	67665			(Note: Locate well on the Section Plat or	reverse side)
Contact Person: Tim Scheck				County: Ellis	
Phone: 785-483-1292				Lease Name: Yost Unit	Well #: 1-8
	E40 /			Field Name:	
CONTRACTOR: License# 31 Name: Discovery Drilling	340			Is this a Prorated / Spaced Field?	Yes √No ~
ivaille.				Target Formation(s): Lansing/Kansas City Arbuckl	
Well Drilled For:	Well Class	: Type E	Equipment:	Nearest Lease or unit boundary: 330'	
✓ Oil Enh Rec	Infield	✓ M	ud Rotary /	Ground Surface Elevation: Est. 1970	feet MSL
Gas Storage	Pool E	Ext. 🔲 Ai	r Rotary	Water well within one-quarter mile: Public water supply well within one mile:	Yes ✓ No Yes ✓ No
OWWO Disposal	✓ Wildca	at 🖊 🔲 Ca	able	Depth to bottom of fresh water: 150'	162 ¥_140
Seismic;# of Ho	les Other			Depth to bottom of usable water: 1000 750	_
Other		-	_	Surface Pipe by Alternate: 1 2	
If OWWO: old well informatio	n an follows:			Length of Surface Pipe Planned to be set: 200+	<u> </u>
Operator:				Length of Conductor Pipe required: None	
Well Name:				Projected Total Depth: 3550'	
Original Completion Date:		_Original Total	Depth:	Formation at Total Depth: Arbuckle	
			/	Water Source for Drilling Operations:	
Directional, Deviated or Horizo			Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DW	
KCC DKT #:	o ddach	ed.		Will Cores be taken?	Yes ✓ No
Unit agreement	attach	• "		If Yes, proposed zone:	RECEIVED
			AFI	IDAVIT	TOTIVED
The undersigned hereby affin	rms that the o	Irilling, comple	tion and eventual	IDAVII lugging of this well will comply with K.S.A. 55 et. seq	MAY 1 n 2000
It is agreed that the following	minimum re	quirements wil	l be met:		V0.
through all unconsolid. 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen	d notice of in of surface pi ated material an agreemer t office will b OMPLETION dix "B" - East	tent to drill shape as specified by plus a minimal between the production premiser Kansas su	all be posted on ead below shall be so um of 20 feet into e operator and the re well is either pluipe shall be cemer urface casing orde	ch drilling rig; et by circulating cement to the top; in all cases surfa he underlying formation. district office on plug length and placement is neces: gged or production casing is cemented in; ted from below any usable water to surface within 1. #133,891-C, which applies to the KCC District 3 ar be plugged. In all cases, NOTIFY district office p	sary <i>prior to plugging;</i> 20 days of spud date. ea, alternate II cementing
I hereby certify that the state	ements made	herein are tru	e and to the best	of my knowledge and belief.	
Date: 5-7-66	_Signature o	f Operator or A	Agent: Time!	ty J. Schock Title: Ow.	n E Y
				Remember to:	
For KCC Use ONLY	25-21-	α		- File Drill Pit Application (form CDP-1) with Intent	
API # 15 - 051 - 6	6 3 3 1			File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field present the second secon	, , , , , , , , , , , , , , , , , , ,
Conductor pipe required	None		et _	Notify appropriate district office 48 hours prior to	
Minimum surface pipe requ	ired 20	50 fe	et per Alt. 🗶 🕡	- Submit plugging report (CP-4) after plugging is	completed;
Approved by: Putt 5-1	II II A	,		- Obtain written approval before disposing or injection	[C.3
This authorization expires:	/ - / - /\	within 6 manth	of approval data	 If this permit has expired (See: authorized expire check the box below and return to the address 	and
(This authorization void if drill	ung not started	WITHIN 6 MONTHS	oi approvai date.)	Well Not Drilled - Permit Expired	
Spud date:	Agent:_			Signature of Operator or Agent:	è
				Date:	•

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25531-0000	Location of Well: County: Ellis
Operator: Scheck Oil Operations	1290 feet from VN/ S Line of Section
Lease: Yost Unit	960 feet from VE / W Line of Section
Well Number:	Sec. 8 Twp. 13 S. R. 16 East ✓ West
Field:	
Number of Acres attributable to well: OTR (OTR (OTR of paragra) 30' N 360' F C-NE/4	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: 30' N - 360' E - C-NE/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit In Duplicate

Operator Name: Scheck Oil Operati	ions		License Number: 9292	
Operator Address: 225 Main Stree	t Russell, K	ansas 67	665	
Contact Person: Tim Scheck		·	Phone Number: (785) 483 - 1292	
Lease Name & Well No.: Yost Unit #	1-8		Pit Location (QQQQ):	
Type of Pit:	Pit is:		30' N _ 360' E _ C NE/4	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec8Twp13SR16 □ East 🗸 Wes	st
Settling Pit	If Existing, date co	onstructed:	1290 Feet from V North / South Line of S	
Workover Pit Haul-Off Pit			960 Feet from 🗸 East / 🗍 West Line of S	
(If WP Supply API No. or Year Drilled)	Pit capacity: 2500	(bbls)	Filis	
				County
Is the pit located in a Sensitive Ground Wate	r Area? Yes	No	Chloride concentration:	.mg/i
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓ I	No	Native Mud and Fresh Water Mud	
Pit dimensions (all but working pits):	80' Length (fe	eet)80'	Width (feet) N/A: Steel Pits	s
Pit dimensions (all but working pits):	from ground level to de	eepest point: 5'	(feet)	
	e liner	Describe proce	edures for periodic maintenance and determining ncluding any special monitoring.	
Depth : If the pit is lined give a brief description of th	e liner	Describe proce	edures for periodic maintenance and determining	•
Depth : If the pit is lined give a brief description of th	e liner re.	Describe proce liner integrity, i	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT	•
Depth of the pit is lined give a brief description of the material, thickness and installation procedure.	ile of pit	Describe proceed iner integrity, in the second proceed in the seco	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT	TA_
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minus	ile of pit	Describe proceed iner integrity, in the proceeding integrity in the proceeding in th	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT powest fresh water 25 feet.	TA_
Depth of water well	ile of pit 45 feet	Describe proceed inner integrity, in the process of	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT Divest fresh water 25 feet. rmation: ured well owner electric log KDV	TA_
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minutes and the pit is a possible of the pit is linear to the pit is l	ile of pit 45 feet	Depth to shall Source of info mease Drilling, Work Type of materi	edures for periodic maintenance and determining RECEIVEL MAY 1 D 2006 KCC WICHIT Property of the property of t	TA_
Depth in the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minute. 1650 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	ile of pit 45 feet f:	Depth to shall Source of info mease Drilling, Work Type of materi	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT west fresh water 25 feet. Transion: Lured well owner electric log KDV (sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud	TA_
Depth in the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minute in the production of the material, thickness and installation procedure. Distance to nearest water well within one-minute in the production of the material in the production of th	ile of pit 45 feet	Depth to shall Source of info ——— measi Drilling, Work Type of materi Number of wo	edures for periodic maintenance and determining RECEIVEL MAY 1 D 2006 KCC WICHIT Property of the property of t	TA_
Depth in the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minute. 1650	ile of pit 45 feet Y:	Describe proceed in a second liner integrity, in the shall of the source of information of the second line o	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT Detections and MAY 1 0 2006 KCC WICHIT DETECTION AND MAY 1 0 2006 KCC WICHIT DETEC	TA_
Depth in the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minute. 1650	ile of pit 45 feet Y:	Depth to shall source of info ———————————————————————————————————	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT Detections and MAY 1 0 2006 KCC WICHIT DETECTION AND MAY 1 0 2006 KCC WICHIT DETEC	TA_
Depth in the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mined by the material in the procedure. 1650	ile of pit 45 feet f: all spilled fluids to	Depth to shalld Source of info meast Drilling, Work Type of materi Number of wo Abandonment Drill pits must correct to the best formal of the state	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT 2006 KCC WICH	TA_
Depth in the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mined to be perfectly and be produced to be perfectly and be producing. The producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above stated to be perfectly that the above stated the perfectly that the above stated to be perfectly that the above stated the pe	ile of pit 45feet f: all spilled fluids to atements are true and	Describe proceed in the proceed in the proceed in the process of information of the process of t	edures for periodic maintenance and determining RECEIVEL MAY 1 0 2006 KCC WICHIT 2006 KCC WICH	VR